

Cal. Nurs. Co.

1910-11

(Catalog Number 3)

3/2/11

# PRICE LIST

1910-1911

CALIFORNIA  
NURSERY  
COMPANY

NILES, CALIFORNIA

# TO CORRESPONDENTS

1st. This catalog cancels all previous prices, either in special lists, offers or catalogs. This rule will be strictly observed.

## ORDERS.

2d. Order early so that you may get the varieties and grades you prefer. All orders should be legibly written on a separate sheet and not mixed up in the body of the letter, thereby saving us a great deal of trouble and tending to prevent mistakes. Never write on both sides of paper.

## QUANTITIES AND PRICES.

3d. The articles in the following list will be furnished at the annexed prices ONLY when the quantity specified shall be taken. Five hundred, however, will be furnished at the thousand rate, fifty at the hundred rate and five at the ten rate. The absence of a thousand, hundred or ten rate means in each case that the next best rate is the lowest we can make. In no case does this mean so many trees of assorted classes, but refers only to ONE CLASS of assorted varieties; for instance, 5 apples, or 5 pears, or 5 plums, of different varieties, but not 2 apples, 2 pears and 1 plum.

## SUBSTITUTIONS.

4th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether, and to what extent, substitution will be allowed in case the order cannot be filled to the letter. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of varieties is left entirely to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.

## PACKING.

5th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge, sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages to the railroad or express offices at Niles.

## EXPRESS OR FREIGHT.

6th. Always state which way you want your order shipped and give explicit directions for marking packages.

When it is left for us to choose the mode of conveyance, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the transportation companies.

## GUARANTEE, ETC.

7th. We warrant all trees and plants to be good, thrifty and true to label, but having no control over them after delivery to the transportation companies, or over the planting and care after they are received by the buyer, we will not be responsible in any other direction than as stated, and accordingly, if any tree or plant should prove untrue to kind, we will either replace the same or refund the amount paid; but in no case will we be liable for any sum greater than that originally paid, and this statement is due notice to buyers of the extent of our responsibility for trees and plants after delivery of the same shall have been accepted by the buyer.

## REPLACING.

8th. For the reason that we have no control over the planting, pruning and care of the trees after they leave our hands, we will not under any circumstances replace any trees that may die.

## ERRORS AND SHORTAGES.

9th. Customers are requested to notify us immediately should any error or shortage occur in filling their orders so we may rectify it at once. Any such claim must be made within one week after receipt of shipment; otherwise it will be assumed that the goods are satisfactory and in accordance with invoice.

## C. O. D. AND STRANGERS.

10th. Orders from unknown correspondents must be accompanied by the cash or satisfactory reference. Orders to be sent C. O. D. must be accompanied by at least one-half the amount in cash; otherwise they will not receive attention.

## REMITTANCES.

11th. Remittances may be made by check or draft on San Francisco banks, Express or Post Office money order on Niles, by registered letter or cash by express prepaid.

## WRITE PLAINLY.

12th. Always be sure to write your name, Post Office address and Express or Freight office plainly so no mistake can be made by us.

All communications should be addressed to

CALIFORNIA NURSERY COMPANY,

NILES, CALIF.

SIX HUNDRED ACRES

# PRICE LIST

SEASON 1910-1911

ALL PRICES QUOTED ARE NET—NO DISCOUNTS

INDEX AT END OF CATALOG

## Fruit and Ornamental Trees

Evergreens, Palms, Shrubs, Roses, Etc.

We present herewith our price list for the coming season (twenty-sixth edition), and wish to call attention to a few facts. Our nurseries are the most complete on the Pacific Coast. Our shipping facilities are unexcelled both for domestic and foreign business. For many years we have led in introducing and testing, under California conditions, the most promising foreign and other new varieties of fruit. We have in actual bearing here at Niles our own trees of every variety we offer for sale. Probably no other nursery can cut their buds from their own fruiting trees. Our buds and cions are taken from these bearing trees, cut and distributed by one man, making the mixture of varieties well nigh an impossibility. The unequalled reputation which our trees have, not only on the Pacific Coast, but in almost every country in the world, is an indication of the great care we exercise in every detail of our chosen line of work.

All interested parties, whether intending to purchase or not, are invited to visit the nursery, and if we are notified of time of arrival at Niles, and number of persons coming, will have conveyance at station to meet them.

CALIFORNIA NURSERY COMPANY.

Niles, November 1, 1910.

### OFFICERS:

Egbert B. Stone, President.

John H. Henn, Secretary.

A. C. Hammond, Vice-President.

Central National Bank, Oakland, Treasurer.

W. V. Eberly, Manager.

### DIRECTORS:

Stewart H. Hawley, Oakland.

A. C. Hammond, San Francisco.

Egbert B. Stone, Elmhurst.

John H. Henn, San Francisco.

W. H. Landers, San Francisco.

R. M. Sims, San Francisco.

W. V. Eberly, Niles.

## SPECIAL NOTICE (SHIPPING)

We are now able to ship from Niles by both the Western Pacific and the Southern Pacific, and request customers who can get their goods by either road to always state which route they prefer.

## HINTS ON TRANSPLANTING

The many excellent treatises on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, it is well to shade the sunny side of the tree, to keep borers out, with a board or shake stuck in the ground, or a piece of burlap wound loose around the tree up to the limbs, top tied loose with a string. Whitewash made out of whiting or lime will also protect the tree against sunscald.

See back of Catalog for list of useful horticultural books we have on hand for sale.

## DISTANCE FOR PLANTING

Standard Apples .....	25 to 30 feet apart each way
Standard Pears .....	20 to 24 " " " "
Strong-growing Cherries .....	20 to 24 " " " "
Duke and Morello Cherries .....	18 to 20 " " " "
Standard Plums and Prunes .....	20 to 24 " " " "
Peaches and Nectarines .....	20 to 24 " " " "
Apricots .....	24 to 30 " " " "
Walnuts .....	40 to 50 " " " "
Grapes .....	7 to 10 " " " "
Currants and Gooseberries .....	4 by 6 feet
Raspberries and Blackberries .....	3 to 4 by 5 to 7 "
Strawberries for field culture .....	1 to 1½ by 4 to 5 "
Strawberries for garden culture .....	1 to 2 feet apart

Number of Trees or Plants on an Acre at Given Distance Apart.

		Square Method	Equilateral Triangle Method
Distance.	1 foot apart each way, number plants.....	43,560	50,300
"	2 feet " " " " " " .....	10,890	12,375
"	3 " " " " " " .....	4,840	5,889
"	4 " " " " " " .....	2,722	3,130
"	5 " " " " " " .....	1,742	2,011
"	6 " " " " " " .....	1,210	1,397
"	7 " " " " " " .....	807	928
"	8 " " " " " " .....	680	785
"	9 " " " " " " .....	537	620
"	10 " " " " " " .....	435	502
"	12 " " " " " " .....	302	348
"	14 " " " " " " .....	222	256
"	15 " " " " " " .....	193	222
"	16 " " " " " " .....	170	195
"	18 " " " " " " .....	134	154
"	20 " " " " " " .....	109	125
"	22 " " " " " " .....	90	104
"	24 " " " " " " .....	75	86
"	25 " " " " " " .....	69	79
"	30 " " " " " " .....	48	55
"	35 " " " " " " .....	35	40
"	40 " " " " " " .....	27	31
"	50 " " " " " " .....	18	20

**Rule—Square Method.**—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

**Rule—Equilateral Triangle Method.**—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.



# FRUIT DEPARTMENT

All our Fruit Trees are grown on whole Seedling roots. The advantages of these in promoting the health and thriftiness of trees over others grafted on pieces or sections of roots, or budded on stocks grown from cuttings, is acknowledged by the best authorities, and is easily apparent to the most casual observer. All two-year-old trees are branched low and are stocky, having been cut down or headed back when yearlings, two feet above ground, except where noted.

All of our Apple Trees and Grape Vines are fumigated with hydrocyanic gas when dug, so are the buds, cions, and cuttings, prior to budding, grafting, or planting out in Nursery. This positively kills any insects that may be thereon, without any injury to trees or vines. We have a Fumigating House, with three compartments, so that we can disinfect, at any time, either 50 trees or 10,000.

Apple—New.	Each	Per 10	Per 100
1 year ..... 4 to 6 ft.	50	4 00	
1 year ..... 3 to 4 ft.	40	3 00	
Winterstein (Bnrhank's production).			
Winter Banana.			

Apple—General Assortment.	Each	Per 10	Per 100
1 year ..... 4 to 6 ft.	30	2 50	20 00
1 year ..... 3 to 4 ft.	25	2 00	18 00

## Summer.

A. S. Pearmain	Early Strawberry	Sweet June
Carolina Red June	Gravenstein	White Astrachan
Chenango Strawberry	Keswick Codlin	Yellow Transparent
Duchess of Oldenburg	Maiden's Blush	
Early Harvest	Red Astrachan	

## Autumn.

Alexander	Golden Pippin	Red Bietigheimer
Fall Pippin	Golden Russet	Rhode Island Greening
Fameuse	Hoover	Skinner's Pippin
Gloria Muudi	Jonathan	Twenty Ounce

## Winter.

Arkansas Black	Lawver	Wagener
Baldwin	Missouri Pippin	White Winter Pearmain
Ben Davis (New York Pippin)	Northern Spy	Winesap
Blismarck	Red Pearmain	Yellow Bellflower
Esopus Spitzenburg	Rome Beauty	Yellow Newtown Pippin
Grimes' Golden Pippin	Smith's Cider	York Imperial
	Vandevere (Newtown Spitzenburg)	

## Crab Apple.

Hyslop	Transcendant	Yellow Siberian (Golden Beauty)
Red Siberian	Whitney	

## Apple—

Grafted on Woolly Aphis Proof Roots (Northern Spy).

	Each	Per 10	Per 100	Per 1000
1, 2 and 3 years..... 4 to 6 ft.	75	6 00		
1, 2 and 3 years..... 3 to 4 ft.	50	4 00		

Alexander	Gravenstein	Smith's Cider
Baldwin	Hoover	White Winter Pearmain
Ben Davis	Jonathan	Wine Sap
Carolina Red June	Lady	Yellow Bellflower
Chenango Strawberry	Red Astrachan	Yellow Newtown Pippin
Esopus Spitzenburg	Rome Beauty	Yellow Transparent
Fall Pippin	Skinner's Pippin	

Pear—On Pear.	Each	Per 10	Per 100	Per 1000
1 or 2 years ..... 4 to 6 ft.	40	3 00	25 00	
1 or 2 years ..... 3 to 4 ft.	30	2 50	20 00	
1 or 2 years ..... 2 to 3 ft.	25	2 00	16 00	

## Summer.

Bartlett	Doyenne d'Ete	Madeline
Bloodgood	Lawson (Comet)	Rossney
Clapp's Favorite	Leconte	Souv. du Congress
Dearborn's Seedling		

Each Per 10 Per 100 Per 1000

## Autumn.

B. S. Fox	Dana's Hovey (Winter	Idaho
Beurre d'Anjou	Seckel)	Kieffer's Hybrid
Beurre Bosc	Doyenne du Comice	Louise Bonne de Jersey
Beurre Clairgeau	Duchesse d'Angouleme	Onondaga
Beurre Diel	Flemish Beauty	Seckel
Beurre Hardy	Howell	White Doyenne

## Winter.

Beurre Gris d'Hiver	Emile d'Heyst	Pound
Col. Wilder	Forelle (Trout)	Vicar of Winkfield
Doyenne d'Alencon	Glout Morceau	Winter Bartlett
Easter Beurre	P. Barry	Winter Nelis

## Pear—On Quince.

1 or 2 years	4 to 6 ft.	40	3 00	25 00
1 or 2 years	3 to 4 ft.	30	2 50	20 00
1 or 2 years	2 to 3 ft.	25	2 00	16 00

Bartlett	Duchesse d'Angouleme	Pound
Beurre Diel	Easter Beurre	Rossney
Beurre Hardy	Glout Morceau	Winter Bartlett
Doyenne du Comice	P. Barry	Winter Nelis

## Pear—On Quince.

Double-worked on Beurre Hardy.

2 years (1 year head)	4 to 6 ft.	50	3 50	30 00
2 years (1 year head)	3 to 4 ft.	40	3 00	25 00
Bartlett	Winter Nelis			

## Cherry—On Mazzard.

1 year	4 to 6 ft.	30	2 50	20 00	180 00
1 year	3 to 4 ft.	25	2 00	18 00	160 00
1 year	2 to 3 ft.	20	1 80	15 00	140 00

Belle d'Orleans	Early Purple Guigne	Lewelling (Black Republi-
Bing	Early Richmond	cau, Black Oregon)
Black Eagle	Elton	May Duke
Black Tartarian	English Morello	Napoleou Bigarreau (Royal
Burr's Seedling	Gouverneur Wood	Ann)
California Advance	Great Bigarreau	Osthelmer Welchsel
Centennial	Hoskins	Pontiac
Chapman	Knight's Early Black	Reine Hortense
Cleveland Bigarreau	Lambert	Rockport Bigarreau
Coe's Transparent	Large Montmorency	Schmidt's Bigarreau
Early Lamaurie		Yellow Spanish

## Plum—On Myrobolan and Peach, New.

(Burbank's latest creations.)

1 year	4 to 6 ft.	1 00	8 00
1 year	3 to 4 ft.	75	6 00
1 year	2 to 3 ft.	50	4 00
Gaviota (on Myro. only)	Santa Rosa (on Myro. and Peach)		

## Plum—On Myrobolan.

(Luther Burbank's productions are indicated by X.)

1 year	4 to 6 ft.	40	3 00	25 00	200 00
1 year	3 to 4 ft.	30	2 50	20 00	180 00
1 year	2 to 3 ft.	25	2 00	18 00	150 00

Abundance	Clyman	Jefferson
America (X)	Coe's Golden Drop	Kelsey Japan
Apple (X)	Coe's Late Red	Maynard (X)
Bartlett (X)	Columbia	Peach
Bavay's Green Gage (Reine	Combiatiou (X)	Quackenboss
Claude)	Damsou	Red Egg
Botan	Diamond	Satsuma
Bradshaw	Duane's Purple	Simon (Prunus Simoni)
Burbank	Extra Early Cherry	Sultan (X)
California Red	First (X)	Washington
Chalco (X)	Grand Duke	Wickson (X)
Cherry	Green Gage	Yellow Egg
Climax (X)	Imperial Gage	

## Plum—On Peach.

1 year	4 to 6 ft.	30	2 50	20 00
1 year	3 to 4 ft.	25	2 00	18 00
1 year	2 to 3 ft.	20	1 80	15 00
Burbank	Kelsey's Japan			
Climax	Satsuma			

## Prune—On Myrobolan.

1 year	4 to 6 ft.	50	4 00	30 00
1 year	3 to 4 ft.	40	3 00	25 00
1 year	2 to 3 ft.	30	2 50	20 00
1 year	1 to 2 ft.	25	2 00	15 00
Imperiale Epineuse				

		Each	Per 10	Per 100	Per 1000
<b>Prune—On Myrobolan.</b>					
1 year	4 to 6 ft.	40	3 00	25 00	
1 year	3 to 4 ft.	30	2 50	20 00	
1 year	2 to 3 ft.	25	2 00	15 00	
Fellenberg (Italian)	Giant (X)			Silver	
French	Hungarian			Sugar (X)	
German	Robe de Sargent			Tragedy	
<b>Prune—On Almond.</b>					
1 year	4 to 6 ft.	40	3 00.	25 00	
1 year	3 to 4 ft.	30	2 50	20 00	
1 year	2 to 3 ft.	25	2 00	15 00	
French	Imperiale Epineuse				
Hungarian	Sugar				
<b>Prune—On Peach.</b>					
1 year	4 to 6 ft.	30	2 50	20 00	180 00
1 year	3 to 4 ft.	25	2 00	18 00	160 00
1 year	2 to 3 ft.	20	1 80	15 00	
French	Imperiale Epineuse			Sugar	
<b>Peach—On Peach, New.</b>					
1 year	4 to 6 ft.	50	4 00	30 00	
1 year	3 to 4 ft.	40	3 00	25 00	
<b>Mayflower—From North Carolina. Said to be the earliest peach known; absolutely red all over; as large as Alexander and to ripen two weeks earlier. Tree a strong grower, blooms late, heavy bearer, and requires thinning.</b>					
<b>Opulent (X)—Originated by Luther Burbank. A very large and fine, white-fleshed freestone variety for family and table use. Ripens with Foster.</b>					
<b>Peach—On Peach.</b>					
1 year	4 to 6 ft.	30	2 50	15 00	
1 year	3 to 4 ft.	25	2 00	12 50	
1 year	2 to 3 ft.	20	1 50	10 00	
Admiral Dewey	Hale's Early			Nichols' Orange Cling	
Alexander	Heath Cling			Phillips Cling	
Amsden's June	Henrietta Cling (Levy's			Piequett's Late	
Australian Saucer	Late)			Royal George	
Billyeu's Late	Imperial			Runyon's Orange Cling	
Blood Cling	Lady Palmerston			Salway	
Briggs' May	Large White Cling			Seller's Orange Cling	
California Cling	Late Crawford			Strawberry	
Early Crawford	Lemon Cling			Stump the World	
Elberta	Lovell			Susquehanna	
Everbearing	Mary's Cholee			Triumph	
Foster	Mountain Rose			Tuscan Cling	
George the 4th	Muir			Ward's Late	
George's Late Cling	McDevitt's Cling			Wheatland	
Golden Cling	McKevitt's Cling			Yellow St. John	
Grosse Mignonne	Newhall				
<b>Peach—On Almond.</b>					
1 year	4 to 6 ft.	30	2 50	15 00	
1 year	3 to 4 ft.	25	2 00	12 50	
1 year	2 to 3 ft.	20	1 50	10 00	
Lovell	Nichols' Orange Cling			Salway	
Muir	Phillips' Cling			Tuscan Cling	
<b>Peach—On Myrobolan Plum Root.</b>					
1 year	4 to 6 ft.	30	2 50	15 00	
1 year	3 to 4 ft.	25	2 00	12 50	
1 year	2 to 3 ft.	20	1 50	10 00	
Alexander	Elberta			Mayflower	
Early Crawford	Late Crawford			Triumph	
<b>Nectarine—On Peach.</b>					
1 year	4 to 6 ft.	30	2 50	20 00	
1 year	3 to 4 ft.	25	2 00	18 00	
1 year	2 to 3 ft.	20	1 80	15 00	
Advancee	Early Newington			Lord Napier	
Boston	Hardwick			New White	
Downton	Humboldt				
<b>Apricot—On Apricot.</b>					
1 year	4 to 6 ft.	40	3 00	25 00	200 00
1 year	3 to 4 ft.	30	2 50	20 00	180 00
1 year	2 to 3 ft.	25	2 00	18 00	150 00
Barry	Luizet			Royal	
Bergetti	Moorpark			St. Ambrose	
Black	Newcastle			Sardinian	
Blenheim	Oullin's Early			Spark's Mammoth	
Hemskirke	Peach			Tilton	
L. E. Montgamet	Routier's Peach				



		Each	Per 10	Per 100	Per 1000
<b>Apricot—On Myrobalan.</b>					
1 year	4 to 6 ft.	40	3 00	25 00	200 00
1 year	3 to 4 ft.	30	2 50	20 00	180 00
1 year	2 to 3 ft.	25	2 00	18 00	150 00
Barry	Moorpark		Tilton		
Blenheim	Newcastle				
Hemskirke	Royal				
<b>Apricot—On Peach.</b>					
1 year	4 to 6 ft.	40	3 00	25 00	200 00
1 year	3 to 4 ft.	30	2 50	20 00	180 00
1 year	2 to 3 ft.	25	2 00	18 00	150 00
Blenheim	Royal				
<b>Quince—</b>					
	4 to 6 ft.	50	4 00	35 00	
	3 to 4 ft.	40	3 00	25 00	
Pineapple (X)	Smyrna				
<b>Quince—</b>					
	4 to 6 ft.	30	2 50	20 00	
	3 to 4 ft.	25	2 00	15 00	
Apple (Orange)	Meech's Prolific		Rea's Mammoth		
Champion	Portugal		Chinese		
<b>Fig—Smyrna</b>					
	4 to 6 ft.	60	5 00		
	3 to 4 ft.	50	4 00		
	2 to 3 ft.	40	3 00		
	1 to 2 ft.	25	2 00		
<b>Fig—Capri</b>					
	4 to 6 ft.	75	6 00		
	3 to 4 ft.	50	4 00		
	2 to 3 ft.	40	3 00		
Mayer No. 1	Roeding No. 1				
Mayer No. 2	Roeding No. 2				
Milco	Solms-Laubach No. 2				
<b>Fig—In variety</b>					
	6 to 8 ft.	75	6 00		
	4 to 6 ft.	50	4 00	30 00	
	3 to 4 ft.	40	3 00	25 00	
	2 to 3 ft.	30	2 50		
	1 to 2 ft.	25	2 00		
Adriatic	Dauphne		Ronde Noire		
Agen	Doree		Ronde Violette Hative		
Angellque	Drap d'Or		Royal Vineyard		
Barbillonne	Du Roi		San Pedro (White)		
Black Ischia	Lardaro		Warren's Brown Turkey		
Bourjasotte Blanche	Madeleine		White Genoa		
Brown Turkey.	Mission (California Black)		White Ischia		
Brunswick	Negro Largo		White Marseilles		
Celeste	Pastiliere				
Col di Signora Nigra	Pingo de Mel				
<b>Almond—On Almond.</b>					
1 year	4 to 6 ft.	50	4 00	30 00	
1 year	3 to 4 ft.	40	3 00	25 00	
Jordan					
<b>Almond—On Almond.</b>					
1 year	4 to 6 ft.	30	2 50	20 00	180 00
1 year	3 to 4 ft.	25	2 00	18 00	160 00
Drake's Seedling	Lewelling		Paper Shell		
I X L	Ne Plus Ultra		Princess		
King's Soft Shell	Nonpareil		Texas Prolific		
Languedoc					
<b>Butternut—</b>					
	6 to 8 ft.	75			
	4 to 6 ft.	60			
	3 to 4 ft.	50			
<b>Chestnut—Seedlings—</b>					
Italian or Spanish.....	10 to 12 ft.	1 00	7 50	60 00	
	8 to 10 ft.	75	6 00	50 00	
	6 to 8 ft.	50	4 00	35 00	
	4 to 6 ft.	40	3 00		
<b>Chestnut—Grafted Varieties.....</b>					
	8 to 10 ft.	1 25	10 00	75 00	
	6 to 8 ft.	1 00	7 50	60 00	
	4 to 6 ft.	75	6 00		
Early Marron	Marron Nouzillarde		Ridgely		
Fox's Prolific	Noire Hative		Variegated-leaved		
Marron Combale	Numbo				
Marron de Lyon	Paragon				



		Each	Per 10	Per 100	Per 1000
<b>Ellbert—</b> .....	3 to 4 ft.	1 00	8 00		
.....	2 to 3 ft.	75	6 00		
Fertile de Coutard	Nottingham Prolific			Purple-leaved	
Merveille de Boiwiller					
<b>Pecan—Seedlings</b> .....	4 to 6 ft.	75			
.....	3 to 4 ft.	50			
<b>Pistachio—</b>					
Atlantica .....	5 in. pot, 2 to 3 ft.	1 00	8 00		
Lentiscus .....	5 in. pot, 3 to 4 ft.	75	6 00		
Vera (Pistachio Nut—					
Green Almond) .....	4 to 6 ft.	1 00	8 00		
.....	3 to 4 ft.	75	6 00		

## WALNUTS

The planting of the improved varieties of the "English" Walnut is steadily increasing, not only in Southern California, but along the whole Pacific Coast, even into British Columbia. These trees are as profitable as any other fruit, and are long-lived if planted in suitable soil, which should be deep, well drained, and capable of retaining the moisture during the summer. They should be planted not less than 40 feet apart each way.

<b>Walnut—Transplanted</b> .....	8 to 10 ft.	75	6 00	50 00
.....	6 to 8 ft.	60	5 00	40 00
.....	4 to 6 ft.	50	4 00	30 00
.....	3 to 4 ft.	40	3 00	25 00
American Black	California Black			
<b>Walnut—Seedlings, Transplanted</b> .....	8 to 10 ft.	50	4 00	30 00
.....	6 to 8 ft.	40	3 00	25 00
.....	4 to 6 ft.	30	2 50	20 00
Ford's Improved Soft Shell	Piacentia			Santa Barbara Soft Shell
				Seedling No. 3
<b>Walnut—(French) Grafted low.</b>				
On California Black.....	8 to 10 ft.	2 25	20 00	
.....	6 to 8 ft.	2 00	18 00	150 00
.....	4 to 6 ft.	1 75	15 00	125 00
.....	3 to 4 ft.	1 50	12 50	100 00
.....	2 to 3 ft.	1 25	10 00	
Franquette	Mayette			
<b>Walnut—(French) Grafted low.</b>				
On California Black.....	8 to 10 ft.	2 00	18 00	
.....	6 to 8 ft.	1 75	15 00	125 00
.....	4 to 6 ft.	1 50	12 50	100 00
.....	3 to 4 ft.	1 25	10 00	90 00
Bijou	Mayette Rouge			Piacentia
Chaherte	Parisienne			(California variety)
Cut-leaved				Vourey
<b>Walnut—(French) Grafted low.</b>				
On American Black.....	6 to 8 ft.	2 00	18 00	
.....	4 to 6 ft.	1 75	15 00	
.....	3 to 4 ft.	1 50		
.....	2 to 3 ft.	1 25		
Bijou	Piacentia			
Franquette.	(California variety)			
Mayette	Zante			
	(U. S. D. A.)			

The following "French Varieties" are grafted on Black roots at various heights ranging from 10 to 30 inches above the ground. This manner of working gives the trees Black Walnut bodies, which, with their thick, rough bark, will not be so liable to sunburn, and are, therefore, particularly valuable for use in the hot parts of the State.

<b>Walnut—(French) Grafted high.</b>				
On California Black.....	6 to 8 ft.	1 75	15 00	125 00
.....	4 to 6 ft.	1 50	12 50	100 00
Franquette				
Mayette				
Mayette Rouge				
<b>Walnut—(French) Grafted low.</b>				
On "English" .....	8 to 10 ft.	1 50	12 50	
.....	6 to 8 ft.	1 25	10 00	80 00
.....	4 to 6 ft.	1 00	8 00	60 00
.....	3 to 4 ft.	75	6 00	50 00
Bijou	Cut-leaved			Mayette Rouge
Chaherte	Franquette			Parisienne
Cluster Fruited	Mayette			Vourey

		Each	Per 10	Per 100	Per 1000
<b>Walnut—(French) Seedlings, from grafted trees. (These are "Second Generation Trees," so-called)</b>					
.....	10 to 12 ft.	1 25	10 00		
.....	8 to 10 ft.	1 00	8 00	60 00	
.....	6 to 8 ft.	75	6 00	50 00	
.....	4 to 6 ft.	60	5 00	35 00	
Bijou	Franquette			Parisienne	
Chaberte	Mayette			Præparturiens	
Cluster Fruited	Mayette Rouge			St. John (Serotina)	
Cut-leaved	Monstreuse			Vourey	
<b>Walnut (Japanese)</b>					
.....	12 to 14 ft.	1 50	12 50		
.....	10 to 12 ft.	1 25	10 00		
.....	8 to 10 ft.	1 00			
Sieboldiana					
<b>Orange—</b>					
Boxed	.....5 to 6 ft.	5 00			
Hart's Tardiff	Medit. Sweet			Tangerine	
Joppa	Ruby Blood			Valencia Late	
Konah	St. Michael			Washington Navel	
<b>Orange—Balled.</b>					
.....	4 to 5 ft.	2 00			
.....	3 to 4 ft.	1 50			
Extra selected	4 to 5 ft.	2 50			
Satsuma	Thompson's Improved Navel				
Washington Navel	Valencia Late				
<b>Lemon—Balled.</b>					
.....	4 to 5 ft.	2 00			
.....	3 to 4 ft.	1 50			
Extra selected	4 to 5 ft.	2 50			
Eureka	Lisbon			Villa Franca	
<b>Pomelo—(Grape Fruit)—Balled.</b>					
.....	4 to 5 ft.	2 00			
.....	3 to 4 ft.	1 50			
Extra Selected	4 to 5 ft.	2 50			
Marsh Seedless	Triumph				
<b>Lime—Mexican.</b>					
.....	4 in. pot, 6 to 8 in.	50	4 00		
<b>Persimmon—American and Italian.</b>					
.....	8 to 10 ft.	1 00			
.....	6 to 8 ft.	75	6 00		
Japanese	8 to 10 ft.	1 00			
.....	6 to 8 ft.	75	6 00	50 00	
.....	4 to 6 ft.	50	4 00	35 00	
.....	3 to 4 ft.	40	3 50	30 00	
Dai Dai Maru	Nesu				
Hyakume	Ogoshô				
<b>Pomegranate—</b>					
.....	4 to 6 ft.	60	5 00	40 00	
.....	3 to 4 ft.	50	4 00	30 00	
.....	2 to 3 ft.	40	3 50	25 00	
Dessia	Paper Shell			Spanish Ruby	
Hermosilla	Radinar			Sub-Acid	
La Hative	Sin Pepitas			Sweet Fruited	
<b>Guava—Strawberry.</b>					
.....	7 in. pot, 2½ to 3 ft.	75	6 00		
.....	5 in. pot, 1½ to 2 ft.	50	4 00		
<b>Loquat—Budded—Balled.</b>					
.....	6 to 8 ft.	2 00	18 00		
.....	2 to 3 ft.	1 00	8 00		
Giant	Large Fruited			Victor	
<b>Mulberry—</b>					
.....	8 to 10 ft.	75	6 00		
.....	6 to 8 ft.	60	5 00	40 00	
.....	4 to 6 ft.	50			
Downing's	Lick's American			New American	
<b>Mulberry—Persian</b>					
.....	6 to 8 ft.	1 00	7 50		
.....	4 to 6 ft.	75	6 00	50 00	
.....	3 to 4 ft.	50	4 00	35 00	
<b>Medlar—</b>					
.....	6 to 8 ft.	75			
Large Fruited	Nottingham				

		Each	Per 10	Per 100	Per 1000
Jujube—	8 to 10 ft.	1 50			
	2 to 3 ft.	75			
Olive—	10 to 12 ft.	1 50	12 50		
	8 to 10 ft.	1 25	10 00		
	6 to 8 ft.	1 00	8 00		
	4 to 6 ft.	75	6 00		
	3 to 4 ft.	60	5 00		
Ascolano	Gordal			Picholine d'Aix	
Bella di Spagna	Manzanillo			Pigale	
Calamignara	Mission			Rubra	
Coreggiola	Nevadillo Bianco			Sevillano	
Cucca	Oblonga			Uvaria	
Giarrafa	Pendulina				
Grape—Americau (scarce)	1 year	30	2 50	20 00	
Campbell's Early					
Grape—American	1 and 2 years	25	1 50	10 00	
Barry	Geant			Pearl	
Catawba	Iona			Pierce (Isabella Regla)	
Concord	Isabella			Worden	
Delaware	Jefferson			Wyoming Red	
Duchess	Moore's Early				
Empire State	Niagara				
Grape—New—Foreign Table	1 and 2 years	75	6 00	40 00	
Sultanina Rosea (Seedless)					
Bunches compact, shouldered and very large. (Single bunches frequently weigh four pounds each). Berries much larger than Thompson's Seedless; color same as Flame Tokay; quality as good; perfectly seedless. Ripens at Niles latter part of September.					
Grape—Foreign Table	1 and 2 years	20	1 50	5 00	20 00
Black Hamburg	Cornichon			Muscat Hamburg	
Black Malvoisie	Emperor			Rose of Peru (Black Prince)	
Black Morocco	Flame Tokay			Royal Muscadine	
Bowood Muscat	Lady Downis			Thompson's Seedless	
Chasselas de Fontaine-bleau (White Sweet-water)	Ladyfinger			White Tokay	
Chasselas Rose	Malaga			Zaute	
	Missiou				
	Muscat of Alexandria				
Grape—Foreign Wine	1 and 2 years	15	1 00	4 00	18 00
Alicante Bouschet	Charbono			Petite Syrah	
Aramon	Feher Zagos			Sauvignon Vert	
Burger	Franken Riesling			Zinfandel	
Cabernet Sauvignon	Grenache				
Carignan	Mataro				
Grape—Resistant Sorts.					
For description of the following varieties of Resistant Vines, and for information as to the best kinds suitable to certain soils, send for our Catalog No. 4.					
We have stock plants and small quantities of all well known resistant sorts and will be glad to quote prices on any not found here.					
Grape—Resistant	1 and 2 years	15	75	3 00	15 00
Riparia Gloire de Montpellier	Rupestris St. George				
Grape—Resistant	1 and 2 years	15	75	3 00	20 00
Lenoir	Riparia X Rupestris No. 3306			Riparia X Rupestris No. 3309	
Grape—Grafted on Rupestris St. George and Lenoir.		25	2 00	8 00	65 00
Flame Tokay					
Currant—	1 and 2 years	15	1 00	5 00	35 00
Black Naples	Fay's Prolific			Pomona	
Cherry	La Versailles			White Grape	
Fertile du Palluau	Lee's Prolific			White Transparent	
Gooseberry—		20	1 50	10 00	
Champion	Downing			Houghton	
Gooseberry—		25	2 00		
Berkeley	Crown Bob			Josselyn	
Blackberry—		15	1 00	5 00	25 00
Crandall's Early	Kittatunny			Lawton	
Evergreen					



	Each	Per 10	Per 100	Per 1000
<b>Blackberry</b> —Tips, ready in March.....	10	75	6 00	
1 year .....	20	1 50	10 00	50 00
Himalaja .....				Mammoth
<b>Dewberry</b> —Lucretia .....	15	1 00	5 00	
<b>Loganberry</b> —Tips, ready in March.....	10	75	5 00	25 00
1 year .....	20	1 50	10 00	
<b>Phenomenal Berry</b> —Tips, ready in March.....	15	1 00	8 00	
1 year .....	25	2 00		
<b>Raspberry</b> —New—Superlative .....	40	3 00	25 00	
From England. Fruit very large; red; said to be a great improvement over all other sorts. Ever-bearing, i. e., produces fruit all Summer on the young shoots.				
<b>Raspberry</b> —Red, Cuthbert .....	15	1 00	5 00	
<b>Raspberry</b> —Black Caps—Tips, ready in March.....	15	1 00	3 00	
1 year .....	20	1 50	10 00	
Hilborn .....				Kansas
• .....				Palmer
<b>Strawberry</b> — .....			1 00	8 00
Brandywine .....				Jessie
Excelsior .....				Klondyke
<b>Artichoke</b> —Green Globe .....	25	2 00		
<b>Asparagus</b> —(\$50.00 per 10,000).....		50	2 00	10 00
Conover's Colossal .....				Palmetto
<b>Rhubarb</b> —Australian Crimson Winter (X).....	50	4 00		
Our stock has all been propagated by root divisions from the original strain introduced and furnished us by Luther Burbank. It is entirely different from the seedling plants generally offered at low rates.				
<b>Rhubarb</b> —				
Myatt's Linnaeus and Lorenzo.....	25	1 50	5 00	35 00
Lorenzo Seedlings .....	15	1 00	4 00	30 00
<b>Hop Roots</b> — .....		50		
Male .....	25			
<b>Horse-Radish</b> — .....	15	1 00	5 00	
<b>Liquorice</b> —(Glycyrrhiza glabra).....	25	2 00	10 00	
<b>Sage, Rue, Lavender</b> .....	25			
<b>Opuntia Ficus</b> (Indian Fig Cactus) 6-in. pot.....	50			

# ORNAMENTAL DEPARTMENT

From here on all items are listed under same names and arranged precisely as in our No. 2 catalog (describing ornamental trees and plants). The latter is the most complete and accurate publication of its kind ever issued on this Coast. While its price is 25 cents, we will gladly send a complimentary copy on request to any interested customer. It is invaluable to any one planting ornamental stock.

All plants in this division have been once or more transplanted, which contributes greatly to the certainty of their growing. Balled trees and plants should **always** be set without removing the burlap from the roots.

In cases where items are quoted **only** "per 10" or "per 100," we will not accept orders for less than 5 and 50 respectively.

## NOTICE.

Where we catalog and specify **SIZE OF BOXES**, it means that the trees or plants so listed have been established in boxes for at least six months. Such plants, as well as those in pots, can be shipped and planted at any time of the year. **BOXED** means that the plants so quoted are in the field and of such size that it is necessary to dig them into boxes.

## CONIFEROUS EVERGREENS

This section includes only evergreen conifers. Other evergreen trees and shrubs, usually called "Broad-leaved Evergreens," are listed separately in the next division, commencing at page 17.

			Each	Per 10	Per 100
Araucaria bidwilli . . . . .	balled, 2½ to 3 ft.		2 25	20 00	
	balled, 2 to 2½ ft.		2 00	18 00	
	balled, 1½ to 2 ft.		1 50	12 50	
	10 in. pot, 4½ to 5 ft.		5 00		
	10 in. pot, 4 to 4½ ft.		4 00		
	10 in. pot, 3 to 3½ ft.		3 50		
	7 in. pot, 2½ to 3 ft.		2 50		
	7 in. pot, 20 to 24 in.		2 00	18 00	
	5 in. pot, 15 to 18 in.		1 00	8 00	
	5 in. pot, 8 to 12 in.		75	6 00	
	3 in. pot, 8 to 12 in.			3 00	
	. boxed, 7 to 8 ft.		6 00		
	. balled, 6 to 7 ft.		4 00		
	. balled, 5 to 6 ft.		3 00		
	. balled, 4 to 5 ft.		2 50	20 00	
A. braziliensis . . . . .	. balled, 3 to 4 ft.		2 00	15 00	
	. balled, 2 to 3 ft.		1 25	10 00	
	5 in. pot, 15 to 18 in.		50	4 00	
	10 in. pot, 7 ft.		5 00		
	10 in. pot, 5 ft.		4 00		
A. excelsa (seedlings) . . . . .	8 in. pot, 2 to 2½ ft.		2 50		
	8 in. pot, 15 to 18 in.		2 00		
	5 in. pot, 20 to 24 in.		1 50		
	5 in. pot, 15 to 18 in.		1 25	10 00	
	5 in. pot, 10 to 12 in.		1 00	8 00	
A. excelsa glauca . . . . .	6 in. pot, 20 to 24 in.		4 00		
	6 in. pot, 15 to 20 in.		3 50		
	6 in. pot, 20 to 24 in.		3 00		
	8 in. pot, 24 to 28 in.		4 00		
	8 in. pot, 20 to 24 in.		3 50		
A. excelsa gracilis . . . . .	8 in. pot, 15 to 18 in.		3 25		
	6 in. pot, 15 to 18 in.		3 00		
	6 in. pot, 12 to 15 in.		2 50		
	. boxed, 18 to 20 ft.		100 00		
	. boxed, 14 ft.		80 00		
A. imbricata (Monkey Puzzle) . . . . .	. balled, 1½ to 2 ft.		2 50		
	. balled, 1 to 1½ ft.		2 00		
	5 in. pot, 6 to 10 in.		1 00		
	. boxed, 20 to 22 ft.		15 00		
	. boxed, 16 to 18 ft.		14 00		
Arbor Vitae (Thuya)	. boxed, 12 to 14 ft.		12 00		
	. boxed, 10 to 12 ft.		10 00		
	. boxed, 9 to 10 ft.		9 00		
	. balled, 3 to 4 ft.		2 00		
	. balled, 2 to 3 ft.		1 00	8 00	
	. balled, 1½ to 2 ft.		75	6 00	
	4 in. pot, 2 to 2½ ft.		25	2 00	
	T. gigantea aurca . . . . .	16x18 in. box, 5 to 6 ft.	5 00		
	. . . . .	14x16 in. box, 4 to 5 ft.	4 50		
	. . . . .	. balled, 6 to 8 ft.	5 00		
	. . . . .	. balled, 5 to 6 ft.	4 00		
	. . . . .	. balled, 4 to 5 ft.	3 00		
	. . . . .	. balled, 3 to 4 ft.	2 50		
	. . . . .	. balled, 2 to 3 ft.	2 00	17 50	

						Each	Per 10	Per 100
<b>Arbor Vitae (Thuja)—Cont'd.</b>								
T. occidentalis lutea (Peabody's Golden)	balled,	3	to	4	ft.	2 00	17 50	
	balled,	2	to	3	ft.	1 50	12 50	
T. occidentalis wareana (Siberian)	12x14 in. box,	2	to	3	ft.	2 50		
	balled,	2	to	3	ft.	2 00		
	balled,	1½	to	2	ft.	1 50		
T. orientalis (Chinese)	balled,	5	to	6	ft.	2 00		
	balled,	4	to	5	ft.	1 50		
	balled,	3	to	4	ft.	1 25		
	balled,	2	to	3	ft.	1 00		
T. orientalis argentea (Silver Variegated)	balled,	3	to	4	ft.	2 00		
	balled,	2	to	3	ft.	1 50		
T. orientalis aurea (Chinese Golden)	balled,	4	to	5	ft.	5 00	40 00	
	balled,	3	to	4	ft.	4 00	35 00	
	balled,	2	to	3	ft.	2 50	20 00	
	balled,	1½	to	2	ft.	1 50		
T. orientalis aureo-variegata (Golden Variegated)	balled,	4	to	5	ft.	2 00		
	balled,	3	to	4	ft.	1 50	12 50	
T. orientalis filiformis stricta (Japanese)	16x18 in. box,			4½	ft.	5 00		
	14x16 in. box,	3	to	4	ft.	4 00		
	balled,	4	to	5	ft.	4 00		
	balled,	3	to	4	ft.	3 00	25 00	
T. orientalis pendula (Japanese Weeping)	14x16 in. box,	3	to	4	ft.	3 00		
	balled,	3	to	4	ft.	2 50	20 00	
T. orientalis sempaurescens (Ever Golden)	balled,	1½	to	2	ft.	1 50	12 50	100 00
	6 in. pot,	1	to	1½	ft.	75	6 00	
<b>California Nutmeg (Torreya californica)</b>								
	18x18 in. box,			9	ft.	10 00		
<b>Cedar (Cedrus)</b>								
C. atlantica	boxed,	14	to	16	ft.	25 00		
	boxed,	12	to	14	ft.	20 00		
	boxed,	10	to	12	ft.	15 00		
	boxed,	8	to	10	ft.	10 00		
	boxed,	7	to	8	ft.	8 00		
	balled,	6	to	7	ft.	5 00		
	balled,	4	to	5	ft.	4 00		
	balled,	3	to	4	ft.	3 00	25 00	
	balled,	2	to	3	ft.	2 00	15 00	
	balled,	1½	to	2	ft.	1 00	8 00	
	4 in. pot,	1	to	1½	ft.	35	3 00	25 00
C. atlantica glauca	28x28 in. box,	11	to	12	ft.	25 00		
	26x26 in. box,	10	to	11	ft.	20 00		
	18x20 in. box,	9	to	10	ft.	15 00		
	16x18 in. box,	8	to	9	ft.	10 00		
	boxed,	14	to	16	ft.	20 00		
	boxed,	12	to	14	ft.	15 00		
	boxed,	10	to	12	ft.	12 00		
	boxed,	8	to	10	ft.	10 00		
	boxed,	7	to	8	ft.	8 00		
	balled,	6	to	7	ft.	6 00		
	balled,	5	to	6	ft.	5 00		
	9 in. pot,	4	to	5	ft.	3 50		
	9 in. pot,	3	to	4	ft.	3 00		
C. deodara	18x18 in. box,	7	to	8	ft.	12 00		
	16x18 in. box,	6	to	7	ft.	10 00		
	14x16 in. box,			5	ft.	6 00		
	14x14 in. box,	4	to	4½	ft.	4 00		
	10x12 in. box,	4	to	4½	ft.	3 00		
	10x10 in. box,	2	to	2½	ft.	2 00	18 00	
	boxed,	7	to	8	ft.	10 00		
	balled,	5	to	6	ft.	5 00		
	balled,	4	to	5	ft.	3 00	27 50	
	balled,	3	to	4	ft.	2 00	18 00	
	balled,	2	to	3	ft.	1 50	12 50	100 00
	balled,	1½	to	2	ft.	1 25	10 00	80 00
	6 in. pot,	2	to	2½	ft.	1 00	8 00	75 00
	6 in. pot,	1½	to	2	ft.	75	6 00	50 00
	5 in. pot,	1½	to	2	ft.	60	5 00	40 00
C. deodara compacta	20x20 in. box,			6	ft.	15 00		
	16x18 in. box,			4½	ft.	10 00		
C. libani (Cedar of Lebanon)	22x22 in. box,	8	to	9	ft.	15 00		
	14x16 in. box,			6	ft.	4 00		
	10x12 in. box,	4½	to	5	ft.	3 00		
	boxed,	18	to	20	ft.	25 00		
	boxed,	12	to	14	ft.	20 00		
	boxed,	10	to	12	ft.	15 00		
	balled,	6	to	7	ft.	6 00	50 00	
	balled,	5	to	6	ft.	5 00	40 00	350 00
	balled,	4	to	5	ft.	4 00	30 00	250 00
	balled,	3	to	4	ft.	2 50	20 00	
	balled,	2	to	3	ft.	2 00	15 00	
	5 in. pot,	1½	to	2	ft.	1 00	8 00	



					Each	Per 10	Per 100
<i>Chamaecyparis obtusa pendula</i> .....	boxed,	7	to	8	ft.	10 00	
.....	balled,	6	to	7	ft.	8 00	
.....	balled,	5	to	6	ft.	6 00	
<i>Cryptomeria japonica</i> .....	balled,	8	to	10	ft.	4 00	
.....	balled,	7	to	8	ft.	3 50	
.....	balled,	6	to	7	ft.	3 00	
.....	balled,	5	to	6	ft.	2 50	
.....	balled,	4	to	5	ft.	2 00	
.....	balled,	3	to	4	ft.	1 50	
.....	balled,	2	to	3	ft.	1 00	
<i>C. japonica pungens</i> .....	6 in. pot,	3	to	4	ft.	1 50	
.....	5 in. pot,	1	to	2	ft.	1 00	
<i>C. japonica elegans</i> .....	16x18 in. box,	5	to	6	ft.	5 00	
.....	14x16 in. box,	4	to	5	ft.	4 00	
.....	balled,	5	to	6	ft.	4 00	35 00
.....	balled,	4	to	5	ft.	3 00	25 00
.....	balled,	3	to	4	ft.	2 00	18 00
.....	balled,	2	to	3	ft.	1 50	12 50
.....	balled,	1½	to	2	ft.	1 00	8 00
.....	5 in. pot,	3	to	3½	ft.	35	3 00
<i>Cunninghamia sinensis</i> .....	16x18 in. box,	7	to	8	ft.	10 00	
.....	balled,	4	to	5	ft.	3 00	
.....	balled,	12	to	15	in.	75	
<i>Cypress (Cupressus)</i>							
<i>C. benthami knightiana</i> .....	5 in. pot,	4	to	5	ft.	75	6 00
.....	5 in. pot,	3	to	4	ft.	50	4 00
<i>C. funebris (Funeral)</i> .....	balled,	4	to	5	ft.	1 50	
<i>C. guadalupensis glauca</i> .....	14x16 in. box,	6	to	7	ft.	3 00	
.....	boxed,	12	to	14	ft.	8 00	
.....	boxed,	10	to	12	ft.	7 00	
.....	balled,	5	to	6	ft.	2 00	18 00
.....	balled,	4	to	5	ft.	1 50	12 50
.....	6 in. pot,	3	to	3½	ft.	1 00	8 00
<i>Chamaecyparis lawsoniana (Lawson)</i> .....	boxed,	10	to	12	ft.	8 00	
.....	boxed,	7	to	8	ft.	7 00	
.....	balled,	6	to	7	ft.	5 00	
.....	balled,	5	to	6	ft.	4 00	
.....	balled,	2	to	3	ft.	1 00	8 00
.....	balled,	1½	to	2	ft.	75	6 00
<i>C. lawsoniana alumi</i> .....	balled,	3	to	4	ft.	3 00	
.....	balled,	2	to	3	ft.	2 50	
.....	balled,	1½	to	2	ft.	2 00	
<i>C. lawsoniana glauca coerulea</i> .....	balled,	4	to	5	ft.	2 50	
.....	balled,	3	to	4	ft.	2 00	
<i>C. lawsoniana lutea</i> .....	balled,	1½	to	2	ft.	1 50	
<i>C. lawsoniana stricta viridis</i> .....	16x18 in. box,	4	to	5	ft.	5 00	
.....	12x14 in. box,	3	to	4	ft.	4 00	
.....	balled,	4	to	5	ft.	4 00	
.....	balled,	3	to	4	ft.	3 00	
.....	balled,	2	to	3	ft.	2 50	
<i>Cupressus macrocarpa (Monterey)</i> .....	balled,	8	to	10	ft.	2 00	15 00
.....	balled,	6	to	8	ft.	1 50	10 00
.....	balled,	4	to	6	ft.	75	6 00
.....	balled,	3	to	4	ft.	60	5 00
.....	balled,	2	to	3	ft.	35	3 00
Transplanted in flats of 80 each, 2 yrs., 15 to 18 in.; per flat, \$2.50.							
<i>C. macrocarpa lutea (Monterey Golden)</i> ..	boxed,	14	to	16	ft.	10 00	80 00
.....	boxed,	12	to	14	ft.	8 00	60 00
.....	balled,	10	to	12	ft.	5 00	40 00
.....	balled,	8	to	10	ft.	4 00	30 00
.....	balled,	3	to	4	ft.	1 50	12 50
.....	balled,	2	to	3	ft.	1 00	8 00
<i>C. macrocarpa variegata (Monterey Variegated)</i>							
.....	balled,	10	to	12	ft.	5 00	40 00
.....	balled,	8	to	10	ft.	4 00	30 00
.....	balled,	3	to	4	ft.	1 50	12 50
.....	balled,	2	to	3	ft.	1 00	
<i>C. sempervirens horizontalis</i> .....	balled,	10	to	12	ft.	3 00	25 00
.....	balled,	8	to	10	ft.	2 00	17 50
<i>C. sempervirens fastigiata (Italian)</i> .....	16x18 in. box,	9	to	10	ft.	4 00	
.....	14x16 in. box,	7	to	8	ft.	3 50	
.....	balled,	10	to	12	ft.	3 50	30 00
.....	balled,	8	to	10	ft.	3 00	25 00
<i>C. sempervirens fastiglata (Italian)—Cont'd.</i>							
.....	balled,	7	to	8	ft.	2 50	20 00
.....	balled,	6	to	7	ft.	2 00	18 00
.....	balled,	5	to	6	ft.	1 50	12 50
.....	balled,	2	to	3	ft.	75	6 00
Transplanted in flats of 100, 2 yrs., 2 to 2½ ft.; per flat, \$5.00.							
<i>C. torulosa</i> .....	balled,	10	to	12	ft.	3 00	
.....	balled,	7	to	8	ft.	2 50	
.....	balled,	5	to	6	ft.	2 00	

						Each	Per 10	Per 100
<b>Juniper (Juniperus)</b>								
J. hermudiana	6 in. pot,	4	to	5	ft.	1 00		
J. chlnensis (Japanese)	balled,	7	to	8	ft.	3 50		
	balled,	6	to	7	ft.	3 00		
	balled,	5	to	6	ft.	2 50		
J. chlnensis argenteo-variegata	balled,	6	to	8	in.	75		
J. chinensis pendula	boxed,	7	to	8	ft.	10 00		
J. chinensis procumbens aureo-variegata	balled,	6	to	8	in.	50	4 00	
J. communis hibernica (Irish)	balled,	2	to	3	ft.	1 25	10 00	
	balled,	1½	to	2	ft.	1 00	8 00	
	balled,	10	to	12	in.	50	4 00	35 00
J. sabina	balled,	1½	to	2	ft.	1 25	10 00	
	balled,	1	to	1½	ft.	1 00	8 00	
<b>Libocedrus chlnensis</b>								
10x12 in. box,	3	to	3½	ft.		2 50		
balled,	4	to	5	ft.		2 50	20 00	
balled,	3	to	4	ft.		2 00	17 50	
L. decurrens (Incense Cedar)	balled,	3	to	4	ft.	1 50	12 50	100 00
balled,	2	to	3	ft.		1 25	10 00	80 00
<b>Pine (Pinus)</b>								
P. canariensis	balled,	8	to	10	ft.	3 00	25 00	
	balled,	6	to	7	ft.	2 50	20 00	
	5 in. pot,	2	to	3	ft.	75	6 00	
P. cembra (Swiss Stone Pine)	balled,	10	to	12	in.	2 00		
	balled,	6	to	8	in.	1 00	8 00	
P. contorta	boxed,	9	to	10	ft.	20 00		
P. contorta murrayana	boxed,	7	to	8	ft.	10 00		
	balled,	5	to	6	ft.	5 00		
	balled,	4	to	5	ft.	3 00		
	balled,	3	to	4	ft.	2 50		
P. coulteri	balled,	6	to	7	ft.	2 00		
	5 in. pot,	1½	to	2	ft.	50	4 00	35 00
P. densiflora	balled,	7	to	8	ft.	3 00		
	balled,	5	to	6	ft.	2 50		
P. halepensis	4 in. pot,	2	to	3	ft.	35	3 00	
	4 in. pot,	1	to	2	ft.	25	2 00	
P. jeffreyi	balled,	5	to	6	ft.	2 00	17 50	
	balled,	4	to	5	ft.	1 50	12 50	
	5 in. pot,	1½	to	2	ft.	50	4 00	35 00
P. larlelo austriaca (Austrian)	balled,	6	to	7	ft.	3 00		
	balled,	5	to	6	ft.	2 50		
	balled,	4	to	5	ft.	2 25		
	balled,	3	to	4	ft.	2 00		
P. maritima	balled,	8	to	10	ft.	3 50		
	balled,	6	to	7	ft.	3 00		
	4 in. pot,	2	to	3	ft.	35	3 00	25 00
P. montana (Swiss Mountain)	balled,	1	to	1½	ft.	1 00		
	4 in. pot,	10	to	12	in.	30	2 50	
P. parryana	4 in. pot,	10	to	12	in.	50	4 00	
P. pinea (Italian Stone Pine)	balled,	6	to	7	ft.	2 50		
	6 in. pot,	3	to	4	ft.	75	6 00	
	5 in. pot,	2	to	2½	ft.	50	4 00	
P. ponderosa	balled,	7	to	8	ft.	3 00		
	balled,	5	to	6	ft.	2 00	15 00	
	5 in. pot,	2	to	2½	ft.	50	4 00	
P. radiata (Monterey)	balled,	7	to	8	ft.	2 00	15 00	125 00
	balled,	6	to	7	ft.	1 50	12 50	100 00
	balled,	5	to	6	ft.	1 00	8 00	60 00
	balled,	4	to	5	ft.	75	6 00	50 00
	balled,	3	to	4	ft.	60	5 00	
	balled,	2	to	3	ft.	35	3 00	25 00
P. sylvestris (Scotch)	balled,	4	to	5	ft.	1 50	12 50	
	balled,	2	to	3	ft.	75	6 00	
	5 in. pot,	1	to	1½	ft.	50	4 00	
P. torreyana	5 in. pot,	1½	to	2	ft.	75	6 00	50 00
	5 in. pot,	1	to	1½	ft.	50	4 00	35 00
<b>Podocarpus macrophylla</b>								
5 in. pot,	2	to	2½	ft.		1 00		
5 in. pot,	1	to	1½	ft.		75	6 00	
5 in. pot,	6	to	12	in.		50	4 00	35 00
<b>Retinispora</b>								
Chamaecyparis pisifera plumosa aurea	balled,	3	to	4	ft.	1 25		
	balled,	2	to	3	ft.	1 00		
C. p. plumosa vlrdis	balled,	3	to	4	ft.	1 25	10 00	
	balled,	2	to	3	ft.	1 00		
R. sanderl	6 in. pot,	15	to	18	in.	1 50		
Thuya occidentalis ericoides	balled,	1½	to	2	ft.	1 00	8 00	
	balled,	12	to	15	in.	50	4 00	
<b>Sequoia gigantea (California Big Tree)</b>								
24x24 in. box,	9	to	10	ft.		10 00		
14x16 in. box,	3	to	4	ft.		2 50		
boxed,	8	to	10	ft.		8 00	70 00	
boxed,	7	to	8	ft.		7 00		
boxed,	5	to	6	ft.		6 00		
balled,	4	to	5	ft.		3 00		

## Sequoia—Cont'd.

					Each	Per 10	Per 100
	balled,	3	to	4 ft.	2 00	15 00	125 00
	balled,	2	to	3 ft.	1 50	12 50	100 00
	6 in. pot,	2	to	2½ ft.	1 00	8 00	75 00
	5 in. pot,	1½	to	2 ft.	75	6 00	
	4 in. pot,	8	to	12 in.	50	4 00	
S. gigantea glauca	16x18 in. box,	5	to	6 ft.	5 00		
	14x16 in. box,	4	to	4½ ft.	4 00		
	balled,	4	to	5 ft.	3 50		
	balled,	3	to	4 ft.	3 00		
	balled,	2	to	3 ft.	2 50		
S. gigantea pendula	balled,	1½	to	2 ft.	2 50		
S. sempervirens (Redwood) and S. sempervirens glauca							
	boxed,	12	to	14 ft.	10 00		
	boxed,	10	to	12 ft.	8 00		
	balled,	4	to	5 ft.	2 00	15 00	
	balled,	3	to	4 ft.	1 25	10 00	
	balled,	2	to	3 ft.	1 00	8 00	
	balled,	1½	to	2 ft.	75	6 00	
	4 in. pot,	1	to	1½ ft.	25	2 00	

## Spruce

Abies balsamea	boxed,	8	to	10 ft.	7 00		
	balled,	7	to	8 ft.	5 00		
	balled,	6	to	7 ft.	4 00		
A. cephalonica	16x18 in. box,	4	to	5 ft.	5 00		
	14x16 in. box,	3	to	4 ft.	4 00		
	boxed,	8	to	10 ft.	12 00		
	balled,	3	to	4 ft.	3 00		
	balled,	2	to	3 ft.	2 50	20 00	
	balled,	1½	to	2 ft.	1 50	12 50	100 00
A. concolor	22x22 in. box,			6 ft.	15 00		
	20x20 in. box,			5 ft.	12 00		
	18x20 in. box,	5	to	6 ft.	10 00		
	16x18 in. box,			7 ft.	9 00		
	16x18 in. box,	4	to	5 ft.	8 00		
	boxed,	6	to	7 ft.	10 00		
	boxed,	5	to	6 ft.	8 00		
	boxed,	4	to	5 ft.	6 00		
	balled,	3	to	4 ft.	4 00		
	balled,	2	to	3 ft.	2 50		
A. firma	24x24 in. box,	9	to	10 ft.	20 00		
	22x22 in. box,	8	to	9 ft.	15 00		
	20x20 in. box,	7	to	8 ft.	12 00		
	boxed,	8	to	10 ft.	10 00		
	boxed,	7	to	8 ft.	9 00		
	boxed,	6	to	7 ft.	8 00		
A. grandis	18x18 in. box,	4	to	5 ft.	5 00		
	balled,	5	to	6 ft.	4 00		
	balled,	4	to	5 ft.	3 00		
	balled,	3	to	4 ft.	2 50	20 00	
	balled,	2	to	3 ft.	2 00	15 00	
	balled,	1	to	1½ ft.	75	6 00	
A. lasiocarpa							
A. nobilis	16x18 in. box,	3½	to	4 ft.	6 00		
	14x16 in. box,	3	to	3½ ft.	5 00		
	14x16 in. box,	2½	to	3 ft.	4 00		
	balled,	4	to	5 ft.	4 00		
	balled,	3	to	4 ft.	3 00		
	balled,	2	to	3 ft.	2 50		
	balled,	1½	to	2 ft.	2 00		
A. nobilis glauca	14x14 in. box,	2½	to	3 ft.	6 00		
	balled,	3	to	4 ft.	5 00		
	balled,	2½	to	3 ft.	4 00		
	balled,	2	to	2½ ft.	3 50		
	balled,	1½	to	2 ft.	3 00		
A. nordmanniana	26x26 in. box,	10	to	11 ft.	35 00		
	24x24 in. box,	6	to	7 ft.	22 50		
	22x22 in. box,	6	to	7 ft.	20 00		
	20x20 in. box,	6	to	7 ft.	18 00		
	16x18 in. box,	4	to	5 ft.	10 00		
	boxed,	8	to	9 ft.	20 00		
	boxed,	7	to	8 ft.	18 00		
	boxed,	6	to	7 ft.	15 00		
	boxed,	5	to	6 ft.	12 00		
	boxed,	4	to	5 ft.	8 00		
	balled,	3	to	4 ft.	6 00		
	balled,	2½	to	3 ft.	5 00		
	balled,	2	to	2½ ft.	4 00		
A. pinsapo	24x24 in. box,	5½	to	6 ft.	15 00		
	22x22 in. box,	5	to	5½ ft.	12 00		
	(very compact) 22x22 in. box,	4½	to	5 ft.	12 00		
	20x20 in. box,	4½	to	5 ft.	10 00		
	18x18 in. box,	4	to	5 ft.	8 00		
	boxed,	6	to	7 ft.	12 00		
	boxed,	5	to	6 ft.	10 00		
	boxed,	4	to	5 ft.	7 00		
	balled,	3	to	4 ft.	5 00		
A. pinsapo glauca	balled,	1	to	1½ ft.	2 00		



						Each	Per 10	Per 100
<b>Spruce—Cont'd.</b>								
<i>Picea ajanensis</i> (Alcock's).....	20x20	in. box,	5½	to	6	ft.	8 00	
.....	18x18	in. box,	4½	to	5	ft.	6 00	
.....		balled,	6	to	7	ft.	6 00	
.....		balled,	5	to	6	ft.	5 00	
.....		balled,	4	to	5	ft.	4 00	
.....		balled,	3	to	4	ft.	3 00	
<i>P. alba</i> .....		boxed,	10	to	12	ft.	8 00	
.....		boxed,	8	to	10	ft.	6 00	
.....		boxed,	7	to	8	ft.	5 00	
<i>P. alba coerulea</i> .....	24x24	in. box,			9	ft.	12 00	
.....	20x20	in. box,	8	to	9	ft.	10 00	
.....	16x18	in. box,	6	to	7	ft.	8 00	
.....		boxed,	8	to	10	ft.	9 00	
.....		boxed,	6	to	7	ft.	7 00	
.....		balled,	4	to	5	ft.	4 00	
.....		balled,	3	to	4	ft.	3 00	
<i>P. bicolor</i> .....	12x14	in. box,	2½	to	3	ft.	2 50	
.....		balled,	2	to	3	ft.	2 00	17 50
.....		balled,	1½	to	2	ft.	1 50	12 50
<i>P. engelmanni</i> .....		boxed,	6	to	7	ft.	8 00	
.....		boxed,	5	to	6	ft.	6 00	
.....		balled,	4	to	5	ft.	5 00	40 00
.....		balled,	3	to	4	ft.	3 50	30 00
.....		balled,	2	to	3	ft.	2 50	20 00
<i>P. excelsa</i> (Norway) .....	24x24	in. box,	11	to	12	ft.	10 00	
.....	22x22	in. box,	7	to	8	ft.	8 00	
.....	20x20	in. box,	6	to	7	ft.	7 00	
.....	12x14	in. box,	3	to	4	ft.	2 50	
.....		boxed,	8	to	10	ft.	8 00	60 00
.....		balled,	7	to	8	ft.	5 00	40 00
.....		balled,	6	to	7	ft.	4 00	35 00
.....		balled,	4	to	5	ft.	2 50	20 00
.....		balled,	3	to	4	ft.	1 50	12 50
.....		balled,	2	to	3	ft.	1 00	8 00
.....		balled,	1½	to	2	ft.	75	6 00
<i>P. excelsa pendula</i> .....	16x18	in. box,	5	to	6	ft.	6 00	
.....	14x16	in. box,	2	to	3	ft.	4 00	
<i>P. excelsa remonti</i> .....	8	in. pot,	1	to	2	ft.	2 00	
<i>P. maximowiczii</i> .....		balled,	4	to	5	ft.	3 50	
.....		balled,	3	to	4	ft.	3 00	
.....		balled,	2	to	3	ft.	2 50	
<i>P. orientalis</i> .....	16x18	in. box,			4	ft.	6 00	
.....	14x16	in. box,			3	ft.	5 00	
.....		balled,	3	to	4	ft.	4 00	
.....		balled,	2	to	3	ft.	3 00	
<i>P. polita</i> .....		balled,	2	to	3	ft.	4 00	
<i>P. pungens</i> .....	24x24	in. box,	7	to	8	ft.	9 00	
.....	20x20	in. box,	6	to	7	ft.	8 00	
.....	18x18	in. box,	5	to	6	ft.	6 00	
.....	16x18	in. box,	4½	to	5	ft.	5 00	
.....		balled,	4	to	5	ft.	4 00	
.....		balled,	1	to	1½	ft.	1 00	
<i>P. pungens glauca</i> (Colorado Blue).....		balled,	4	to	5	ft.	6 00	
.....		balled,	3	to	4	ft.	5 00	
.....		balled,	2	to	3	ft.	4 00	
.....		balled,	1½	to	2	ft.	3 00	
<i>P. pungens kosteriana</i> .....	12x14	in. box,	3	to	3½	ft.	5 00	
.....		balled,	3	to	4	ft.	5 00	
.....		balled,	2	to	3	ft.	4 00	
.....		balled,	1½	to	2	ft.	3 00	
<i>P. sitchensis</i> (Menzies) .....	20x20	in. box,	6	to	7	ft.	8 00	
.....	16x18	in. box,	5	to	6	ft.	6 00	
.....		boxed,	6	to	7	ft.	6 00	
.....		balled,	5	to	6	ft.	4 00	35 00
.....		balled,	4	to	5	ft.	3 00	25 00
.....		balled,	3	to	4	ft.	2 50	
.....		balled,	2	to	3	ft.	2 00	
<i>P. smithiana</i> ( <i>P. morinda</i> ).....		balled,	1	to	1½	ft.	1 00	8 00
<i>Pseudotsuga douglasii</i> (Douglas).....		boxed,	12	to	14	ft.	10 00	
.....		boxed,	10	to	12	ft.	8 00	75 00
.....		boxed,	8	to	10	ft.	7 00	60 00
.....		balled,	6	to	7	ft.	5 00	
<i>P. douglasii glauca</i> .....		balled,	1	to	1½	ft.	2 00	
<i>Thuyopsis dolobrata</i> .....		balled,	3	to	4	ft.	2 50	
.....		balled,	2	to	3	ft.	2 00	
.....		balled,	1	to	1½	ft.	75	6 00
<i>T. dolobrata variegata</i> .....		balled,	2	to	3	ft.	1 50	
.....		balled,	1	to	1½	ft.	1 00	
<i>Chamaecyparis nutkaensis glauca</i> .....	4	in. pot,	6	to	8	in.	25	2 00
.....	14x16	in. box,	4	to	5	ft.	5 00	
.....		balled,	3	to	4	ft.	3 00	
.....		balled,	2	to	3	ft.	2 00	
<b>Yew</b>								
<i>Cephalotaxus pedunculata fastigiata</i> (Japanese Yew).....		balled,	1½	to	2	ft.	1 00	8 00
<i>Taxus baccata</i> (English Yew).....		balled,	2	to	3	ft.	1 00	8 00
.....		balled,	1	to	1½	ft.	75	6 00

				Each	Per 10	Per 100
<b>Yew—Cont'd.</b>						
T. baccata erecta . . . . .	14x16 in. box,	4 1/2 ft.	5 00			
.....	balled,	4 to 5 ft.	3 00			
.....	balled,	3 to 4 ft.	2 50			
.....	balled,	2 to 3 ft.	1 50	12 50	100 00	
T. baccata fastigiata (Irish) . . . . .	12x14 in. box,	4 ft.	5 00			
.....	balled,	2 1/2 to 3 ft.	3 00			
.....	balled,	2 to 2 1/2 ft.	2 00			
.....	balled,	1 1/2 to 2 ft.	1 00			
T. baccata fastigiata variegata . . . . .	balled,	6 to 8 in.	50	4 00		
T. baccata washingtoni . . . . .	balled,	1 1/2 to 2 ft.	1 00	8 00		
T. baccata "Dwarf Golden" . . . . .	balled,	10 to 12 in.	75	6 00		

## BROAD-LEAVED EVERGREENS

This division includes all hard-wooded evergreen trees and shrubs excepting conifers, which are listed in preceding section, commencing at page 11.

<b>Abelia grandiflora</b> . . . . .	5 in. pot,	1 to 1 1/2 ft.	50			
.....	4 in. pot,	8 to 12 in.	25	2 00		
<b>Acacia armata</b> . . . . .	5 in. pot,	5 to 6 ft.	60	5 00		
.....	4 in. pot,	3 to 4 ft.	35	3 00	25 00	
.....	4 in. pot,	2 to 3 ft.	25	2 00	15 00	
A. baileyana . . . . .	5 in. pot,	2 1/2 to 3 ft.	75	6 00		
.....	5 in. pot,	1 1/2 to 2 ft.	50	4 00	35 00	
.....	4 in. pot,	1 1/2 to 2 ft.	40	3 50		
A. cultriformis . . . . .	6 in. pot,	6 to 7 ft.	75	6 00	50 00	
.....	6 in. pot,	5 to 6 ft.	60	5 00	40 00	
.....	5 in. pot,	4 to 5 ft.	50	4 00		
.....	5 in. pot,	3 to 4 ft.	40	3 50		
.....	4 in. pot,	3 to 4 ft.	25	2 00		
A. cyanophylla . . . . .	5 in. pot,	12 to 15 in.	40	3 50		
.....	4 in. pot,	3 to 4 ft.	35	3 00		
.....	3 in. pot,	2 to 3 ft.	25	2 00		
A. dealbata . . . . .	4 in. pot,	1 to 1 1/2 ft.	25	2 00		
A. decurrens . . . . .	4 in. pot,	2 to 2 1/2 ft.	35	3 00		
.....	4 in. pot,	1 to 1 1/2 ft.	25	2 00		
A. leucocephala . . . . .	5 in. pot,	1 to 1 1/2 ft.	50	4 00		
A. longifolia (A. latifolia) . . . . .	4 in. pot,	5 to 6 ft.	40	3 50		
.....	3 and 4 in. pot,	3 to 4 ft.	35	3 00		
.....	3 in. pot,	2 to 3 ft.	25	2 00		
A. lophantha . . . . .	5 in. pot,	4 to 5 ft.	50	4 00		
.....	5 in. pot,	3 to 4 ft.	40	3 50		
A. melanoxylon (Black) . . . . .	5 in. pot,	4 to 5 ft.	40	3 50	30 00	
.....	5 in. pot,	3 to 4 ft.	35	3 00	25 00	
.....	4 in. pot,	3 to 4 ft.	30	2 50	20 00	
.....	4 in. pot,	2 to 3 ft.	25	2 00	15 00	
A. mollissima . . . . .	5 and 6 in. pot,	5 to 6 ft.	60	5 00	40 00	
.....	4 and 5 in. pot,	4 to 5 ft.	50	4 00		
.....	4 and 5 in. pot,	3 to 4 ft.	40	3 50	30 00	
.....	4 in. pot,	2 to 3 ft.	25	2 00	18 00	
A. nerifolia (A. floribunda) . . . . .	5 in. pot,	2 to 3 ft.	30	2 50		
A. podalyriaefolia (new) . . . . .	4 in. pot,	8 to 10 in.	1 00	8 00		
A. praviissima . . . . .	4 in. pot,	1 1/2 to 2 ft.	35	3 00		
A. pycnantha . . . . .	6 in. pot,	6 to 7 ft.	75	6 00		
A. salicina . . . . .	6 in. pot,	4 to 5 ft.	50	4 00		
<b>Aralia (Fatsia)</b>						
F. japonica (sicboldi) . . . . .	14x16 in. box,	3 to 3 1/2 ft.	3 00			
.....	balled,	3 to 4 ft.	2 50			
.....	balled,	2 to 3 ft.	2 00			
F. japonica moseri . . . . .	6 in. pot,	4 to 5 ft.	1 00	8 00		
.....	6 in. pot,	3 to 4 ft.	80	7 50		
F. japonica variegata . . . . .	9 in. pot,	1 to 1 1/2 ft.	2 00			
.....	6 in. pot,	10 to 12 in.	1 50			
<b>Arbutus unedo (Strawberry Tree)</b> . . . . .	balled,	5 to 6 ft.	2 50	20 00		
.....	balled,	3 to 4 ft.	1 50	12 50		
.....	balled,	2 to 3 ft.	1 00			
.....	6 in. pot,	2 to 3 ft.	75	6 00		
.....	4 in. pot,	1 to 2 ft.	35	3 00		
<b>Aucuba japonica</b> . . . . .	6 in. pot,	1 to 1 1/2 ft.	50	4 00	35 00	
.....	5 in. pot,	15 to 18 in.	40	3 50	30 00	
.....	5 in. pot,	10 to 12 in.	35	3 00	25 00	
A. japonica longifolia . . . . .	6 in. pot,	2 to 3 ft.	75			
.....	6 in. pot,	12 to 15 in.	50	4 00		
A. japonica salicifolia . . . . .	balled,	12 to 15 in.	75			
A. japonica serratifolia . . . . .	4 in. pot,	8 to 12 in.	50	4 00		
A. maculata macula . . . . .	6 in. pot,	12 to 15 in.	1 00			
A. viridis latifolia . . . . .	6 in. pot,	1 to 1 1/2 ft.	50	4 00		
.....	5 in. pot,	1 1/2 to 2 ft.	40	3 50	30 00	
.....	5 in. pot,	1 to 1 1/2 ft.	30	2 50		
.....	5 in. pot,	10 to 12 in.	25	2 00		
<b>Azalea indica</b> . . . . .	6 and 7 in. pot,	12 to 14 in.	1 50			
.....	6 and 7 in. pot,	10 to 12 in.	1 25			

					Each	Per 10	Per 100
<b>Azara microphylla</b> . . . . .	boxed, 8	to 10	ft.		6 00		
	balled, 5	to 6	ft.		3 00	25 00	
	balled, 4	to 5	ft.		2 50	20 00	
	balled, 3	to 4	ft.		2 00	18 00	
	balled, 2	to 3	ft.		1 50	12 50	
	6 in. pot, 3	to 4	ft.		75	6 00	
	5 in. pot, 2	to 3	ft.		60	5 00	
<b>Banksia coccinea (new)</b> . . . . .	4 in. pot, 6	to 8	in.		75		
<b>Berberis darwini</b> . . . . .	balled, 3	to 4	ft.		1 25	10 00	90 00
	balled, 2	to 3	ft.		1 00	8 00	60 00
	balled, 1	to 2	ft.		75	6 00	50 00
	5 in. pot, 1½	to 2	ft.		50	4 00	35 00
	5 in. pot, 1	to 1½	ft.		40	3 50	30 00
	4 in. pot, 1	to 1½	ft.		30	2 50	20 00
<b>B. illeifolia</b> . . . . .	balled, 4	to 5	ft.		1 50	12 50	
<b>Box (Buxus)</b>							
<b>B. balearica</b> . . . . .	12x14 in. box, 3	to 3½	ft.		2 50		
	balled, 3	to 4	ft.		2 00		
	balled, 2	to 3	ft.		1 50	12 50	
	balled, 1½	to 2	ft.		1 00	8 00	
<b>B. elegans variegata</b> . . . . .	10x12 in. box, 1½	to 2	ft.		1 50		
	balled, 1½	to 2	ft.		1 00		
	balled, 1	to 1½	ft.		75		
<b>B. fortunei macrophylla</b> . . . . .	balled, 2	to 3	ft.		1 00	8 00	
	balled, 1½	to 2	ft.		75	6 00	
<b>B. fortunei rotundifolia</b> . . . . .	naked roots, 2	to 3	in.				10 00
<b>B. japonica (Japanese Broad-Leaved)</b>							
	10x12 in. box, 2	to 2½	ft.		2 00		
	balled, 1½	to 2	ft.		1 50		
	balled, 2	to 3	ft.		1 50	12 50	
	naked roots, 2	to 3	in.				10 00
<b>B. japonica angustifolia (Japanese Narrow-Leaved)</b>							
	balled, 1	to 1½	ft.		75	6 00	
	naked roots, 2	to 3	in.				10 00
<b>B. sempervirens (Boxwood)</b> . . . . .	balled, 2	to 3	ft.		1 25	10 00	
	naked roots, 4	to 6	in.				15 00
<b>B. sempervirens arborescens (Tree Box)</b> . . . . .	balled, 2	to 3	ft.		75	6 00	
	balled, 1½	to 2	ft.		50	4 00	
	naked roots, 2	to 3	in.				10 00
<b>B. sempervirens aureo-marginata</b> . . . . .	balled, 2	to 3	ft.		1 00	8 00	
	balled, 1½	to 2	ft.		75	6 00	
	naked roots, 4	to 6	in.				15 00
	naked roots, 2	to 3	in.				10 00
<b>B. sempervirens oleifolia</b> . . . . .	10x12 in. box, 1½	to 2	ft.		1 50		
	balled, 2	to 3	ft.		1 50		
	balled, 1½	to 2	ft.		1 00	8 00	60 00
	balled, 1	to 1½	ft.		75	6 00	50 00
	naked roots, 4	to 6	in.				10 00
	naked roots, 2	to 3	in.				5 00
<b>B. sempervirens suffruticosa (Dwarf)</b> . . . . .	balled, 1	to 1½	ft.		75	6 00	
	balled, 6	to 12	in.		50	4 00	30 00
	naked roots, 2	to 3	in.				4 00
<b>Brachychiton (Sterculia)</b>							
<b>S. acerifolia (Flame Tree)</b> . . . . .	5 in. pot, 2	to 3	ft.		75	6 00	50 00
	5 in. pot, 1	to 2	ft.		50	4 00	35 00
<b>S. diversifolia (Bottle Tree)</b> . . . . .	naked roots, defoliated, 8	to 10	ft.		3 50	30 00	
	naked roots, defoliated, 3	to 4	ft.		1 00		
<b>Broom (Cytisus)</b>							
<b>C. albus (Portugal)</b> . . . . .	5 in. pot, 2	to 2½	ft.		50	4 00	
	5 in. pot, 1	to 1½	ft.		40	3 50	
	4 in. pot, 1	to 1½	ft.		35	3 00	25 00
	4 in. pot, 6	to 12	in.		30	2 50	20 00
<b>C. caudicans</b> . . . . .	5 in. pot, 6	to 7	ft.		35	3 00	25 00
	5 in. pot, 5	to 6	ft.		30	2 50	20 00
<b>C. scoparius (Scotch)</b> . . . . .	5 in. pot, 4	to 5	ft.		50	4 00	
	5 in. pot, 3	to 4	ft.		40	3 50	
	5 in. pot, 1	to 2	ft.		35	3 00	25 00
<b>C. scoparius andreanus</b> . . . . .	5 in. pot, 1	to 1½	ft.		75		
	5 in. pot, 6	to 12	in.		50	4 00	
<b>Spartium junceum (Spanish)</b> . . . . .	5 in. pot, 3	to 4	ft.		50	4 00	
<b>Buddleia globosa</b> . . . . .	6 in. pot, 4	to 5	ft.		50	4 00	
<b>B. variabilis</b> . . . . .	6 in. pot, 3	to 4	ft.		50	4 00	
	4 in. pot, 1	to 2	ft.		25	2 00	
<b>California Wild Coffee (Rhamnus purshiana californica)</b>							
	5 in. pot, 12	to 15	in.		50	4 00	



					Each	Per 10	Per 100
<b>Callistemon (Bottle Brush)</b>							
C. hybridus	.5 in. pot,	4	to	5 ft.	50	4 00	
	.5 in. pot,	3	to	4 ft.	40	3 50	
	.5 in. pot,	2	to	3 ft.	30	2 50	
	.4 in. pot,	2	to	2½ ft.	25	2 00	
C. lanceolatus	.6 in. pot,	3	to	4 ft.	75	6 00	
	.6 in. pot,	2	to	3 ft.	50	4 00	
	.5 in. pot,	3	to	4 ft.	50	4 00	
C. coccineus	.5 in. pot,	4	to	5 ft.	50	4 00	
	.5 in. pot,	3	to	4 ft.	40	3 50	
C. cunninghami	.5 in. pot,	2½	to	3 ft.	50	4 00	
C. floribundus pedunculatus	.5 in. pot,	3	to	4 ft.	75	6 00	
C. robustus	.5 in. pot,	4	to	5 ft.	50	4 00	
	.5 in. pot,	3	to	4 ft.	40	3 50	
C. splendens	.5 in. pot,	4	to	5 ft.	50	4 00	
	.5 in. pot,	3	to	4 ft.	40	3 50	
C. viridifolius	.5 in. pot,	3	to	4 ft.	75		
<b>Camellia japonica (seedlings)</b>							
	.4 in. pot,	8	to	12 in.	35	3 00	
	.4 in. pot,	4	to	6 in.	25	2 00	
Double Pink	.6 in. pot,	3	to	3½ ft.	2 00		
	.6 in. pot,	2	to	2½ ft.	1 50		
	.5 in. pot,	1	to	1½ ft.	1 00		
Double Red	.6 in. pot,	2	to	2½ ft.	1 50		
	.6 in. pot,	1½	to	2 ft.	1 25		
Double Variegated	.6 in. pot,	1½	to	2 ft.	1 50		
	.5 in. pot,	1	to	1½ ft.	1 25		
Double White	.6 in. pot,	2	to	2½ ft.	1 50		
C. sasanqua	.5 in. pot,	1½	to	2 ft.	1 50		
<b>Camphor (Camphora officinalis)</b>							
	balled,	3	to	4 ft.	1 25	10 00	
	balled,	2	to	3 ft.	1 00	8 00	
	balled,	1½	to	2 ft.	75	6 00	
	balled,	1	to	1½ ft.	50	4 00	
	.5 in. pot,	1½	to	2 ft.	50	4 00	
	.4 in. pot,	1½	to	2 ft.	25	2 00	
	.4 in. pot,	12	to	15 in.			18 00
<b>Carob (Ceratonia siliqua)</b>							
	.6 in. pot,	2	to	2½ ft.	1 00		
	.6 in. pot,	1½	to	2 ft.	75	6 00	
	.5 in. pot,	1	to	1½ ft.	60	5 00	
<b>Cassia artemisioides (new)</b>							
C. corymbosa	.3 in. pot,	5	to	6 ft.	30	2 50	
C. floribunda grandiflora	.4 in. pot,	1	to	2 ft.	25	2 00	
C. laevigata (new)	.3 in. pot,	6	to	12 in.	50	4 00	
C. polyantha	.5 in. pot,	2	to	3 ft.	50	4 00	
C. tomentosa	.5 in. pot,	5	to	6 ft.	40	3 50	
	.5 in. pot,	4	to	5 ft.	30	2 50	
<b>Cassinia longifolia (new)</b>							
	.4 in. pot,	2	to	2½ ft.	50		
<b>Casuarina (Beefwood or She Oak)</b>							
C. cunninghami	balled,	8	to	10 ft.	2 50	20 00	
	balled,	6	to	8 ft.	2 00	15 00	
	.4 in. pot,	3	to	4 ft.	35	3 00	25 00
	.4 in. pot,	2	to	3 ft.	25	2 00	18 00
C. quadrivalvis	balled,	8	to	10 ft.	2 50	20 00	
<b>Ceanothus azureus</b>							
	.5 in. pot,	1	to	1½ ft.	75		
C. gloire de versailles	.5 in. pot,	1½	to	2 ft.	1 00		
	.4 in. pot,	1	to	1½ ft.	75		
C. thyrsiflorus (California Wild Lilac)	.6 in. pot,	3	to	4 ft.	75	6 00	
	.6 in. pot,	2	to	3 ft.	60	5 00	
	.5 in. pot,	2	to	3 ft.	40	3 50	
	.5 in. pot,	1	to	2 ft.	35	3 00	
	.4 in. pot,	1	to	2 ft.	25	2 00	
C. "White Flowering"	.6 in. pot,	1½	to	2 ft.	75		
	.5 in. pot,	1	to	1½ ft.	50		
<b>Cestrum aurantiacum</b>							
	.5 in. pot,	2	to	3 ft.	50	4 00	
	.5 in. pot,	1	to	2 ft.	40	3 50	
C. laurifolia	.5 in. pot,	3	to	4 ft.	50	4 00	
	.3 in. pot,	10	to	12 in.	25	2 00	18 00
C. nocturnum	.5 in. pot,	3	to	4 ft.	50	4 00	
C. parqui	.5 in. pot,	3	to	4 ft.	50	4 00	
	.3 in. pot,	2	to	2½ ft.	25	2 00	
<b>Cherry, California Evergreen</b>							
Prunus ilicifolia	.4 in. pot,	4	to	6 in.	25	2 00	
P. integrifolia (Catalina)	.5 in. pot,	2½	to	3 ft.	50	4 00	35 00
	.5 in. pot,	1½	to	2 ft.	40	3 50	30 00
	.4 in. pot,	1	to	1½ ft.	35	3 00	25 00
	.4 in. pot,	8	to	12 in.	25	2 00	15 00
<b>Choisya ternata</b>							
	balled,	1½	to	2 ft.	75	6 00	
	balled,	1	to	1½ ft.	50	4 00	
	balled,	8	to	12 in.	40	3 50	30 00

					Each	Per 10	Per 100
<b>Christmas Berry</b> ( <i>Photinia arbutifolia</i> )	5 in. pot,	2½ to 3 ft.	1 00	8 00			
.....	5 in. pot,	2 to 2½ ft.	75	6 00	50 00		
.....	5 in. pot,	1½ to 2 ft.	60	5 00	40 00		
.....	5 in. pot,	10 to 12 in.	50	4 00	35 00		
.....	4 in. pot,	1 to 1½ ft.	35	3 00	25 00		
<b>Cinnamon</b> ( <i>Cinnamomum</i> )							
<i>C. loureiri</i>	5 in. pot,	3 to 4 ft.	1 00	8 00			
.....	5 in. pot,	2 to 3 ft.	75	6 00			
<i>C. zeylanicum</i>	7 in. pot,	5 to 6 ft.	2 00				
.....	7 in. pot,	4 to 5 ft.	1 50				
.....	7 in. pot,	3 to 4 ft.	1 25				
<b>Cistus ladaniferus maculatus</b>	5 in. pot,	8 to 12 in.	50	4 00			
.....	4 in. pot,	6 to 8 in.	35	3 00	25 00		
<b>Clethra arborea</b> (new)	5 in. pot,	15 to 18 in.	50	4 00			
<b>Coprosma</b>							
<i>C. baueri</i> variegata	5 in. pot,	1 to 1½ ft.	50	4 00			
.....	4 in. pot,	1 to 1½ ft.	40	3 50			
<i>C. robusta</i> (new)	5 in. pot,	1 to 1½ ft.	50				
.....	4 in. pot,	4 to 6 in.	40				
<b>Cornus capitata</b> (Evergreen Dogwood)	6 in. pot,	4 to 5 ft.	75	6 00			
.....	6 in. pot,	3 to 4 ft.	60	5 00			
.....	5 in. pot,	3 to 4 ft.	50				
<b>Coronilla emerus</b>	3 in. pot,	4 to 5 ft.	25	2 00			
<i>C. glauca</i>	6 in. pot,	3 to 4 ft.	50	4 00			
.....	5 in. pot,	3 to 4 ft.	40	3 50			
.....	5 in. pot,	2 to 3 ft.	30	2 50			
<i>C. glauca</i> variegata	5 in. pot,	3 to 4 ft.	50	4 00			
.....	5 in. pot,	2 to 3 ft.	40	3 50			
.....	4 in. pot,	1 to 2 ft.	30	2 50	20 00		
<b>Corynocarpus laevigatus</b>	6 in. pot,	3 to 4 ft.	1 00				
.....	5 in. pot,	1½ to 2 ft.	75	6 00			
.....	5 in. pot,	1 to 1½ ft.	50	4 00			
<b>Cotoneaster acuminata</b> ( <i>C. nepalensis</i> )	balled,	2 to 3 ft.	75	6 00			
.....	4 in. pot,	8 to 10 in.	40	3 50	30 00		
<i>C. angustifolia</i>	balled,	3 to 4 ft.	1 00				
.....	6 in. pot,	4 to 5 ft.	75	6 00			
.....	6 in. pot,	3 to 4 ft.	60	5 00			
<i>C. frigida</i> (new)	4 in. pot,	1 to 1½ ft.	35	3 00	25 00		
<i>C. horizontalis</i>	balled,	1 to 2 ft.	1 00				
<i>C. microphylla</i>	14x16 in. box,		3 00				
.....	balled,	2 to 3 ft.	1 00				
.....	4 in. pot,	8 to 12 in.	35	3 00			
.....	4 in. pot,	6 to 8 in.	25	2 00	18 00		
<i>C. pannosa</i> (new)	6 in. pot,	3 to 4 ft.	1 00	8 00			
.....	6 in. pot,	2 to 3 ft.	80	7 50			
.....	4 in. pot,	2 to 3 ft.	50	4 00			
.....	4 in. pot,	15 to 18 in.	40	3 50			
<b>Crataegus</b> ( <i>Pyracantha</i> )							
<i>P. coccinea</i>	balled,	10 to 12 ft.	3 00				
.....	5 in. pot,	8 to 12 in.	50	4 00			
.....	4 in. pot,	10 to 12 in.	35	3 00			
.....	4 in. pot,	6 to 8 in.	25	2 00	18 00		
<i>P. coccinea</i> lalandi	balled,	5 to 6 ft.	2 00				
.....	balled,	4 to 5 ft.	1 50				
.....	4 in. pot,	6 to 8 in.	25	2 00	18 00		
<i>P. crenulata</i>	4 in. pot,	12 to 15 in.	75				
<b>Daphne odora</b> (white)	balled,	3 to 4 ft.	2 50				
.....	balled,	15 to 18 in.	1 50				
.....	balled,	10 to 12 in.	1 25				
<i>D. odora</i> marginata (pink)	balled,	15 to 18 in.	1 50				
<b>Daphniphyllum macropodum</b>	7 in. pot,	4 to 5 ft.	1 50				
.....	7 in. pot,	3 to 4 ft.	1 25				
.....	4 in. pot,	6 to 8 in.	50	4 00			
<b>Darwinia</b>	5 in. pot,	2 to 2½ ft.	1 00				
<b>Deeringea celosioides</b> variegata	3 in. pot,	2 to 3 ft.	25	2 00	18 00		
<b>Diosma ericoides</b> (Breath of Heaven)	balled,	2 to 3 ft.	1 25				
.....	balled,	1 to 1½ ft.	1 00	8 00	75 00		
.....	6 in. pot,	2½ to 3 ft.	50	4 00	35 00		
.....	5 in. pot,	2 to 2½ ft.	40	3 50	30 00		
.....	5 in. pot,	1½ to 2 ft.	30	2 50	20 00		
<i>D. purpurea</i> (new)	balled,	12 to 15 in.	75	6 00			
.....	4 in. pot,	6 to 8 in.	35				

						Each	Per 10	Per 100
<b>Dodonaea</b> . . . . .	5 in. pot,	3	to	4 ft.		50	4 00	
	5 in. pot,	2	to	3 ft.		40	3 50	
<b>D. triquetra (new)</b> . . . . .	4 in. pot,	12	to	15 in.		50		
	4 in. pot,	6	to	8 in.		40		
<b>Duranta plnieri</b> . . . . .	5 in. pot,	3	to	4 ft.		40	3 50	
	5 in. pot,	2	to	3 ft.		30	2 50	20 00
<b>Elaeagnus pungens argentea</b> . . . . .	12x14 in. box,	2	to	2½ ft.		2 00		
	balled,	2	to	3 ft.		1 25	10 00	
	balled,	1½	to	2 ft.		1 00	8 00	75 00
	balled,	1	to	1½ ft.		75	6 00	50 00
	4 in. pot,	1	to	1½ ft.		50	4 00	
<b>E. pungens aurea</b> . . . . .	balled,	1½	to	2 ft.		1 50		
	balled,	1	to	1½ ft.		1 25		
<b>Escallonia berteriana</b> . . . . .	balled,	6	to	7 ft.		1 25	10 00	80 00
	balled,	5	to	6 ft.		1 00	8 00	75 00
	balled,	4	to	5 ft.		80	7 50	65 00
	balled,	3	to	4 ft.		60	5 00	40 00
<b>E. "Crimson Flowering"</b> . . . . .	balled,	5	to	6 ft.		1 00	8 00	75 00
	balled,	4	to	5 ft.		75	6 00	50 00
<b>E. leucantha</b> . . . . .	balled,	4	to	5 ft.		1 00	8 00	60 00
	balled,	3	to	4 ft.		75	6 00	50 00
<b>E. montevidensis (new)</b> . . . . .	7 in. pot,	1½	to	2 ft.		2 00		
	4 in. pot,	6	to	8 in.		1 00		
<b>E. rosea</b> . . . . .	balled,	6	to	7 ft.		1 50	12 50	100 00
	balled,	5	to	6 ft.		1 25	10 00	80 00
	balled,	3	to	4 ft.		1 00		
<b>E. rubra</b> . . . . .	balled,	3	to	4 ft.		1 00	8 00	75 00
	balled,	2	to	3 ft.		80	7 50	65 00
	balled,	1½	to	2 ft.		75		
	balled,	1	to	1½ ft.		50	4 00	30 00
<b>Eucalyptus angulosa</b> . . . . .	4 in. pot,	3	to	4 ft.		50		
	4 in. pot,	2	to	3 ft.		40		
<b>E. calophylla</b> . . . . .	5 in. pot,	2	to	2½ ft.		50		
	5 in. pot,	1	to	2 ft.		40	3 50	
<b>E. cornuta</b> . . . . .	4 in. pot,	2	to	3 ft.		35	3 00	
<b>E. corynocalyx (Sugar Gum)</b> . . . . .	5 in. pot,	3	to	4 ft.		35	3 00	
	5 in. pot,	2	to	3 ft.		25	2 00	
	4 in. pot,	1	to	1½ ft.		20	1 80	15 00
Transplanted in flats, 2 yrs., 2 to 2½ ft.								4 00
Transplanted in flats, 1 yr., 4 to 6 in.								3 00
<b>E. crebra</b> . . . . .	5 in. pot,	3	to	4 ft.		35	3 00	
	5 in. pot,	2	to	3 ft.		30	2 50	
<b>E. ficifolia (Scarlet Flowering)</b> . . . . .	5 in. pot,	1½	to	2 ft.		1 00		
	5 in. pot,	1	to	1½ ft.		75	6 00	
	5 in. pot,	6	to	12 in.		50	4 00	
	4 in. pot,	12	to	15 in.		50	4 00	
<b>E. globulus (Blue Gum)</b> . . . . .	4 in. pot,	3	to	4 ft.		30	2 50	20 00
	4 in. pot,	2	to	3 ft.		25	2 00	18 00
Transplanted in flats, 2 yrs., 2 to 3 ft., per 1,000, \$25.00								3 00
Transplanted in flats, 1 yr., 8 to 12 in., per 1,000, \$18.00								2 50
<b>E. globulus compacta (new)</b> . . . . .	4 in. pot,	3	to	4 ft.		1 00		
<b>E. lehmanni</b> . . . . .	5 in. pot,	2	to	3 ft.		30	2 50	
	5 in. pot,	1	to	2 ft.		25	2 00	
<b>E. leucoxydon (Red Flowering)</b> . . . . .	5 in. pot,	3	to	4 ft.		50	4 00	
	5 in. pot,	2	to	3 ft.		40	3 50	
	4 in. pot,	3	to	4 ft.		40	3 50	
	4 in. pot,	2	to	3 ft.		30	2 50	20 00
	4 in. pot,	1½	to	2 ft.		25	2 00	18 00
<b>E. melliodora (Honey-scented)</b> . . . . .	5 in. pot,	3	to	4 ft.		35	3 00	
	5 in. pot,	2	to	3 ft.		30	2 50	
<b>E. occidentalis</b> . . . . .	5 in. pot,	5	to	6 ft.		35	3 00	
	5 in. pot,	3	to	4 ft.		30	2 50	
<b>E. polyanthema</b> . . . . .	4 in. pot,	1	to	1½ ft.		25	2 00	18 00
Transplanted in flats, 2 yrs., 15 to 18 in.								4 00
<b>E. robusta</b> . . . . .								
Transplanted in flats, 1 yr., 4 to 6 in.								4 00
<b>E. rostrata (Red Gum)</b> . . . . .	5 in. pot,	3	to	4 ft.		40		
	4 in. pot,	1½	to	2 ft.		30	2 50	2 50
Transplanted in flats, 1 yr., 6 to 8 in.								
<b>E. rudis</b> . . . . .	5 in. pot,	3	to	4 ft.		35	3 00	
	5 in. pot,	2	to	3 ft.		30	2 50	
	4 in. pot,	3	to	4 ft.		30	2 50	20 00
	4 in. pot,	2	to	3 ft.		25	2 00	15 00
Transplanted in flats, 2 yrs., 15 to 18 in.								4 00
Transplanted in flats, 1 yr., 4 to 6 in., per 1,000, \$20.00								2 50
<b>E. siderophloia</b> . . . . .	5 in. pot,	5	to	6 ft.		50	4 00	
	5 in. pot,	3	to	4 ft.		40	3 50	
<b>E. tereticornis</b> . . . . .	5 in. pot,	1	to	2 ft.		40	3 50	
	4 in. pot,	1½	to	2 ft.		25	2 00	
Transplanted in flats, 2 yrs., 2 to 3 ft.								4 00
<b>E. viminalis</b> . . . . .								
Transplanted in flats, 2 yrs., 2 to 3 ft.								3 00
Transplanted in flats, 1 yr., 6 to 8 in., per 1,000, \$20.00								2 50



					Each	Per 10	Per 100
<b>Eugenia myrtifolia (E. australis)</b> .....	6 in. pot,	2	to	3 ft.	1 00	8 00	
.....	6 in. pot,	1	to	2 ft.	75	6 00	
.....	5 in. pot,	1½	to	2 ft.	50	4 00	
.....	4 in. pot,	8	to	10 in.	40	3 50	30 00
<b>E. myrtifolia latifolia (new)</b> .....	4 in. pot,	6	to	8 in.	75		
<b>Myrtus luma (E. apiculata)</b> .....	4 in. pot,	1	to	1½ ft.	50	4 00	
<b>M. ugni</b> .....	4 in. pot,	1	to	1½ ft.	40	3 50	
.....	4 in. pot,	3	to	4 in.	25	2 00	
<b>Euonymus japonicus</b> .....	balled,	6	to	8 ft.	1 00	8 00	75 00
.....	balled,	4	to	6 ft.	75	6 00	50 00
.....	balled,	3	to	4 ft.	50	4 00	30 00
<b>E. japonicus albo-marginatus (Silver Margined)</b>	balled,	3	to	4 ft.	75		
.....	balled,	2	to	3 ft.	50	4 00	
<b>E. japonicus albo-variegatus (Silver Variegated)</b>	14x16 in. box,	4	to	4½ ft.	2 50		
.....	balled,	6	to	7 ft.	1 50	12 50	
.....	balled,	5	to	6 ft.	1 00	8 00	75 00
.....	balled,	4	to	5 ft.	75	6 00	50 00
.....	balled,	3	to	4 ft.	60	5 00	40 00
<b>E. japonicus aureo-marginatus (Golden Margined)</b>	balled,	4	to	5 ft.	2 00	15 00	
.....	balled,	3	to	4 ft.	1 50	12 50	100 00
.....	balled,	2	to	3 ft.	1 00	8 00	75 00
<b>E. japonicus aureo-variegatus (Golden Variegated)</b>	balled,	4	to	5 ft.	1 00	8 00	75 00
.....	balled,	3	to	4 ft.	75	6 00	50 00
.....	balled,	2	to	3 ft.	50	4 00	30 00
<b>E. japonicus microphyllus (E. pulchellus)</b> ..	balled,	10	to	12 in.	50	4 00	
.....	balled,	6	to	8 in.	40	3 00	
<b>E. japonicus tricolor</b> .....	balled,	2	to	3 ft.	75		
.....	balled,	1	to	2 ft.	60	5 00	
<b>E. japonicus viridi-variegatus (Duc d'Anjou)</b>	balled,	6	to	7 ft.	1 50	12 50	100 00
.....	balled,	5	to	6 ft.	1 25	10 00	80 00
.....	balled,	4	to	5 ft.	1 00	8 00	60 00
<b>E. radicans argenteo-marginatus</b> .....	balled,	2	to	3 ft.	1 50		
.....	balled,	1	to	2 ft.	75	6 00	
<b>Fabiana imbricata</b> .....	5 in. pot,	3	to	4 ft.	50	4 00	30 00
.....	5 in. pot,	2	to	3 ft.	35	3 00	25 00
.....	4 in. pot,	2	to	3 ft.	30	2 50	20 00
<b>Ficus elastica (India Rubber Plant)</b> .....	7 in. pot,	4	to	5 ft.	2 00		
.....	6 in. pot,	3	to	4 ft.	1 50		
.....	6 in. pot,	2	to	3 ft.	1 25	10 00	
.....	5 in. pot,	15	to	18 in.	75		
<b>F. macrophylla</b> .....	5 in. pot,	2½	to	3 ft.	75	6 00	
.....	5 in. pot,	1½	to	2 ft.	60	5 00	
.....	4 in. pot,	1½	to	2 ft.	50	4 00	
<b>Gardenia (Cape Jasmine)</b>							
<b>G. florida fortunei</b> .....	5 in. pot,	15	to	18 in.	1 00		
.....	5 in. pot,	12	to	15 in.	80		
<b>Garrya elliptica</b> .....	7 in. pot,			5 ft.	2 50		
.....	4 in. pot,	1	to	1½ ft.	1 00		
<b>Grevillea robusta (Silk Oak)</b> .....	6 in. pot,	4	to	5 ft.	50	4 00	
.....	6 in. pot,	3	to	4 ft.	40	3 50	
.....	6 in. pot,	2	to	3 ft.	35	3 00	
<b>G. thelemanniana</b> .....	5 in. pot,	1½	to	2 ft.	75	6 00	
.....	5 in. pot,	1	to	1½ ft.	50	4 00	
.....	4 in. pot,	12	to	15 in.	35	3 00	
<b>Habrothamnus (Cestrum)</b>							
<b>C. elegans</b> .....	5 in. pot,	3	to	4 ft.	35	3 00	
<b>C. fasciculatum</b> .....	5 in. pot,	3	to	4 ft.	35	3 00	25 00
<b>Hakea gibba</b> .....	5 in. pot,	3	to	4 ft.	75	6 00	
.....	5 in. pot,	2	to	3 ft.	50	4 00	
<b>H. pugioniformis</b> .....	6 in. pot,	4	to	5 ft.	1 00		
<b>Harpephyllum caffrum (Kaffir Plum) (new)</b>							
.....	6 in. pot,	1	to	1½ ft.	1 50		
.....	4 in. pot,	10	to	12 in.	1 25		
<b>Heath (Erica)</b>							
<b>E. mediterranea</b> .....	balled,	3	to	4 ft.	1 50		
.....	balled,	1	to	1½ ft.	60	5 00	
.....	5 in. pot,	2½	to	3 ft.	50	4 00	
.....	4 in. pot,	1½	to	2 ft.	35	3 00	25 00
<b>E. melanthera</b> .....	4 in. pot,	8	to	10 in.	75		
<b>E. multiflora grandiflora</b> .....	5 and 6 in. pot,	2	to	2½ ft.	35	3 00	
.....	5 in. pot,	1½	to	2 ft.	30	2 50	20 00
<b>E. persoluta alba</b> .....	5 in. pot,	15	to	18 in.	50		

					● Each	Per 10	Per 100
<b>Heath Cont'd.</b>							
	4 in. pot,	10	to 12	in.	40		
	3 in. pot,	6	to 8	in.	25		
E. persoluta rosea	5 in. pot,	2½	to 3	ft.	75	6 00	
	5 in. pot,	1½	to 2	ft.	50	4 00	
	5 in. pot,	1	to 1½	ft.	40	3 50	
	3 in. pot,	8	to 10	in.	25	2 00	
E. regerminans	5 in. pot,	2	to 2½	ft.	50	4 00	
	5 in. pot,	1	to 1½	ft.	40	3 50	
E. vagans alba	6 in. pot,	12	to 15	in.	50	4 00	
	5 in. pot,	10	to 12	in.	40	3 50	
<b>Holly (Ilex)</b>							
I. aquifolium (English)	24x24 in. box,	7	to 8	ft.	25 00		
	balled,	3	to 4	ft.	2 50		
	balled,	1½	to 2	ft.	1 25	10 00	
	balled,	1	to 1½	ft.	1 00	8 00	
	balled,	6	to 12	in.			60 00
	5 in. pot,	1	to 1½	ft.	50	4 00	
I. a. golden-margined	balled,	1½	to 2	ft.	1 50		
I. a. golden queen	balled,	4	to 5	ft.	4 00		
I. a. scotch golden	balled,	12	to 15	in.	2 00		
I. a. serratifolia aurea	balled,	12	to 15	in.	2 00		
I. a. silver-margined	balled,	1½	to 2	ft.	1 50		
	6 in. pot,	1½	to 2	ft.	1 00		
I. a. silver tricolor	balled,	2	to 3	ft.	2 50		
	balled,	1	to 1½	ft.	1 50		
I. a. torulosa	balled,	15	to 18	in.	1 50		
I. a. variabilis tricolor	balled,	8	to 12	in.	1 50		
I. a. variegatum	32x34 in. box,	14	to 15	ft.	100 00		
I. latifolia (Japanese)	balled,	4	to 5	ft.	2 00		
Hymenosporum flavum	4 in. pot,	3	to 4	ft.	75		
	4 in. pot,	2	to 3	ft.	60		
Hypericum moserianum	balled,	1	to 2	ft.	50	4 00	
	4 in. pot,	10	to 12	in.	25	2 00	
Ischroma fuchsoides	5 in. pot,	8	to 12	in.	50		
I. lanceolata purpurea	5 in. pot,	2	to 3	ft.	40	3 50	
Jacaranda ovalifolia	6 in. pot,	4	to 5	ft.	75		
	5 and 6 in. pot,	3	to 4	ft.	60	5 00	
Kunzea corifolia (new)	4 in. pot,	8	to 10	in.	50		
<b>Laurel</b>							
Laurens nobilis (Bay Tree)	Standards 17 in. tubs,		6	ft.	20 00		
	Standards 14 in. tubs,		6	ft.	15 00		
	Standards 12 in. tubs,		6	ft.	12 50		
	bushy, balled,	7	to 8	ft.	5 00		
	balled,	6	to 7	ft.	4 00		
	balled,	5	to 6	ft.	3 00	25 00	200 00
	balled,	4	to 5	ft.	2 50	20 00	
	balled,	3	to 4	ft.	1 50	12 50	
	4 in. pot,	1	to 1½	ft.	25	2 00	
Pruus camelliafolia	balled,	5	to 6	ft.	2 50	20 00	
	balled,	4	to 5	ft.	2 00	17 50	
	balled,	3	to 4	ft.	1 50	12 50	
	balled,	2	to 3	ft.	1 00	8 00	
P. laurocerasus (English)	boxed,	7	to 8	ft.	6 00		
	balled,	5	to 6	ft.	2 50	20 00	
	balled,	4	to 5	ft.	2 00	15 00	125 00
	balled,	3	to 4	ft.	1 25	10 00	80 00
	balled,	2	to 3	ft.	75	6 00	50 00
	balled,	1½	to 2	ft.	60	5 00	40 00
P. l. latifolia (English Large Leaved)	20x20 in. box,	7	to 8	ft.	10 00		
	16x18 in. box,	6	to 7	ft.	6 00		
	14x16 in. box,	4	to 5	ft.	5 00		
	boxed,	7	to 8	ft.	8 00		
	boxed,	6	to 7	ft.	5 00		
	balled,	5	to 6	ft.	3 50	30 00	250 00
	balled,	4	to 5	ft.	2 50	20 00	180 00
	balled,	2	to 3	ft.	1 00	8 00	75 00
P. l. rotundifolia	16x18 in. box,	5	to 6	ft.	6 00		
	boxed,	7	to 8	ft.	7 00		
	balled,	4	to 5	ft.	2 50	20 00	180 00
	balled,	3	to 4	ft.	1 50	12 50	
P. lusitanica (Portugal)	20x20 in. box,	6	to 7	ft.	8 00		
	18x18 in. box,	5	to 6	ft.	6 00		
	14x16 in. box,	3	to 4	ft.	3 00		
	boxed,	6	to 7	ft.	6 00		
	balled,	5	to 6	ft.	4 00		
	balled,	4	to 5	ft.	3 00	25 00	
	balled,	3	to 4	ft.	2 50	20 00	
	balled,	2	to 3	ft.	1 25	10 00	80 00
	balled,	1	to 2	ft.	1 00	8 00	75 00

				Each	Per 10	Per 100
<b>Laurel Cont'd.</b>						
<b>Umbellularia californica (California Laurel or Wild Bay)</b>						
.....balled,	6	to	7 ft.	3 00		
.....balled,	5	to	6 ft.	2 50		
.....balled,	2	to	3 ft.	1 50		
.....5 in. pot,	2	to	2½ ft.	75	6 00	
.....5 in. pot,	1	to	1½ ft.	50	4 00	
.....4 in. pot,	10	to	12 in.	25	2 00	18 00
<b>Laurustinus (Viburnum)</b>						
<b>V. tinus (Common)</b> .....14x16 in. box,	3	to	3½ ft.	2 50		
.....balled,	4	to	5 ft.	2 00	15 00	125 00
.....balled,	3	to	4 ft.	1 00	7 50	50 00
Per 1,000, \$200.00.....balled,	2	to	3 ft.	50	4 00	30 00
<b>V. tinus lucidum (L. grandiflora)</b>						
.....balled,	6	to	7 ft.	4 00		
.....balled,	5	to	6 ft.	2 50	20 00	
.....balled,	4	to	5 ft.	1 50	12 50	
.....balled,	3	to	4 ft.	1 25	10 00	80 00
<b>V. tinus strictum (L. rotundifolia)</b>						
.....balled,	6	to	7 ft.	3 00		
.....balled,	5	to	6 ft.	2 50	20 00	
.....balled,	4	to	5 ft.	1 50	12 50	100 00
.....balled,	3	to	4 ft.	1 00	8 00	65 00
<b>V. tinus variegatum</b> .....balled,	3	to	4 ft.	1 50		
.....balled,	2	to	3 ft.	1 00	8 00	75 00
.....balled,	1	to	2 ft.	75	6 00	
<b>Leptospermum laevigatum (Australian Tea Tree)</b>						
.....5 in. pot,	1½	to	2 ft.	50	4 00	35 00
.....5 in. pot,	1	to	1½ ft.	40	3 50	30 00
.....4 in. pot,	2	to	2½ ft.	35	3 00	25 00
.....4 in. pot,	1	to	1½ ft.	25	2 00	18 00
<b>Ligustrum (Privet)</b>						
<b>L. ciliatum</b> .....balled,	3	to	4 ft.	1 50		
.....balled,	1½	to	2 ft.	1 00		
<b>L. ciliatum variegatum</b> .....balled,	3	to	4 ft.	1 50		
.....balled,	2	to	3 ft.	1 25		
.....balled,	1½	to	2 ft.	1 00		
<b>L. coriaceum</b> .....10x10 in. box,	1	to	3 ft.	3 00		
.....balled,	1	to	1½ ft.	1 50		
<b>L. japonicum (Japanese)</b> ...naked root, defoliated,	10	to	12 ft.	1 50		
<b>L. ovalifolium (California)</b> ...naked roots,	4	to	6 ft.			10 00
.....naked roots,	3	to	4 ft.			8 00
.....naked roots,	1½	to	2 ft.			7 00
<b>L. sinense (Chinese)</b> .....balled,	5	to	6 ft.	3 00		
.....balled,	3	to	4 ft.	1 50		
<b>L. spicatum macrophyllum</b> .....balled,	3	to	4 ft.	2 00		
.....balled,	2	to	3 ft.	1 50		
<b>L. tricolor</b> .....balled,	6	to	7 ft.	3 00		
.....balled,	5	to	6 ft.	2 50		
.....balled,	4	to	5 ft.	2 00		
.....balled,	3	to	4 ft.	1 50		
.....balled,	2	to	3 ft.	1 00		
<b>L. variegated</b> .....balled,	8	to	10 ft.	3 00		
.....balled,	6	to	7 ft.	2 00		
.....balled,	5	to	6 ft.	1 50		
.....balled,	3	to	4 ft.	1 00		
<b>Litsea glauca</b> .....4 in. pot,	1	to	2 ft.	50	4 00	
<b>Lyonothamnus floribundus asplenifolius (new)</b>						
.....5 in. pot,	3	to	4 ft.	1 50		
.....5 in. pot,	2	to	3 ft.	1 25		
<b>Madrone (Arbutus menziesi)</b> .....4 in. pot,	2	to	3 in.	50	4 00	
<b>Magnolia grandiflora</b>						
.....boxed,	18	to	20 ft.	50 00		
.....balled,	4	to	5 ft.	2 50		
.....balled,	3	to	4 ft.	1 50	12 50	100 00
.....balled,	2	to	3 ft.	1 00	8 00	75 00
.....balled,	1½	to	2 ft.	75	6 00	50 00
.....5 in. pot,	2	to	2½ ft.	50	4 00	35 00
<b>M. grandiflora lanceolata (M. exoniensis)</b>						
.....boxed,	14	to	16 ft.	50 00		
.....boxed,	12	to	14 ft.	35 00		
.....boxed,	10	to	12 ft.	20 00		
.....7 in. pot,	3	to	4 ft.	1 50		
.....7 in. pot,	2	to	3 ft.	1 25	10 00	
<b>M. grandiflora galissoniensis</b> .....boxed,	14	to	16 ft.	50 00		
<b>Mahonia (Berberis)</b>						
<b>B. aquifolium (Oregon Grape)</b> .....balled,	3	to	4 ft.	1 50	12 50	
.....balled,	2	to	3 ft.	1 25	10 00	
<b>B. japonica (M. beallii)</b> .....14x14 in. box,				2 50		
.....balled,	4	to	5 ft.	2 00		
.....balled,	2	to	3 ft.	1 50		
<b>B. pinnata (M. fascicularis)</b> .....balled,	3	to	4 ft.	1 50	12 50	
.....balled,	2	to	3 ft.	1 25	10 00	



					Each	Per 10	Per 100
Maytenus boaria	6 in. pot,	4	to	5 ft.	1 00		
	6 in. pot,	3	to	4 ft.	75		
	4 in. pot,	1	to	1½ ft.	35	3 00	
Melaleuca decussata	balled,	5	to	6 ft.	1 50		
	balled,	3	to	4 ft.	1 00		
	4 and 5 in. pot,	3	to	4 ft.	50	4 00	
	4 in. pot,	2	to	3 ft.	40	3 50	
	4 in. pot,	1	to	2 ft.	25	2 00	
M. ericifolia	balled,	3	to	4 ft.	1 00	8 00	
	5 in. pot,	3	to	4 ft.	50	4 00	
	4 in. pot,	2	to	3 ft.	35	3 00	
	4 in. pot,	1	to	1½ ft.	25	2 00	
M. hypericifolia	3 in. pot,	3	to	4 ft.	40	3 50	
	3 in. pot,	2	to	3 ft.	35	3 00	
M. leucadendron	4 in. pot,	1½	to	2 ft.	75		
M. styphelioides	5 in. pot,	1½	to	2 ft.	50	4 00	
	4 in. pot,	1	to	1½ ft.	40	3 50	
	4 in. pot,	4	to	6 in.	25	2 00	
Myoporum laetum	7 in. pot,	4	to	5 ft.	75	6 00	
	6 in. pot,	3	to	4 ft.	50		
	6 in. pot,	2	to	3 ft.	40	3 50	
Myrtle (Myrtus)							
M. communis	balled,	2	to	3 ft.	75	6 00	50 00
	balled,	1	to	2 ft.	50	4 00	35 00
	4 in. pot,	1½	to	2 ft.	25	2 00	15 00
M. communis flore pleno (Double)	balled,	1½	to	2 ft.	75		
	balled,	1	to	1½ ft.	60		
	4 in. pot,	10	to	12 in.	50		
M. communis microphylla	balled,	1	to	2 ft.	75	6 00	50 00
	4 in. pot,	1½	to	2 ft.	30	2 50	20 00
M. communis thymifolia	balled,	1	to	2 ft.	75	6 00	
	4 in. pot,	6	to	8 in.	25	2 00	18 00
M. communis variegata	balled,	1	to	2 ft.	50	4 00	
	4 in. pot,	2	to	2½ ft.	35	3 00	
	4 in. pot,	10	to	12 in.	25	2 00	15 00
Nandina domestica	10x12 in. box,			3 ft.	2 00		
	balled,	2	to	3 ft.	1 00	8 00	
	balled,	1½	to	2 ft.	75	6 00	
	balled,	1	to	1½ ft.	60	5 00	40 00
Oak (Quercus)							
Q. acuta	5 in. pot,	2	to	3 ft.	1 00	8 00	
Q. agrifolia (California Live)	balled,	10	to	12 ft.	5 00		
	4 in. pot,	1½	to	2 ft.	35	3 00	
	4 in. pot,	10	to	12 in.	25	2 00	
Q. cuspidata	6 in. pot,	4	to	5 ft.	1 50	12 50	
	6 in. pot,	3	to	4 ft.	1 25	10 00	
Q. glauca	7 in. pot,	4	to	5 ft.	1 25		
	6 in. pot,	3	to	4 ft.	1 00	8 00	
Q. suber (Cork)	boxed,	12	to	14 ft.	12 00		
	balled,	8	to	9 ft.	5 00		
	balled,	6	to	7 ft.	4 00	35 00	
	4 in. pot,	10	to	12 in.	25	2 00	18 00
Q. "Holly-Leaved"	balled,	4	to	5 ft.	2 00	15 00	
	balled,	3	to	4 ft.	1 50	12 50	
	balled,	2	to	3 ft.	1 00	8 00	
	6 in. pot,	2	to	3 ft.	75	6 00	
Q. ilex (Holly Oak)	boxed,	16	to	18 ft.	12 00		
	boxed,	10	to	12 ft.	10 00		
	balled,	6	to	7 ft.	4 00		
	balled,	5	to	6 ft.	3 00		
	balled,	4	to	5 ft.	2 50		
	balled,	3	to	4 ft.	2 00		
Olea (Osmanthus fragrans)							
White-flowering	balled,	2	to	3 ft.	1 50		
	balled,	1½	to	2 ft.	1 00		
Yellow-flowering	balled,	3	to	4 ft.	1 50		
	balled,	2	to	3 ft.	1 00	8 00	
	balled,	1½	to	2 ft.	75	6 00	
Oleander (Nerium oleander)	balled,	5	to	6 ft.	1 50	12 50	
	balled,	4	to	5 ft.	1 25	10 00	80 00
	balled,	3	to	4 ft.	1 00	8 00	60 00
	balled,	2	to	3 ft.	75	6 00	
	balled,	1	to	2 ft.	50	4 00	

Double Pink  
Single White  
Claude Blanc  
De Brun  
Dr. Golfin  
Henry Mares

Laurifolia  
Lilacium  
Lillian Henderson  
Mad. Chas. Baltet  
Mad. Dubois  
Mad. Peyre

Mad. Sahut  
Madonna Grandiflorum  
Notaire Cavalliere  
Prof. Durand  
Prof. Martin

			Each	Per 10	Per 100
<b>Orange</b> ( <i>Citrus aurantium</i> )					
<i>C. a. bigaradia</i> .....	9 in. pot,	1½ to 2 ft.	2 00		
Oranges for decorative purposes from \$10 to \$25, according to size.					
<b>Osmanthus aquifolium ilicifolius</b> .....	balled,	4 to 5 ft.	2 00		
.....	balled,	3 to 4 ft.	1 50		
.....	balled,	2 to 3 ft.	1 00		
.....	balled,	1 to 1½ ft.	75		
.....	5 in. pot,	1½ to 2 ft.	50		
<b>Parkinsonia aculeata</b> (Jerusalem Thorn) ...	5 in. pot,	2 to 2½ ft.	1 50		
<b>Pavonia hastata</b> (new) .....	4 in. pot,	2 to 3 ft.	35	3 00	
<b>Pepper</b> ( <i>Schinus</i> )					
<i>S. molle</i> (California) .....	6 in. pot,	7 to 8 ft.	75	6 00	
.....	6 in. pot,	6 to 7 ft.	60	5 00	
.....	5 in. pot,	5 to 6 ft.	50	4 00	35 00
.....	4 and 5 in. pot,	4 to 5 ft.	40	3 50	30 00
.....	4 and 5 in. pot,	3 to 4 ft.	35	3 00	25 00
.....	4 in. pot,	2 to 3 ft.	25	2 00	18 00
<i>S. terebinthifolius</i> (Brazilian) .....	7 in. pot,	7 to 8 ft.	1 00		
<b>Phillyrea latifolia</b> .....	balled,	6 to 7 ft.	1 25	10 00	
.....	balled,	5 to 6 ft.	1 00	8 00	
<b>Photinia serrulata</b> .....	naked roots,	10 to 12 ft.	1 50	12 50	100 00
<b>Pimelea ferruginea</b> ( <i>P. decussata</i> ) .....	4 in. pot,	8 to 10 in.	75		
<b>Pittosporum crassifolium</b> .....	14x16 in. box,	6 to 7 ft.	3 00		
.....	10x12 in. box,	7 to 8 ft.	2 00		
.....	balled,	7 to 8 ft.	2 50	20 00	
.....	balled,	6 to 7 ft.	2 00	17 50	125 00
.....	balled,	5 to 6 ft.	1 50	12 50	100 00
.....	balled,	4 to 5 ft.	1 25	10 00	
<i>P. eugenoides</i> .....	18x18 in. box,	9 to 10 ft.	8 00		
.....	16x18 in. box,	7 to 8 ft.	6 00		
.....	14x16 in. box,	6 to 7 ft.	4 00		
.....	10x12 in. box,	4 to 5 ft.	1 50		
.....	balled,	7 to 8 ft.	2 00	15 00	125 00
.....	balled,	6 to 7 ft.	1 50	12 50	100 00
.....	balled,	5 to 6 ft.	1 00	8 00	75 00
.....	balled,	4 to 5 ft.	75	6 00	50 00
.....	balled,	3 to 4 ft.	60	5 00	
<i>P. tobira</i> .....	14x16 in. box,	3 to 3½ ft.	2 00		
.....	balled,	2 to 3 ft.	1 25	10 00	80 00
.....	balled,	1 to 1½ ft.	1 00	8 00	75 00
<i>P. tobira variegatum</i> .....	12x14 in. box,	2½ to 3 ft.	2 50		
.....	12x12 in. box,	2 to 2½ ft.	2 00		
.....	balled,	2 to 3 ft.	1 50	12 50	
.....	balled,	1½ to 2 ft.	1 25	10 00	
<b>Polygala brachypoda</b> .....	4 in. pot,	3 to 4 ft.	50	4 00	35 00
<i>P. dalmatiana</i> .....	6 in. pot,	2 to 2½ ft.	60	5 00	
.....	5 in. pot,	2 to 2½ ft.	50	4 00	35 00
.....	4 in. pot,	1 to 1½ ft.	35	3 00	
<i>P. virgata speciosa</i> .....	4 in. pot,	3 to 4 ft.	50		
<b>Pomaderris prunifolia</b> (new) .....	4 in. pot,	1 to 1½ ft.	75		
<b>Raphiolepis japonica</b> .....	balled,	1 to 1½ ft.	50	4 00	
.....	5 in. pot,	8 to 12 in.	40	3 50	
<b>Rhamnus alaternus</b> .....	4 in. pot,	3 to 4 ft.	50		
<b>Rhododendron—assorted</b> .....	6 and 7 in. pot,	2 to 2½ ft.	2 00		
.....	6 and 7 in. pot,	1½ to 2 ft.	1 50		
<b>Rosemary</b> ( <i>Rosmarinus officinalis</i> ) .....	5 in. pot,	1 to 1½ ft.	35		
.....	4 in. pot,	10 to 12 in.	25		
<b>Ruscus aculeatus</b> .....	balled,	2 to 3 ft.	75	6 00	
.....	balled,	1½ to 2 ft.	50	4 00	
<b>Stenocarpus salignus</b> (new) .....	4 in. pot,	12 to 15 in.	50	4 00	
<b>Sutherlandia frutescens</b> .....	4 in. pot,	12 to 15 in.	50		
<b>Templetonia retusa</b> (new) .....	4 in. pot,	6 to 8 in.	50		
<b>Tristania conferta</b> .....	5 in. pot,	2 to 3 ft.	1 00		
<b>Veronica buxifolia</b> .....	balled,	1 to 1½ ft.	50	4 00	35 00
<i>V. decussata</i> .....	balled,	3 to 4 ft.	50	4 00	35 00
.....	balled,	2 to 3 ft.	40	3 50	
<i>V. elliptica</i> .....	balled,	3 to 4 ft.	75	6 00	
.....	balled,	1½ to 2 ft.	50	4 00	35 00
<i>V. speciosa andersoni</i> .....	balled,	5 to 6 ft.	75	6 00	50 00
.....	balled,	4 to 5 ft.	60	5 00	40 00
<i>V. speciosa imperialis</i> .....	balled,	2 to 3 ft.	50	4 00	35 00
.....	balled,	1½ to 2 ft.	40	3 50	30 00
<i>V. variegated</i> .....	balled,	4 to 5 ft.	60	5 00	
.....	balled,	3 to 4 ft.	50	4 00	

				Each	Per 10	Per 100
<b>Viburnum ellipticum</b> . . . . .	balled, 3	to 4	ft.	1 00	8 00	
.....	balled, 2	to 3	ft.	75	6 00	
<b>V. odoratissimum</b> . . . . .	balled, 1	to 2	ft.	1 00	8 00	
<b>V. o. variegatum</b> . . . . .	balled, 2	to 3	ft.	1 00		
.....	balled, 1	to 2	ft.	75		
<b>Vitex agnus-castus</b> . . . . .	5 in. pot, 3	to 4	ft.	50		

## HEDGE PLANTS

The following list includes plants suitable for this purpose. Sizes and prices are shown on pages noted below.

<b>Berberis darwini</b> . . . . .	18	<b>Laurel</b> (English and large-leaved) . . . . .	23	<b>Nandina domestica</b> . . . . .	25
<b>Box</b> (all varieties) . . . . .	18	<b>Laurustinus</b> (all varieties) . . . . .	24	<b>Oleander</b> (all varieties) . . . . .	25
<b>Cherry</b> (Catalina) . . . . .	19	<b>Ligustrum ovalifolium</b> (California Privet) . . . . .	24	<b>Pine—Monterey</b> (for tall hedges) . . . . .	14
<b>Cypress</b> (Monterey) . . . . .	13	<b>Melaleuca decussata</b> and <b>crucifolia</b> . . . . .	25	<b>Platanus crassifolium</b> , <b>eugenioides</b> . . . . .	26
<b>Escallonia herteriana leucantha</b> and <b>rubra</b> . . . . .	21	<b>Myrtle</b> (all varieties) . . . . .	25	<b>Quince</b> (Japanese Scarlet.) . . . . .	36
<b>Euonymus japonicus</b> and all its varieties . . . . .	22			<b>Veronica</b> (all varieties) . . . . .	26
<b>Heath</b> (Mediterranean) . . . . .	22				

## DECIDUOUS ORNAMENTAL TREES

Please note that all trees in this class over 12 to 14 ft. tall are graded and quoted according to their diameter measured at 4 ft. above the ground. As a rule, such trees have been headed back to 9 ft. and have good heads. With proper planting and after-care there should be little or no loss in using these large trees.

	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Albizzia julibrissin</b> . . . . .	3 to 4		2 00		
.....	2½ to 3		1 75		
.....		10 to 12	1 25		
.....		8 to 10	1 00	8 00	
.....		6 to 8	75	6 00	50 00
.....		4 to 6	50		
<b>Almond</b> ( <i>Prunus amygdalus</i> ) . . . . .		6 to 8	75		
.....		4 to 6	50	4 00	
.....		3 to 4	40	3 00	
<b>P. amygdalus fl. pl.</b> (Double Flowering)					
<b>P. davidiana alba</b> (White Flowering)					
<b>P. davidiana rubra</b> (Red Flowering)					
<b>Apple</b> ( <i>Pyrus</i> ) . . . . .		4 to 6	50	4 00	
.....		3 to 4	40	3 00	
<b>P. atropurpurea</b>					
<b>P. carnea pleno</b>					
<b>P. coronaria</b>					
<b>P. floribunda halliana</b>					
<b>P. ioensis</b> (Bechtel's) . . . . .		2 to 3	50	4 00	
.....		1 to 2	40	3 50	
<b>Apricot</b> (Flowering)					
<b>Double Flowering</b> . . . . .		6 to 8	75	6 00	
<b>Early Pink</b> . . . . .		4 to 6	50		
.....		3 to 4	40		
<b>Ash</b> ( <i>Fraxinus</i> )					
<b>F. americana</b> (American White Ash) . . . . .	2½ to 3		3 00		
.....		12 to 14	1 00	8 00	70 00
.....		10 to 12	80	7 00	60 00
.....		8 to 10	70	6 00	
.....		6 to 8	60		
<b>F. excelsior</b> (European) . . . . .	3 to 4		3 00		
.....	2½ to 3		1 50	12 50	100 00
.....		12 to 14	1 25	10 00	90 00
<b>F. mariesi</b> . . . . .		6 to 8	2 00		
<b>Beech</b> ( <i>Fagus</i> )					
<b>F. sylvatica</b> (European) . . . . .	2½ to 3		3 00		
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00		
.....		6 to 8	75		
<b>F. sylvatica heterophylla</b> (Cork-Leaved) . . . . .		6 to 8	2 50	20 00	
<b>Birch</b> ( <i>Betula</i> )					
<b>B. alba</b> (European White) . . . . .	4 to 6		5 00		
.....		12 to 14	1 50		
.....		10 to 12	1 25		
.....		8 to 10	1 00		
.....		6 to 8	80	7 50	
<b>B. alba fastigiata</b> (Upright) . . . . .		12 to 14	1 50		



	Diam. in in.	Hght in ft.	Each	Per 10	Per 100
<b>Birch—Cont'd.</b>					
B. lenta (Sweet or Cherry).....		12 to 14	2 00		
.....		10 to 12	1 50		
.....		8 to 10	1 25		
B. nigra (Black. Red or Water).....	4 to 6		5 00		
.....	3 to 4		3 00		
.....	2½ to 3		2 50		
B. papyrifera (Paper or Canoe).....	3 to 4		3 00		
.....		12 to 14	2 50		
B. populifolia (American White).....	4 to 6		3 00		
.....	3 to 4		2 50		
.....	2½ to 3		2 00		
.....		12 to 14	1 50		
.....		10 to 12	1 25		
<b>Buckeye (Aesculus)</b>					
Ae. californica . . . . .		10 to 12	1 00	8 00	
.....		8 to 10	75	6 00	
.....		6 to 8	60	5 00	
<b>Catalpa bignonioides . . . . .</b>					
.....		12 to 14	1 00	8 00	
.....		10 to 12	75	6 00	
.....		8 to 10	60	5 00	
C. bignonioides aurea (Golden).....	3 to 4		2 50		
.....	2½ to 3		2 00		
.....		12 to 14	1 25		
C. speciosa . . . . .	3 to 4		2 50	20 00	
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	75 00
.....		8 to 10	1 00	8 00	60 00
.....		6 to 8	75	6 00	50 00
<b>Cedrela sinensis . . . . .</b>					
.....	3 to 4		2 50		
.....		12 to 14	2 00		
.....		10 to 12	1 50		
.....		6 to 8	1 00		
<b>Celtis australis and occidentalis.....</b>					
.....		12 to 14	1 25	10 00	80 00
.....		10 to 12	1 00	8 00	75 00
.....		8 to 10	75	6 00	
<b>Cherry (Prunus) . . . . .</b>					
.....		4 to 6	50	4 00	
.....		3 to 4	40	3 50	
.....		2 to 3	30	2 50	
P. cerasus ranunculiflora					
P. pseudo-cerasus var. (Japanese Double Pink)					
P. pseudo-cerasus var. (Japanese Single Red)					
<b>Chestnut (Castanea)</b>					
C. sativa (Italian) . . . . .	2½ to 3		2 50	20 00	
C. sativa var. (Variegated).....		8 to 10	1 25	10 00	
.....		6 to 8	1 00	8 00	
.....		4 to 6	75	6 00	
<b>Dimorphanthus (Aralia)</b>					
A. chinensis mandshurica . . . . .		10 to 12	1 00		
.....		8 to 10	75		
<b>Elm (Ulmus)</b>					
U. americana . . . . .	4 to 6		3 00	25 00	
.....	3 to 4		2 50	20 00	
.....	2½ to 3		2 00	18 00	150 00
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	75 00
.....		8 to 10	1 00	8 00	60 00
.....		6 to 8	75	6 00	50 00
.....		4 to 6	50	4 00	
U. campestris (English or French) . . . . .	4 to 6		3 00	25 00	
.....	3 to 4		2 50	20 00	
.....	2½ to 3		1 50	12 50	
.....		12 to 14	1 00	8 00	60 00
.....		10 to 12	75	6 00	50 00
.....		8 to 10	60		
U. campestris clemmeri . . . . .		12 to 14	2 00		
.....		10 to 12	1 50		
.....		8 to 10	1 25		
.....		6 to 8	1 00		
U. campestris cornubiensis (Wheatley's)	4 to 6		3 00		
.....	3 to 4		2 50	20 00	
.....	2½ to 3		1 50	12 50	
.....		12 to 14	1 25	10 00	90 00
.....		10 to 12	1 00	8 00	75 00
.....		8 to 10	75	6 00	
U. campestris suberosa (Cork).....	4 to 6		3 00	25 00	200 00
.....	3 to 4		2 50	20 00	150 00
.....	2½ to 3		2 00	15 00	125 00
.....	2 to 2½		1 50	12 50	100 00
.....		12 to 14	1 00	7 50	60 00

	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Elm (Ulmus)—Cont'd.</b>					
.....		10 to 12	75	6 00	50 00
.....		8 to 10	60	5 00	
U. scabra dovaei . . . . .		12 to 14	1 50		
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00		
.....		6 to 8	75		
U. scabra huntingdoni (Huntingdon).....	4 to 6		5 00	40 00	
.....	3 to 4		3 00		
.....	2½ to 3		2 50		
.....		12 to 14	2 00		
.....		10 to 12	1 50		
.....		8 to 10	1 00		
<b>Hickory (Hicoria minima)</b> . . . . .		8 to 10	1 75		
.....		6 to 8	1 50		
.....		4 to 6	1 25		
<b>Honey Locust (Gleditschia)</b>					
G. japonica . . . . .		10 to 12	1 50		
.....		8 to 10	1 25		
.....		6 to 8	1 00	8 00	
G. triacanthos inermis (Thornless) . . . . .	2½ to 3		2 00	15 00	
.....		12 to 14	1 25		
.....		10 to 12	1 00		
<b>Hornbeam (Carpinus)</b>					
C. betulus (European) . . . . .	3 to 4		2 00		
.....	2½ to 3		1 50		
.....		12 to 14	1 25	10 00	
.....		10 to 12	1 00	9 00	
C. caroliniana (American) . . . . .	2½ to 3		2 50		
.....		12 to 14	2 00		
<b>Horse Chestnut (Aesculus)</b>					
Ae. hippocastanum (European or White). 4 to 6			3 50	30 00	250 00
.....	3 to 4		3 00	25 00	200 00
.....	2½ to 3		2 50		
.....		12 to 14	2 00	15 00	
.....		10 to 12	1 50	12 50	
.....		8 to 10	1 25	10 00	80 00
.....		6 to 8	1 00	8 00	75 00
Ae. turbinata (new) . . . . .		8 to 10	2 50		
.....		6 to 8	2 00		
<b>Judas Tree (Cercis)</b>					
C. canadensis (Red Bud).....		6 to 8	1 00		
.....		4 to 6	75		
.....		3 to 4	60		
.....		2 to 3	50	4 00	
C. chinensis (Japanese) . . . . .		4 to 6	75		
C. chinensis alba (White-Flowering) seedlings					
.....		4 to 6	50	4 00	
.....		3 to 4	40		
<b>Kentucky Coffee Tree</b>					
Gymnocladus canadensis . . . . .		8 to 10	1 00		
.....		6 to 8	75		
.....		4 to 6	50		
<b>Laburnum vulgare (Golden Chain)</b> .....	2½ to 3		2 50	20 00	
.....		12 to 14	1 50		
.....		6 to 8	75		
<b>Larch (Larix)</b>					
L. decidua (European) . . . . .		12 to 14	1 50		
.....		8 to 10	1 00		
.....	6 in. pot.	2 to 3	50		
L. leptolepis (Japanese) . . . . .	5 in. pot.	3 to 4	75	6 00	
<b>Linden (Tilia)</b>					
T. americana . . . . .		10 to 12	1 25	10 00	
.....		6 to 8	1 00		
T. platyphyllos (European) . . . . .	3 to 4		3 00	25 00	
.....	2½ to 3		2 50	20 00	
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	90 00
.....		8 to 10	1 00	8 00	
T. tomentosa (Silver-leaved).....	3 to 4		2 50	20 00	
.....		12 to 14	1 75	15 00	
.....		10 to 12	1 50	12 50	
.....		8 to 10	1 25		
<b>Liquidambar styraciflua</b> . . . . .		5 to 6	1 50		
.....		4 to 5	1 25	10 00	
.....		3 to 4	1 00	8 00	
.....		2 to 3	75	6 00	

	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Locust (Robinia)</b>					
R. hispida (Rose Acacia).....	grafted high,	10 to 12	2 50		
.....	grafted at the ground,	10 to 12	2 00		
.....		8 to 10	1 50		
.....		6 to 8	1 25	10 00	
.....		4 to 6	1 00	8 00	65 00
R. neo-mexicana . . . . .		10 to 12	1 25	10 00	
.....		8 to 10	1 00	7 50	
.....		6 to 8	75	6 00	
.....		4 to 6	60	5 00	
R. pseudacacia (Common or Black).....	3 to 4		2 00	15 00	
.....	2½ to 3		1 50	12 50	
.....		12 to 14	1 25	10 00	
.....		10 to 12	1 00	8 00	
.....		8 to 10	75	6 00	
.....		6 to 8	60	5 00	
.....		4 to 6	50	4 00	30 00
R. pseudacacia bessoniiana (Thornless)...	3 to 4		2 50	20 00	
.....	2½ to 3		2 00	15 00	
.....		12 to 14	1 25	10 00	
.....		10 to 12	1 00	8 00	
.....		6 to 8	75	6 00	
R. pseudacacia decaisneana (Pink-Flowering)					
.....		12 to 14	1 75	15 00	125 00
.....		10 to 12	1 50	12 50	100 00
.....		8 to 10	1 25	10 00	80 00
.....		6 to 8	1 00	8 00	75 00
.....		4 to 6	75	6 00	
<b>Magnolia acuminata . . . . .</b>					
.....		10 to 12	1 25		
.....		6 to 8	1 00		
.....		4 to 6	75		
<b>Maiden Hair Tree (Ginkgo biloba).....</b>					
.....		8 to 10	1 50		
.....		6 to 8	75		
.....		4 to 6	60		
<b>Maple (Acer)</b>					
A. campestre (English Cork-barked).....	3 to 4		2 00	15 00	
.....	2½ to 3		1 50	10 00	
.....		12 to 14	1 00	8 00	
.....		10 to 12	75	6 00	50 00
.....		8 to 10	60	5 00	
A. macrophyllum (Oregon or Large-leaved)					
.....	3 to 4		2 50	20 00	150 00
.....	2½ to 3		2 00	15 00	100 00
.....		12 to 14	1 25	10 00	
.....		10 to 12	1 00	8 00	
.....		8 to 10	75	6 00	
A. negundo californicus (Cal. Box Elder). .	3 to 4		2 50	20 00	
.....	2½ to 3		2 00	15 00	
.....		12 to 14	1 00	8 00	
A. negundo variegatum (Golden Variegated)					
.....		6 to 8	1 25	10 00	
.....		4 to 6	1 00	8 00	
A. platanoides (Norway) . . . . .	2½ to 3		2 00		
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	90 00
.....		8 to 10	1 00	8 00	75 00
.....		6 to 8	75	6 00	
A. platanoides schwedleri (Purple-leaved)	3 to 4		3 00		
.....	2½ to 3		2 50		
.....		12 to 14	2 00		
.....		10 to 12	1 50		
.....		8 to 10	1 25		
A. pseudo-platanus (Sycamore).....	3 to 4		2 50	20 00	
.....	2½ to 3		2 00	15 00	
.....		12 to 14	1 00	8 00	65 00
.....		10 to 12	75	6 00	
.....		8 to 10	60		
A. rubrum (Scarlet) . . . . .		10 to 12	2 00		
.....		8 to 10	1 75		
.....		6 to 8	1 25	10 00	
.....		4 to 6	1 00	8 00	
A. saccharinum (Silver).....	3 to 4		2 50		
.....	2½ to 3		2 00	17 50	
.....	2 to 2½		1 75	15 00	
.....		12 to 14	1 25	10 00	80 00
.....		10 to 12	1 00	8 00	75 00
.....		8 to 10	75	6 00	
.....		6 to 8	60	5 00	
A. saccharum (Sugar) . . . . .		4 to 6	1 00	8 00	
.....		3 to 4	75	6 00	
<b>Mountain Ash (Sorbus) S. americana and aucuparia (American and European)</b>					
.....		12 to 14	1 50		
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00	8 00	
.....		6 to 8	75		



	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Mulberry</b> <i>Broussonetia papyrifera</i> (Paper)	2½ to 3		2 50	20 00	
<b>Oak</b> ( <i>Quercus</i> )					
<i>Q. cerris</i> (Turkey) . . . . .		12 to 14	1 50		
. . . . .		10 to 12	1 25		
. . . . .		6 to 8	1 00		
. . . . .		4 to 6	75		
<i>Q. coccolnea</i> (Scarlet) . . . . .		6 to 8	1 50		
. . . . .		4 to 6	1 25	10 00	
<i>Q. douglasii</i> (California White) . . . . .		12 to 14	1 50	12 50	
. . . . .		10 to 12	1 25	10 00	
. . . . .		8 to 10	1 00	8 00	
<i>Q. garryana</i> (Oregon) . . . . .		6 to 8	1 00		
. . . . .		4 to 6	75	6 00	
. . . . .		3 to 4	50	4 00	
<i>Q. lobata</i> (California Weeping or Valley)		12 to 14	1 50	12 50	100 00
. . . . .		10 to 12	1 25	10 00	80 00
. . . . .		8 to 10	1 00	8 00	75 00
. . . . .		6 to 8	75	6 00	50 00
. . . . .		4 to 6	50	4 00	35 00
<i>Q. macrocarpa</i> (Bur) . . . . .	2½ to 3		2 50		
. . . . .		12 to 14	2 00	18 00	
. . . . .		10 to 12	1 50	12 50	
. . . . .		8 to 10	1 25	10 00	
<i>Q. palustris</i> (Pin) . . . . .		10 to 12	2 00	18 00	
. . . . .		8 to 10	1 50	12 50	
. . . . .		6 to 8	1 25	10 00	80 00
. . . . .		4 to 6	1 00	8 00	60 00
<i>Q. rubra</i> (Red) . . . . .		12 to 14	2 00	15 00	
. . . . .		10 to 12	1 50	12 50	100 00
. . . . .		8 to 10	1 25	10 00	80 00
. . . . .		6 to 8	1 00	8 00	75 00
<i>Q. serrata</i> . . . . .		12 to 14	1 50	12 50	
. . . . .		10 to 12	1 25	10 00	
. . . . .		8 to 10	1 00	9 00	
<b>Ostrya virginica</b> . . . . .		6 to 8	1 50		
<b>Peach</b> ( <i>Prunus persica</i> ) . . . . .		4 to 6	50	4 00	
Blood-Leaved . . . . .		3 to 4	40	3 50	
Camellia-flowered (red) . . . . .	Double	Rose			
Versicolored (red and white) . . . . .	Double	White			
. . . . .		2 to 3	50	4 00	
<b>Phellodendron amurense</b>					
. . . . .	3 to 4		2 50		
. . . . .		12 to 14	2 00		
. . . . .		10 to 12	1 75		
. . . . .		8 to 10	1 50		
. . . . .		6 to 8	1 25	10 00	
. . . . .		4 to 6	1 00	7 50	60 00
<b>Plum</b> ( <i>Prunus</i> )					
<i>P. cerasifera atropurpurea</i> (Purple-Leaved)	3 to 4		2 50		
. . . . .		12 to 14	1 50	12 50	100 00
. . . . .		10 to 12	1 25	10 00	
. . . . .		4 to 6	50	4 00	
. . . . .		3 to 4	40	3 50	
<b>Poplar</b> ( <i>Populus</i> )					
<i>P. alba bolleana</i> . . . . .	3 to 4		2 50	20 00	
. . . . .	2½ to 3		2 00	15 00	
. . . . .		12 to 14	1 50	12 50	
. . . . .		10 to 12	1 25	10 00	90 00
. . . . .		8 to 10	1 00	8 00	
<i>P. alba ulvea</i> (Silver) . . . . .	3 to 4		2 00	15 00	
. . . . .	2½ to 3		1 50	12 50	
. . . . .	2 to 2½		1 25	10 00	
. . . . .		10 to 12	75	6 00	
. . . . .		8 to 10	50		
<i>P. angulata robusta</i> . . . . .	3 to 4		2 00	15 00	
. . . . .	2½ to 3		1 50	12 50	
. . . . .		12 to 14	1 25	10 00	
<i>P. balsamifera</i> (Balm of Gilead) . . . . .		8 to 10	1 25		
. . . . .		6 to 8	1 00		
<i>P. deltoides carolinensis</i> (Carolina) and					
<i>P. nigra italica</i> (Lombardy) . . . . .	4 to 6		2 50	20 00	
. . . . .	3 to 4		2 00	15 00	125 00
. . . . .	2½ to 3		1 50	12 50	100 00
. . . . .		12 to 14	1 00	7 50	85 00
. . . . .		10 to 12	75	6 00	50 00
. . . . .		8 to 10	50	4 00	35 00
. . . . .		6 to 8	40	3 00	25 00
<b>Rhus vernicifera</b> . . . . .		12 to 14	1 50	12 50	
. . . . .		10 to 12	1 25	10 00	
. . . . .		8 to 10	1 00		

	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Service Tree</b> ( <i>Sorbus domestica</i> ).....		12 to 14	1 25	10 00	
.....		10 to 12	1 00	8 00	
.....		8 to 10	75	6 00	
<b>Sophora japonica</b> (Pagoda Tree).....	3 to 4		2 00		
.....	2½ to 3		1 50		
.....		12 to 14	1 25		
<b>Sterculia platanifolia</b>					
10x12 in. box .....		7 to 8	2 00		
.....		12 to 14	1 50	12 50	
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00	8 00	
<b>Sycamore</b> ( <i>Platanus</i> )					
<i>P. occidentalis</i> (American or					
Buttonwood) .....		12 to 14	1 50	12 50	
.....		10 to 12	1 25	10 00	90 00
.....		8 to 10	1 00	8 00	75 00
.....		6 to 8	75	6 00	50 00
<i>P. orientalis</i> (European or Oriental Plane)					
.....	4 to 6		4 00		
.....	3 to 4		2 50	20 00	175 00
.....	2½ to 3		1 50	12 50	100 00
.....	2 to 2½		1 25	10 00	90 00
.....		12 to 14	1 00	9 00	80 00
.....		10 to 12	90	8 00	70 00
.....		8 to 10	80	7 00	60 00
.....		6 to 8	75	6 00	50 00
<b>Thorn</b> ( <i>Crataegus</i> ) .....		12 to 14	2 00	17 50	150 00
.....		10 to 12	1 50	12 50	100 00
.....		8 to 10	1 00	8 00	75 00
.....		6 to 8	80	7 00	60 00
<i>C. cordata</i> (Washington)					
<i>C. crus-galli</i> (Cockspur)					
<i>C. monogyna pauli</i> (Paul's Double Scarlet)					
<i>C. monogyna stricta</i> (Pyramidal)					
<i>C. nigra</i>					
<i>C. oxyacantha</i> (English Hawthorn)					
<i>C. oxyacantha fl. pl.</i> (Double White)					
<i>C. rubra splendens</i> (Single Red)					
<i>C. tomentosa</i>					
Double Pink .....		8 to 10	1 50		
<b>Tulip Tree</b> ( <i>Liriodendron tulipifera</i> ).....		12 to 14	1 50	12 50	
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00	8 00	
.....		6 to 8	75	6 00	
<b>Umbrella Tree</b> ( <i>Melia</i> )					
<i>M. azedarach unbraculiformis</i>					
(Texas Umbrella).....	3 to 4		2 50	20 00	
.....	2½ to 3		2 00		
.....		8 to 9	1 50		
.....		7 to 8	1 25		
.....		6 to 7	1 00		
.....		5 to 6	80	7 50	
.....		4 to 5	60	5 00	
.....		3 to 4	50	4 00	
<b>Virgilla</b> ( <i>Cladrastis tinctoria</i> ).....		12 to 14	2 50		
.....		10 to 12	2 00		
.....		8 to 10	1 50		
<b>Walnut</b> ( <i>Juglans</i> )					
<i>J. californica</i> and <i>nigra</i> (California and American Black)					
.....	3 to 4		3 00	25 00	
.....	2½ to 3		2 00	15 00	125 00
.....		12 to 14	1 50	12 50	100 00
.....		10 to 12	1 25	10 00	
<b>Willow</b> ( <i>Salix</i> )					
<i>S. vitellina aurea</i> (Golden).....		8 to 10	1 00	8 00	
.....		6 to 8	75	6 00	
.....		4 to 6	50	4 00	
<i>S. ural goldena</i> .....		10 to 12	1 00		
.....		8 to 10	75	6 00	
.....		6 to 8	60	5 00	
.....		4 to 6	50	4 00	
<b>Zelkova acuminata</b> (Japan Elm).....		12 to 14	1 50	12 50	
.....		10 to 12	1 25	10 00	
.....		8 to 10	1 00		

## DECIDUOUS WEEPING TREES

	Diam. in in.	Height in ft.	Each	Per 10	Per 100
<b>Ash (Fraxinus)</b>					
F. excelsior aurea pendula (Golden Weeping)		8 to 10	2 00		
F. excelsior pendula (European Weeping)	3 to 4	8 to 10	2 50		
.....			2 00		
<b>Beech, Weeping</b>					
Fagus sylvatica pendula.....		16 to 18	3 00		
<b>Birch (Betula)</b>					
B. alba pendula laciniata (Cut-leaved Weeping)					
.....	4 to 6		5 00		
.....	3 to 4		4 00		
.....		8 to 10	1 50		
.....		6 to 8	1 25	10 00	
.....		4 to 6	1 00	8 00	
<b>Elm (Ulmus)</b>					
U. scabra pendula (Camperdown).....	4 to 6		6 00		
.....	3 to 4		5 00		
.....	2½ to 3		4 00		
U. Cork-barked Weeping.....	4 to 6		10 00		
U. Rough-leaved Weeping .....	4 to 6		10 00		
.....	3 to 4		7 00		
<b>Laburnum vulgare pendulum.....</b>		8 to 10	1 50		
<b>Maple, Wier's Cut-leaved</b>					
Acer saccharinum wierl.....		12 to 14	2 00		
.....		10 to 12	1 50		
<b>Mountain Ash, Weeping</b>					
Sorbus aucuparia pendula (grafted high)..		8 to 10	1 50		
<b>Poplar (Populus tremula pendula).....</b>		10 to 12	3 00		
<b>Thorn, Weeping .....</b>		10 to 12	1 50		
.....		8 to 10	1 25		
.....		6 to 8	1 00		
<b>Walnut (Juglans regia pendula).....</b>	4 to 6	8 to 10	6 00		
.....	3 to 4	8 to 10	5 00		
<b>Willow (Salix)</b>					
S. babylonica (Common Weeping) .....		6 to 8	75		
.....		4 to 6	50		
S. Lick's Weeping .....		12 to 14	1 00	8 00	
.....		10 to 12	75	6 00	
.....		8 to 10	60	5 00	
.....		6 to 8	50	4 00	

## DECIDUOUS FLOWERING SHRUBS

	Height	Each	Per 10	Per 100
<b>Almond, Dwarf (Prunus japonica)</b>				
Dwarf Double Red .....	3 to 4 ft.	50	4 00	
.....	2 to 3 ft.	40	3 50	
<b>Althea (Rose of Sharon)</b>				
Hibiscus syriacus ...	4 to 6 ft.	50	4 00	
Double Red				
Grandiflora (light pink, shaded crimson)				
Jeanne d'Arc (pure white)				
Seedlings				
Variegated (flowers violet)				
Violacea fl. pl. (double violet)				
<b>Aralia spinosa .....</b>	12 to 14 ft.	1 50		
.....	10 to 12 ft.	1 25	10 00	
.....	8 to 10 ft.	1 00		
.....	3 to 4 ft.	50		
<b>Azalea sinensis (A. mollis).....</b>	7 and 8 in. pot, 1½ to 2 ft.	1 50		
<b>Barberry (Berberis)</b>				
B. thunbergi .....	2 to 3 ft.	75		
B. vulgaris (Common) .....	6 to 8 ft.	75	6 00	
B. vulgaris atropurpurea (Purple-leaved) .....	6 to 8 ft.	75	6 00	
<b>Bouvardia triphylla (B. jacquini).....</b>	5 in. pot, 12 to 15 in.	50		



	Height	Each	Per 10	Per 100
<b>Calycanthus floridus</b> .....	4 to 6 ft.	75		
.....	3 to 4 ft.	50	4 00	
.....	2 to 3 ft.	40	3 50	
<b>C. praecox</b> .....	4 to 6 ft.	1 00		
.....	3 to 4 ft.	75		
<b>Cercidiphyllum japonicum</b> .....6 in. pot,	3 to 4 ft.	1 00		
<b>Chamaecerasus</b> (Lonicera spinosa).....	2 to 3 ft.	40	3 00	
<b>Cistus</b> (Rock Rose)				
<b>C. monspeliensis</b> .....6 in. pot,	3 to 4 ft.	50		
<b>Colutea arborescens</b> .....	12 to 14 ft.	75	6 00	
<b>Corchorus</b> (Kerria)				
<b>K. japonica</b> .....	4 to 6 ft.	50	4 00	
.....	3 to 4 ft.	40	3 00	
<b>K. japonica aurea</b> .....	1 to 2 ft.	50		
<b>K. japonica fl. pl. (Double-flowering)</b> .....	3 to 4 ft.	75		
<b>Crape Myrtle</b> (Lagerstroemia indica)				
<b>Assorted</b> .....	1½ to 2 ft.	1 00		
.....	10 to 12 in.	75		
<b>Crimson</b> .....		White		
<b>Pink</b> .....				
<b>Purple</b> .....				
<b>Scarlet</b> .....				
<b>Current</b> (Ribes) <b>Assorted</b> .....	6 to 8 ft.	1 00		
.....	4 to 6 ft.	75		
.....	3 to 4 ft.	50		
<b>R. aureum</b> (Yellow-flowering)				
<b>R. sanguineum</b> (Crimson-flowering)				
<b>R. gordonianum</b> (Pink-flowering)				
<b>Cytisus sessilifolius</b> .....6 in. pot,	3 to 4 ft.	50		
<b>C. triflorus</b> .....6 in. pot,	5 to 6 ft.	50		
.....6 in. pot,	3 to 4 ft.	40		
<b>Dentzia</b> —Assorted .....	6 to 8 ft.	50	4 00	30 00
.....	4 to 6 ft.	40	3 50	25 00
<b>D. fortunei</b> <b>D. Pride of Rochester</b> <b>D. scabra crenata</b>				
<b>D. lemoinei</b> .....	3 to 4 ft.	75		
<b>Dogwood</b> (Cornus)				
<b>C. florida</b> (Flowering) .....	3 to 4 ft.	1 00	8 00	
.....	2 to 3 ft.	75	6 00	
<b>Small-flowering varieties</b>				
<b>C. alternifolia</b> (Blue).....	2 to 3 ft.	75		
<b>C. alba sibirica</b> (Siberian).....	6 to 8 ft.	75	6 00	
.....and .....	4 to 6 ft.	50	4 00	
<b>C. sanguinea</b> (Red-twigged).....	3 to 4 ft.	40	3 50	
<b>Elder</b> (Sambucus)				
<b>S. canadensis aurea</b> (Golden).....	6 to 8 ft.	75	6 00	
.....	4 to 6 ft.	50	4 00	
<b>S. canadensis laciuiata</b> (Cut-leaved) .....	10 to 12 ft.	75	6 00	
.....	6 to 8 ft.	50	4 00	
<b>S. canadensis variegata</b> (Variegated) .....	6 to 8 ft.	75	6 00	
.....	4 to 6 ft.	50		
<b>Enonymus europaeus</b> (Spindle Tree) .....	6 to 8 ft.	75	6 00	50 00
.....	4 to 6 ft.	50		
<b>Exochorda grandiflora</b> (Pearl Bush) .....	3 to 4 ft.	75		
<b>Forsythia</b> (Golden Bells).....	6 to 8 ft.	75	6 00	
.....	4 to 6 ft.	50	4 00	
.....	3 to 4 ft.	40	3 50	
<b>F. suspensa</b>				
<b>F. suspensa fortunei</b>				
<b>Fringe</b>				
<b>Rhus cotinus</b> (Purple Fringe or Smoke Tree)....	10 to 12 ft.	1 00	8 00	
.....	8 to 10 ft.	75		
<b>Fuchsia magellanica riccantoni</b> .....	1 to 2 ft.	35	3 00	
<b>Hibiscus mutabilis</b> (Changeable).....	4 to 6 ft.	75	6 00	
.....	3 to 4 ft.	50	4 00	
.....4 in. pot,	1 to 2 ft.	25	2 00	
<b>Honeysuckle</b> (Lonicera tatarica)				
<b>Tartarian Large-flowering</b> .....	4 to 6 ft.	50		
<b>Tartarian Pink</b> .....	10 to 12 ft.	75	6 00	
.....	6 to 8 ft.	50	4 00	

	Height			Each	Per 10	Per 100
<b>Hydrangea arborescens sterilis</b> .....	2	to 3	ft.	1 00		
H. hortensis (pink).....	15	to 18	in.	75	6 00	
.....	8	to 10	in.	50	4 00	
.....	4	to 6	in.	35	3 00	
.....	4 in. pot.	4	to 6 in.	25	2 00	
H. hortensis aigaka (reddish pink).....	6 in. pot.	15	to 18 in.	40	3 50	
H. hortensis nigra (H. ramulis coccineis)	6 in. pot.	10	to 12 in.	50		
H. hortensis rosea.....	6 in. pot.	1	ft.	75		
.....	4 in. pot.	4	to 6 in.	50		
H. hortensis Thos. Hogg (white).....	4	to 5	ft.	1 50		
.....	3	to 4	ft.	1 00		
.....	6 in. pot.	10	to 12 in.	50	4 00	
H. hortensis variegata (white and violet)	6 in. pot.	1	to 1½ ft.	50	4 00	
.....	5 in. pot.	1	to 2 ft.	40	3 50	
H. paniculata grandiflora (white).....	3	to 4	ft.	75	6 00	
.....	2	to 3	ft.	50	4 00	
<b>Jasmine (Jasminum fruticans)</b> .....	6	to 8	ft.	50	4 00	30 00
.....	4	to 6	ft.	40	3 00	
<b>Lemon Verbena (Lippia citriodora)</b> .....	8	to 10	ft.	75	6 00	50 00
.....	3	to 4	ft.	40	3 50	
.....	2	to 3	ft.	25	2 00	
<b>Leycesteria elegans</b> .....	6	to 8	ft.	50		
<b>Ligustrum ibota regelianum</b> .....	4	to 6	ft.	50	4 00	
.....	3	to 4	ft.	40	3 50	
<b>Lilac (Syringa)—Common sorts</b> .....	6	to 8	ft.	50	4 00	35 00
.....	4	to 6	ft.	40	3 50	30 00
S. chinensis sougeana (S. rothomagensis rubra)						
S. vulgaris alba (Common white)						
S. vulgaris marleyensis (Rubra de Marley)						
S. vulgaris purpurea (Common purple)						
Grafted varieties.....	6	to 8	ft.	1 00	8 00	70 00
.....	4	to 6	ft.	75	6 00	50 00
.....	3	to 4	ft.	50	4 00	35 00
Alba grandiflora (white)	Gloire de Lorraine (purplish red)			Persian Cut-leaved (pale lilac)		
Charles the Tenth (reddish purple)	Gloire des Moulins (rosy lilac)			Pres. Grevy (purplish blue)		
Charles Joly (violet purple)	Japonica (creamy white)			Pres. Massart (reddish purple)		
Comte de Paris (light purple)	Lemoinei fl. pl. (reddish purple)			Rubra Insignis (purplish red)		
De Croncels (purple)	Ludwig Spacch (purplish red)			Sanguinea (purplish red)		
Fleur des Orangers (white)	Mad. Casimir Perier (white)			Villosa (pale lilac to white)		
Frau Dammann (white)	Michel Buchner (pale lilac)			Viminalis (white)		
Gigantea (blue)						
<b>Lycium europaeum</b> .....	4	to 6	ft.	50	4 00	30 00
<b>Magnolia obovata (M. purpurea)</b> .....	3	to 4	ft.	75		
M. obovata gracilis.....	3	to 4	ft.	75		
.....	2	to 3	ft.	50		
M. rubra.....	3	to 4	ft.	1 00		
.....	2	to 3	ft.	75		
M. stellata.....	2	to 3	ft.	1 00		
.....	1	to 2	ft.	75		
<b>Maple, Japanese—assorted</b> .....	in pots.	3	to 4 ft.	2 50		
.....	in pots.	2	to 3 ft.	2 00		
.....	in pots.	1½	to 2 ft.	1 50		
<b>Mock Orange (Philadelphus)</b>						
P. coronarius (Garland Syringa).....	3	to 4	ft.	50	4 00	
P. coronarius aureus (Golden-leaved).....	3	to 4	ft.	75		
P. coronarius dwarf.....	2	to 3	ft.	50	4 00	
P. inodorus (Large-flowering).....	4	to 6	ft.	50	4 00	
.....	3	to 4	ft.	40	3 50	
<b>Paliurus spina-christi (Christ's Thorn)</b> .....	10	to 12	ft.	1 00		
.....	4	to 6	ft.	50		
.....	6 in. pot.	4	to 5 ft.	50	4 00	
<b>Phlomis fruticosa (Jerusalem Sage)</b> .....	3	to 4	ft.	40	3 50	
<b>Plum (Prunus) assorted</b> .....	4	to 6	ft.	50	4 00	
.....	3	to 4	ft.	40	3 50	
.....	2	to 3	ft.	35	3 00	
P. mume (assorted colors)						
P. spinosa (Blackthorn or Sloe)						
P. tomentosa						
P. tomentosa alba						
P. triloba (Double-flowering).....	1	to 2	ft.	35		

	Height	Each	Per 10	Per 100
<b>Poinciana</b> ( <i>Caesalpinia gilliesi</i> ).....	6 to 8 ft.	1 00	8 00	
.....	4 to 6 ft.	75		
.....	3 to 4 ft.	50		
<b>Pomegranate</b> ( <i>Punica granatum</i> )				
<i>P. granatum nana</i> (Dwarf).....	1 to 1½ ft.	50		
Assorted .....	4 to 6 ft.	75	6 00	
.....	3 to 4 ft.	50	4 00	
.....	2 to 3 ft.	25	2 00	
Double Red				
Double White				
Mad, Legrelle (variegated)				
<b>Pyrus</b> ( <i>Sorbus arbutifolia</i> ).....	4 to 6 ft.	1 00		
.....	3 to 4 ft.	75		
<b>Quince</b> ( <i>Cydonia</i> )—Assorted .....	4 to 6 ft.	60	5 00	40 00
.....	3 to 4 ft.	50	4 00	30 00
Candidissima (white)	Japan White	Simoni (red)		
Gaujardi (salmon orange)	Moerlozi (crimson)	Simensis (light pink)		
Grandiflora rosea (pink)	Sanguinea multiflora (red)	Umbilicata (rosy red)		
Japan Scarlet				
<b>Rhodotypos</b> <i>kerrloides</i> .....	4 to 6 ft.	50	4 00	
<b>Rhus</b> (Sumach)				
<i>R. glabra laciniata</i> (Cut-leaved) .....	4 to 6 ft.	50	4 00	
<i>R. toxicodendron radicans</i> .....	8 to 10 ft.	1 00		
<b>Snowball</b> ( <i>Viburnum</i> )				
<i>V. opulus sterile</i> (Common).....	6 to 8 ft.	1 00	8 00	75 00
.....	4 to 6 ft.	75	6 00	50 00
.....	3 to 4 ft.	50	4 00	35 00
.....	2 to 3 ft.	35	3 00	25 00
<i>V. tomentosum plicatum</i> (Japanese) .....	6 to 8 ft.	2 00		
<b>Snowberry</b> ( <i>Symphoricarpos</i> )				
<i>S. racemosus</i> (White-fruited) .....	3 to 4 ft.	50	4 00	
<i>S. vulgaris</i> (Red-fruited) .....	4 to 6 ft.	50	4 00	
<i>S. vulgaris variegatus</i> (Variegated) .....	4 to 6 ft.	75	6 00	
<b>Spirea</b> <i>bumalda</i> Anthony Waterer.....	3 to 4 ft.	1 00	8 00	
.....	2 to 3 ft.	75	6 00	50 00
<i>S. thunbergi</i> .....	5 in. pot, 1 to 1½ ft.	75		
Assorted .....	6 to 8 ft.	60	5 00	40 00
.....	4 to 6 ft.	50	4 00	30 00
.....	3 to 4 ft.	40	3 00	25 00
<i>Caryopteris mastacanthus</i> (blue)	<i>S. douglasii</i> var. (Californica)			
<i>Spirea cantoniensis</i> (Reevesi)	<i>S. van houttei</i>			
<i>S. cantoniensis fl. pl.</i>				
<b>Staphylea</b> <i>colchica</i> and <i>pinnata</i> .....	6 to 8 ft.	1 00		
.....	4 to 6 ft.	75	6 00	
<b>Tamarisk</b> ( <i>Tamarix</i> )—assorted .....	8 to 10 ft.	1 00	8 00	
.....	6 to 8 ft.	75	6 00	
.....	4 to 6 ft.	50	4 00	
<i>T. algerica</i>	<i>T. parviflora</i> (africana)			
<i>T. odessana</i>	<i>T. parviflora purpurea</i>			
<b>Tree Peony</b> ( <i>Paeonia moutan</i> )				
Purple .....	large,	2 00		
.....	medium,	1 50		
Grafted varieties .....	8 in. pot.	2 00		
Double Pink				
Double Red				
Double White				
<b>Viburnum</b> <i>molle</i> ( <i>nepalense</i> ).....	4 to 6 ft.	75		
<i>V. opulus</i> ( <i>oxycoccus</i> ) .....	3 to 4 ft.	75		
<b>Weigela</b> ( <i>Diervilla</i> )—assorted .....	6 to 8 ft.	75	6 00	
.....	4 to 6 ft.	50	4 00	35 00
.....	3 to 4 ft.	30	2 50	20 00
Abel Carriere (rosy carmine)	Lavelle (bright crimson)			
Dr. Baillon (dark crimson)	Rosea (pink)			
Hendersoni (deep rose)	Van Houttei (carmine)			
Variegated (white) .....	3 to 4 ft.	75		
<b>Xanthoceras</b> <i>sorbifolia</i> (Yellow Horn) .....	6 to 8 ft.	50	4 00	
.....	4 to 6 ft.	40	3 00	

## CLIMBING PLANTS

<b>Akebia</b> <i>lobata</i> .....	5 in. pot,	50		
.....	4 in. pot,	40		
<i>A. quinata</i> .....	5 in. pot,	50	4 00	
<b>Ampelopsis</b> <i>quinquefolia</i> (Virginia Creeper).....	field grown,	30	2 50	20 00
<i>A. quinquefolia engelmanni</i> .....	field grown,	60	5 00	
<i>A. tricuspidata</i> (Veitchi) (Boston Ivy) .....	field grown,	50	4 00	
.....	4 in. pot,	40	3 50	



	Height	Each	Per 10	Per 100
<i>Aristolochia tomentosa</i> .....	4 in. pot,	25		
<b>Bignonia buccinatoria</b> (Cherere).....	5 in. pot.	75	6 00	
.....	4 in. pot,	50	4 00	
<i>B. capreolata</i> (Cross Vine).....	5 in. pot.	75		
<i>B. speciosa</i> .....	4 in. pot,	50		
<i>B. speciosa violacea</i> .....	4 in. pot,	50		
<i>B. twediana</i> .....	4 in. pot,	25	2 00	
<i>B. venusta</i> .....	6 in. pot,	75	6 00	
.....	5 in. pot.	50	4 00	35 00
.....	4 in. pot,	30	2 50	20 00
<i>Pithecoctenium clematideum</i> ( <i>B. alba</i> ) .....	6 in. pot,	75	6 00	
.....	5 in. pot.	40	3 50	
.....	4 in. pot,	35	3 00	
<b>Bougainvillea glabra sanderiana</b> .....	5 in. pot.	50		
.....	4 in. pot,	40	3 50	
<i>B. glabra variegata</i> .....	5 in. pot.	1 50		
<i>B. spectabilis</i> .....	6 in. pot,	1 00	8 00	
.....	5 in. pot.	75	6 00	
.....	4 in. pot,	50	4 00	
<i>B. spectabilis lateritia</i> .....	6 in. pot,	3 50		
.....	5 in. pot.	3 00		
<b>Chorizema ilicifolium</b> .....	4 in. pot,	35	3 00	
<b>Clematis montana</b> .....	5 in. pot.	50	4 00	
.....	4 in. pot,	35		
<i>C. paniculata</i> .....	field grown,	50		
Duchess of Edinburg (double white).....	6 in. pot,	1 00		
.....	5 in. pot.	75		
Gem (lavender) .....		1 00		
Henryi (white) .....		75		
Jackmanni (violet purple).....		75		
Lady Caroline Neville.....		1 00		
Lawsoniana .....		1 00		
Mad. Edouard Andre (claret red) .....		1 00		
Mad. Grange (purplish crimson) .....		75		
Symeana .....		75		
<b>Clianthus puniceus</b> (Parrot's Bill) .....	5 in. pot,	50	4 00	
.....	4 in. pot,	40	3 50	
<i>C. puniceus albus</i> (white) (new) .....	5 in. pot,	75		
.....	4 in. pot,	50		
<b>Decumaria barbara</b> (Climbing Snowball).....	5 in. pot,	50		
.....	4 in. pot,	40		
<b>Ficus pumila</b> ( <i>F. repens</i> ).....	4 in. pot,	50	4 00	35 00
<b>Hardenbergia comptoniana</b> (violet).....	4 in. pot,	50	4 00	
<i>H. monophylla</i> (pink) .....	4 in. pot,	50	4 00	35 00
<i>H. monophylla alba</i> (white) .....	4 in. pot,	50	4 00	
<b>Honeysuckle</b> ( <i>Lonicera</i> )				
<i>L. japonica aureo-reticulata</i> (Gold-netted).....	5 in. pot,	35	2 50	20 00
<i>L. japonica chinensis</i> (Chinese Evergreen).....	5 in. pot,	35	3 00	25 00
.....	4 in. pot,	25	2 00	18 00
<i>L. japonica halliana</i> (Hall's Japanese) .....	5 in. pot,	35	2 50	20 00
.....	4 in. pot,	25	2 00	18 00
<i>L. sempervirens fuchsoides</i> .....	5 in. pot.	50		
.....	4 in. pot,	40		
<b>Hop Vine</b> ( <i>Humulus lupulus</i> ).....		10	50	
<b>Ipomea mexicana</b> .....	4 in. pot,	50	4 00	
<b>Ivy</b> ( <i>Hedera</i> ) .....				
<i>H. helix</i> (English) .....	5 in. pot.	50	4 00	
.....	4 in. pot,	25	2 00	
<i>H. helix hibernica</i> (Irish) .....	5 in. pot.	50	4 00	
<b>Jasmine</b> ( <i>Jasminum</i> )				
<i>J. capense</i> .....	4 in. pot,	25	2 00	
<i>J. grandiflorum</i> (Catalonian).....	6 in. pot,	60	5 00	
.....	5 in. pot,	50	4 00	
.....	4 in. pot,	35	3 00	
<i>J. humile</i> (revolutum) .....	5 in. pot,	50		
<i>J. ligustrifolium</i> .....	5 in. pot,	40	3 50	30 00
<i>J. nitidum</i> .....	5 in. pot,	50		
.....	4 in. pot,	40	3 50	
<i>J. nudiflorum</i> (sieboldianum) .....	4 in. pot,	25		
<i>J. officinale</i> (Jessamine) .....	field grown,	25	2 00	
<b>Kennedya rubicunda</b> (new).....	5 in. pot,	50		
<b>Lycium barbarum</b> .....	field grown,	25	2 00	

	Height	Each	Per 10	Per 100
<i>Mandevilla suaveolens</i> . . . . .	4 in. pot.	25	2 00	
<i>Muehlenbeckia complexa</i> . . . . .	5 in. pot.	40	3 50	30 00
.....	4 in. pot.	25	2 00	18 00
<b>Passion Vine</b> —assorted . . . . .	4 and 5 in. pot.	40	3 00	25 00
<i>Passiflora alata-caerulea</i> . . . . .	<i>P. Constance Eliot</i> (white)			<i>T. jamesouli</i> (cherry red)
(Pfordtli) . . . . .	<i>P. Violacea</i> (blue)			<i>T. manicata ignea</i> (scarlet)
<i>P. caerulea</i> (blue and white)	<i>Tacsonia buchanani</i> (yellow- ish)			<i>T. mollissima</i> (pink)
<i>P. colvillei</i> (purple)				
<i>Plumbago capensis</i> . . . . .	5 in. pot.	35	3 00	25 00
.....	4 in. pot.	25	2 00	
<i>P. capensis alba</i> . . . . .	5 in. pot.	35	3 00	25 00
.....	4 in. pot.	25	2 00	15 00
<b>Rhyncospermum</b> (Star Jasmine)				
<i>Trachelospermum jasmiuoides</i> . . . . .	4 in. pot.	50		
<b>Silk Vine</b> ( <i>Periploca graeca</i> ) . . . . .	field grown,	50	4 00	
<b>Solanum jasminoides</b> (Potato Vine) . . . . .	5 in. pot.	40	3 50	25 00
<i>S. seaforthlanum</i> (azureum) . . . . .	5 in. pot.	50		
<i>S. wendlandi</i> . . . . .	5 in. pot.	50		
<b>Sollya heterophylla</b> . . . . .	5 in. pot.	50		
.....	4 in. pot.	40		
<b>Tecoma australis</b> . . . . .	5 in. pot.	50	4 00	
.....	4 in. pot.	40	3 00	25 00
<i>T. capensis</i> . . . . .	6 in. pot.	50		
.....	5 in. pot.	40	3 50	
.....	4 in. pot.	25	2 00	
<i>T. jasmiuoides</i> . . . . .	5 in. pot.	50	4 00	35 00
.....	4 in. pot.	40	3 50	30 00
<i>T. jasmiuoides alba</i> . . . . .	5 in. pot.	75		
.....	4 in. pot.	50		
<i>T. radicans grandiflora</i> (Trumpet Vine) . . . . .	field grown,	25	2 00	18 00
<i>T. radicans sanguinea</i> . . . . .	field grown,	75	6 00	
<i>T. radicans thunbergi</i> . . . . .	field grown,	50		
<i>T. ricasolina</i> (mackeni) . . . . .	5 in. pot.	50		
.....	4 in. pot.	25		
<i>T. smithi</i> . . . . .	6 in. pot.	50		
.....	5 in. pot.	40		
.....	4 in. pot.	25		
<b>Wistaria chinensis</b> (Chinese Purple) . . . . .	12x12 in. box, large,	2 50		
.....	field grown, medium,	50	4 00	
<i>W. chinensis fl. pl.</i> (Chinese Double Purple) . . . . .	small,	50		
<i>W. chinensis albiflora</i> (Chinese White) . . . . .	medium,	50		
<i>W. speciosa magnifica</i> . . . . .	large,	50		
<i>W. multiflora</i> (Japanese Purple) . . . . .	12x12 in. box, extra large,	3 00		
.....	12x12 in. box, large,	2 50		
.....	field grown, large,	1 00		
.....	medium	50		
<i>W. multiflora alba</i> (Japanese White) . . . . .	large	1 00		
.....	medium	75		
<i>W. "Pluk-Flowering"</i> (new) . . . . .	6 in. pot	2 00		

## BAMBOO

### Arundinaria, Bambusa, and Phyllostachys

<i>P. aurea</i> . . . . .	12x12 in. box, 8	to 10	ft.	3 00		
Assorted . . . . .	balled clumps, 10	to 12	ft.	1 50	12 50	100 00
.....	balled clumps, 8	to 10	ft.	1 00	8 00	75 00
.....	balled clumps, 6	to 8	ft.	75	6 00	50 00
.....	balled clumps, 4	to 6	ft.	60	5 00	40 00
.....	balled clumps, 3	to 4	ft.	50	4 00	35 00
<i>A. hindsi</i> . . . . .	<i>B. aureo-striata</i> . . . . .			<i>P. castillouis</i>		
<i>A. japoulca</i> . . . . .	<i>B. vittata-argentea</i> . . . . .			<i>P. quiliol</i>		
<i>A. simoni</i> . . . . .	<i>P. aurea</i> . . . . .					

### RARE SPECIES

<i>B. fastuosa</i> . . . . .	balled clumps	1 00		
<i>B. palmata</i> . . . . .	balled clumps	75	6 00	
<i>B. quadrangularis</i> . . . . .	balled clumps	3 00		
<i>B. tessellata</i> . . . . .	balled clumps	1 50		
<i>P. castillonis</i> No. 2 . . . . .	balled clumps	75		
<i>P. henonis</i> . . . . .	balled clumps	1 50		
<i>P. marliacea</i> . . . . .	balled clumps	1 50		

## PALMS, DRACAENAS, ETC.

		Height	Each	Per 10	Per 100
<b>Brahea dulcis</b> .....	balled, 5 to 6 ft.	10 00			
.....	balled, 4 to 5 ft.	6 00			
<b>Chamaerops humilis</b> .....	18x18 in. box, 4 to 5 ft.	8 00			
.....	16x16 in. box, 3 to 4 ft.	6 00			
.....	14x14 in. box, 4 to 5 ft.	6 00			
.....	14x14 in. box, 2 to 3 ft.	4 00			
.....	10x12 in. box, 2 to 3 ft.	3 50			
.....	10x10 in. box, 1½ to 2 ft.	1 50	12 50		
.....	balled, 4 to 5 ft.	3 50	30 00		
.....	balled, 3 to 4 ft.	3 00	25 00		200 00
.....	balled, 2 to 3 ft.	2 00	18 00		150 00
.....	balled, 1½ to 2 ft.	1 00	8 00		
<b>Trachycarpus excelsus (C. excelsa)</b> .....	14x14 in. box, 6 to 7 ft.	6 00	55 00		
.....	12x12 in. box, 5 to 6 ft.	4 00	35 00		
.....	12x12 in. box, 4 to 5 ft.	3 00	25 00		
.....	10x10 in. box, 2 to 3 ft.	1 50	12 50		
.....	balled, 9 to 10 ft.	10 00	80 00		700 00
.....	balled, 8 to 9 ft.	8 00	70 00		600 00
.....	balled, 7 to 8 ft.	6 00	50 00		450 00
.....	balled, 6 to 7 ft.	5 00	40 00		
.....	balled, 5 to 6 ft.	4 00	35 00		
.....	balled, 4 to 5 ft.	3 00	25 00		
.....	balled, 3 to 4 ft.	2 50	20 00		
.....	balled, 2 to 3 ft.	1 50	12 50		
.....	balled, 1½ to 2 ft.	1 00	8 00		
<b>T. fortunei</b> .....	14x14 in. box, 5 to 6 ft.	6 00	55 00		
.....	10x10 in. box, 2 to 2½ ft.	1 50			
.....	balled, 6 to 7 ft.	6 00			
.....	balled, 5 to 6 ft.	5 00	45 00		
.....	balled, 4 to 5 ft.	4 50	40 00		
.....	balled, 3 to 4 ft.	3 00	25 00		
.....	balled, 2 to 3 ft.	2 00			
.....	balled, 1½ to 2 ft.	1 00	8 00		75 00
<b>T. martianus (C. nepalensis)</b> .....	18x18 in. box, 7 to 8 ft.	10 00			
.....	14x14 in. box, 5 to 6 ft.	6 00			
.....	12x12 in. box, 4 to 5 ft.	5 00			
.....	12x12 in. box, 3 to 4 ft.	4 00			
.....	10x10 in. box, 3 to 4 ft.	3 00			
.....	10x10 in. box, 2 to 2½ ft.	1 50	12 50		
.....	balled, 8 to 9 ft.	8 00	70 00		
.....	balled, 7 to 8 ft.	7 00	60 00		
.....	balled, 6 to 7 ft.	6 00	50 00		400 00
.....	balled, 5 to 6 ft.	4 50	40 00		300 00
.....	balled, 4 to 5 ft.	4 00	35 00		
.....	balled, 3 to 4 ft.	2 50	20 00		
.....	balled, 2 to 3 ft.	1 50	12 50		100 00
<b>Cocos australis</b> .....	boxed, 5 to 6 ft.	15 00			
.....	boxed, 4 to 5 ft.	12 00			
.....	balled, 3 to 4 ft.	10 00			
.....	balled, 2 to 3 ft.	4 00			
.....	balled, 1½ to 2 ft.	3 00	25 00		
.....	balled, 1 to 1½ ft.	1 50	12 50		
<b>C. bonneti</b> .....	22x22 in. box, 5 ft.	15 00			
.....	20x20 in. box, 4½ to 5 ft.	12 00			
.....	boxed, 6 to 7 ft.	20 00			
.....	balled, 2 to 3 ft.	4 00			
.....	balled, 1½ to 2 ft.	3 00			
.....	balled, 1 to 1½ ft.	2 00			
<b>C. datil</b> .....	balled, 4 to 5 ft.	6 00			
.....	balled, 3 to 4 ft.	4 00			
.....	balled, 1 to 2 ft.	2 50			
<b>C. flexuosa</b> .....	balled, 3 to 4 ft.	3 00			
.....	balled, 2 to 3 ft.	2 50			
<b>C. plumosa</b> .....	balled, 3 to 4 ft.	3 00			
.....	balled, 2 to 3 ft.	2 50			
<b>Corypha (Livistona australis)</b> .....	balled, 2 to 3 ft.	75	6 00		
.....	balled, 1½ to 2 ft.	60	5 00		
<b>Erythea armata (Blue Palm)</b> .....	20x20 in. box, 5 to 6 ft.	10 00			
.....	boxed, 6 to 7 ft.	8 00	60 00		500 00
.....	balled, 5 to 6 ft.	5 00	45 00		400 00
.....	balled, 4 to 5 ft.	4 00	30 00		
.....	balled, 3 to 4 ft.	3 00	25 00		
<b>E. brandegei</b> .....	balled, 2 ft.	4 00			
<b>E. edulis</b> .....	22x22 in. box, 7 to 8 ft.	10 00			
.....	16x18 in. box, 4 to 5 ft.	5 00			
.....	boxed, 8 to 9 ft.	10 00			
.....	balled, 4 to 5 ft.	2 50	20 00		
.....	balled, 3 to 4 ft.	2 00	18 00		



		Height		Each	Per 10	Per 100
<b>Jubaea spectabilis</b> .....	20x20 in. box,	3½ to 4	ft.	15 00		
.....	balled,	4 to 5	ft.	12 00		
.....	balled,	3 to 4	ft.	10 00		
.....	balled,	2 to 3	ft.	6 00		
<b>Kentia (Howea)</b> .....						
H. forsteriana .....	12 in. pot,	6 to 6½	ft.	20 00		
.....	10 in. pot,	6 to 6½	ft.	15 00		
.....	9 in. pot,	4½	ft.	12 00		
.....	7 in. pot,	3½ to 4	ft.	4 50		
.....	7 in. pot,	3 to 3½	ft.	4 00		
.....	6 in. pot,	2 to 2½	ft.	3 00		
.....	6 in. pot,	20 to 22	in.	1 50		
<b>Phoenix canariensis (Ornamental Date Palm)</b> .....						
.....	36x36 in. box,	16	ft.	125 00		
.....	36x36 in. box,	14	ft.	100 00		
.....	30x30 in. box,	14	ft.	50 00		
.....	24x24 in. box,	10	ft.	35 00		
.....	22x22 in. box,	10	ft.	20 00		
.....	16x18 in. box,	7 to 8	ft.	8 00		
.....	16x18 in. box,	6 to 7	ft.	7 00		
.....	14x14 in. box,	5 to 6	ft.	5 00		
.....	12x12 in. box,	4 to 5	ft.	4 00		
.....	10x12 in. box,	3 to 3½	ft.	3 00	25 00	
.....	10x12 in. box,	2½ to 3	ft.	2 50	20 00	
.....	balled,	2 to 3	ft.	1 50	12 50	100 00
.....	balled,	1½ to 2	ft.	1 00	8 00	75 00
.....	balled,	1 to 1½	ft.	75	6 00	
<b>P. dactylifera (True Date Palm)</b> .....	22x22 in. box,	10 to 11	ft.	10 00		
.....	18x18 in. box,	9 to 10	ft.	9 00		
.....	boxed,	10 to 12	in.	10 00		
<b>P. hnmilis loureiri (P. roebelini)</b> .....	10 in. pot,	22 to 24	in.	10 00		
.....	7 in. pot,	15 to 18	in.	3 00		
.....	6 in. pot,	10 to 12	in.	2 00		
<b>P. jubae</b> .....	balled,	3 to 4	ft.	2 50		
.....	balled,	2 to 3	ft.	2 00		
<b>P. reclinata</b> .....	18x18 in. box,	8	ft.	10 00		
.....	Japanese Tubs,	5 to 6	ft.	5 00		
.....	Japanese Tubs,	3 to 4	ft.	4 00		
.....	boxed,	8 to 9	ft.	10 00		
.....	boxed,	7 to 8	ft.	8 00		
.....	boxed,	6 to 7	ft.	6 00		
.....	balled,	5 to 6	ft.	4 00		
.....	balled,	4 to 5	ft.	3 00		
.....	balled,	3 to 4	ft.	2 00		
.....	balled,	2 to 3	ft.	1 50		
.....	balled,	1½ to 2	ft.	1 00		
<b>P. tenuis</b> .....	balled,	1½ to 2	ft.	1 50		
<b>Sabal adansonii</b> .....	balled,	2 to 3	ft.	3 00		
<b>S. blackburnianum</b> .....	balled,	4 to 5	ft.	5 00		
<b>S. ghiesbreghtii</b> .....	balled,	3 to 4	ft.	4 00		
<b>S. mexicanum</b> .....	balled,	3 to 4	ft.	4 00		
<b>S. palmetto</b> .....	balled,	5 to 6	ft.	5 00		
.....	balled,	4 to 5	ft.	4 00		
<b>S. umbraculiferum</b> .....	balled,	1½ to 2	ft.	50	4 00	30 00
<b>Washingtonia</b> .....						
<b>filifera robusta (California Fan Palm)</b> .....	boxed,	8 to 9	ft.	10 00	80 00	
.....	boxed,	7 to 8	ft.	7 00	60 00	
.....	balled,	4 to 5	ft.	3 00	25 00	
.....	balled,	3 to 4	ft.	2 00	15 00	
<b>W. gracilis (hitherto called Washingtonia Sonorae; also known in Southern California as Washingtonia Robusta)</b> .....						
.....	36x36 in. box,	17	ft.	80 00		
.....	26x26 in. box,	13	ft.	25 00		
.....	(slender stem) 24x24 in. box,	16	ft.	30 00		
.....	22x22 and 24x24 in. box,	9 to 10	ft.	15 00		
.....	boxed,	16 to 18	ft.	50 00		
.....	boxed,	14 to 16	ft.	40 00	300 00	
.....	boxed,	12 to 14	ft.	30 00	250 00	
.....	boxed,	10 to 12	ft.	20 00	150 00	
.....	boxed,	9 to 10	ft.	15 00	100 00	750 00
.....	boxed,	8 to 9	ft.	10 00	75 00	
.....	boxed,	7 to 8	ft.	8 00	60 00	
.....	balled,	6 to 7	ft.	6 00	50 00	
.....	balled,	5 to 6	ft.	4 00	35 00	
.....	balled,	4 to 5	ft.	3 00	25 00	200 00
.....	balled,	3 to 4	ft.	2 00	15 00	125 00
.....	balled,	2 to 3	ft.	1 50	12 50	

N. B. We can make a special price on Washingtonia gracilis 8 to 9 ft. and larger; plants to be dug with naked roots and all leaves removed except the undeveloped ones in the center. Large palms of this species handled in this way can be transplanted with slight risk.

Washingtonia—Cont'd.	Height	Each	Per 10	Per 100
W. sonorae (New. For description of the true species see eighth edition of Catalog No. 2.)				
.....14x16 in. box,	4 to 5 ft.	3 00		
.....10x12 in. box,	2½ to 3 ft.	2 50	20 00	
.....boxed,	6 to 7 ft.	5 00	45 00	
.....balled,	5 to 6 ft.	4 00	35 00	
.....balled,	4 to 5 ft.	3 00	25 00	
.....balled,	3 to 4 ft.	2 00	15 00	
.....balled,	2 to 3 ft.	1 50	12 50	
.....8 in. pot,	2½ to 3 ft.	75	6 00	
.....7 in. pot,	1½ to 2 ft.	50	4 00	

## DRACAEÑAS

Cordyline australis and indivisa.....18x18 in. box,	9 ft.	7 00		
.....16x18 in. box,	7 to 8 ft.	6 00		
.....14x16 in. box,	3 to 4 ft.	3 00		
.....balled,	14 to 16 ft.	10 00	80 00	
.....balled,	12 to 14 ft.	8 00	60 00	
.....balled,	10 to 12 ft.	6 00	50 00	
.....balled,	8 to 10 ft.	5 00	45 00	
.....balled,	7 to 8 ft.	4 50	40 00	
.....balled,	6 to 7 ft.	4 00	35 00	
.....balled,	5 to 6 ft.	3 00	25 00	
.....balled,	4 to 5 ft.	2 50	20 00	
.....balled,	3 to 4 ft.	1 50	12 50	
.....balled,	2 to 3 ft.	1 00	8 00	
.....6 in. pot,	2 to 2½ ft.	75	6 00	
.....5 in. pot,	1½ to 2 ft.	50	4 00	
C. fosteri .....balled,	10 to 12 ft.	10 00	80 00	
.....balled,	7 to 8 ft.	6 00	50 00	

## AGAVE, ETC.

Agave americana and americana variegata				
.....14x14 in. box,	3 to 3½ ft.	3 00		
.....naked roots,	4 to 5 ft.	1 50		
.....naked roots,	3 to 4 ft.	1 00	8 00	60 00
.....naked roots,	2 to 3 ft.	75	6 00	50 00
.....naked roots,	1½ to 2 ft.	50	4 00	30 00
A. atrovirens .....balled,	4 to 5 ft.	2 00		
A. attenuata .....7 in. pot,	1½ ft.	2 50		
A. caerulea .....balled,	1½ to 2 ft.	1 50		
A. ferox .....balled,	3 to 4 ft.	2 50		
.....balled,	2 to 3 ft.	2 00		
A. franzosini .....balled,	5 to 6 ft.	5 00		
.....balled,	3 to 4 ft.	2 50		
A. lophantha .....balled,	1½ to 2 ft.	1 00		
A. recurvata .....balled,	2 to 3 ft.	2 50		
.....balled,	1 to 1½ ft.	1 50		
A. rigida sisalana .....balled,	2 to 3 ft.	1 50		
A. scolymus potatorum .....balled,	3 to 4 ft.	2 00		
.....balled,	2 to 3 ft.	1 50		
A. shawi .....balled,	1½ to 2 ft.	2 50		
.....balled,	1 to 1½ ft.	2 00		
Dasylirion acrotrichum (D. gracile)				
.....balled,	3 to 4 ft.	2 00	18 00	
.....balled,	2 to 3 ft.	1 50	12 50	
.....4 in. pot,	1 to 1½ ft.	25	2 00	
D. glaucophyllum .....balled,	3 to 4 ft.	2 00	18 00	
.....balled,	2 to 3 ft.	1 50	12 50	
D. serratifolium .....14x14 in. box,	2½ to 3 ft.	2 50		
.....balled,	2 to 3 ft.	1 50	10 00	
.....4 in. pot,	1 to 1½ ft.	25	2 00	
Nolina beltingii .....14x14 in. box,	4 to 5 ft.	3 50		
.....balled,	5 to 6 ft.	3 00		
.....balled,	4 to 5 ft.	2 50		
.....balled,	3 to 4 ft.	2 00	18 00	
.....balled,	2 to 3 ft.	1 50		
N. longifolia .....balled,	4 to 5 ft.	3 00		
.....balled,	3 to 4 ft.	2 50		
.....6 in. pot,	2 to 2½ ft.	1 00		
Yucca aloifolia quadricolor .....balled,	3 to 4 ft.	2 00		
.....balled,	2 to 3 ft.	1 50		
.....5 in. pot,	6 to 8 in.	1 00		
Y. aloifolia rubra .....balled,	6 to 8 ft.	2 00		
.....balled,	5 to 6 ft.	1 50		
.....balled,	4 to 5 ft.	1 00		
.....balled,	3 to 4 ft.	75	6 00	50 00
.....balled,	2 to 3 ft.	50	4 00	35 00

		Height	Each	Per 10	Per 100
Y. aloifolia variegata	balled,	5 to 6 ft.	3 00		
	balled,	4 to 5 ft.	2 50		
	balled,	3 to 4 ft.	2 00		
	balled,	2 to 3 ft.	1 50		
	6 in. pot,	1 to 1½ ft.	1 00		
Y. filamentosa	balled,	1½ to 2 ft.	75	6 00	
Y. gloriosa plicata	balled,	3 to 4 ft.	1 50	10 00	
	balled,	2 to 3 ft.	1 00	8 00	
	balled,	1½ to 2 ft.	75	6 00	
Y. gloriosa recurvifolia (Y. pendula)	balled,	4 to 5 ft.	2 00		
	balled,	3 to 4 ft.	1 50	12 50	
	balled,	2 to 3 ft.	1 00	7 50	
	8 in. pot,	2½ to 3 ft.	1 50		
	7 in. pot,	1½ to 2 ft.	1 00		
	6 in. pot,	1 to 1½ ft.	75		
Y. whipplei	4 in. pot,	6 to 8 in.	25	2 00	

FERNS AND MOSSES

<b>Adiantum (Maiden Hair Fern)...</b>					
A. capillus-veneris imbricatum	7 in. pot,	1 25			
	6 in. pot,	1 00			
	5 in. pot,	75	6 00		
	4 in. pot,	50	4 00		
A. cuneatum	6 in. pot,	50			
	5 in. pot,	40			
	4 in. pot,	35	2 50		
A. cuneatum gracillimum	9 in. pot,	1 25			
	8 in. pot,	1 00			
	6 in. pot,	75			
	5 in. pot,	50			
A. cuneatum grandiceps	6 in. pot,	75			
	5 in. pot,	50			
<b>Nephrolepis (Sword Fern) .....</b>					
N. exaltata amerpohli (Lace Fern)	6 in. pot,	1 25			
	5 in. pot,	75			
	4 in. pot,	50			
N. exaltata bostoniensis (Boston Sword)	10 in. hanging basket,	1 50			
	8 in. pot,	1 00			
	7 in. pot,	75			
	6 in. pot,	50	4 00		
	5 in. pot,	40			
	4 in. pot,	25	2 00		
N. exaltata compacta	clumps,	50			
N. exaltata elegantissima	7 in. pot,	1 25			
	6 in. pot,	1 00			
	5 in. pot,	60	5 00		
	4 in. pot,	40	3 50		
N. exaltata piersoni	10 in. hanging basket,	1 50			
	7 in. pot,	1 00			
	6 in. pot,	75			
	5 in. pot,	50	4 00		
N. exaltata scholzei	4 in. pot,	75			
N. exaltata superbissima	5 in. pot,	1 00			
N. exaltata whitmanni	4 in. pot,	50			
Pteris tremula	6 in. pot,	50	4 00		
Selaginella emmelliana	4 in. pot,	25	2 00		

MISCELLANEOUS PLANTS

Abutilon	4 and 5 in. pot.	25	2 00
Duc de Malakoff (crimson)			
Eclipse (variegated leaves)			
Golden Fleece (yellow)			
Megapotamicum (red and yellow)			
Savitzki (variegated leaves)			
Sensation (orange red)			
Souv. de Bonn (variegated leaves)			
Thompsoni fl. pl. (yellow and red)			
<b>Achania (Turk's Cap)</b>			
Malvaviscus arboreus	6 in. pot,	35	3 00
	4 in. pot,	25	2 00
Achillea ptarmica (The Pearl)	clumps,	25	2 00
Agapanthus umbellatus	clumps,	35	3 00
A. umbellatus albidus	clumps,	50	
A. umbellatus mooreanus	clumps,	50	



	Each	Per 10	Per 100
<i>Aloe maculata</i> .....balled, 1 to 1½ ft.	75		
<i>Amaryllis belladonna</i> ..... bulbs,	25	1 50	10 00
<i>Sprekelia formosissima</i> ..... bulbs,	25	2 00	15 00
<i>Hippeastrum vittatum</i> var. ( <i>A. Lindenii</i> ) .....bulbs,	50	4 00	
<i>Anemone</i> , Queen Charlotte and Whirlwind .....4 in. pot,	25	2 00	
.....2 in. pot	15	1 00	8 00
<i>Anthurium scherzerianum</i> .....6 in. pot,	2 00		
<i>A. scherzerianum album</i> .....5 in. pot,	1 50		
<i>Armeria maritima</i> (Sea Pink) .....			2 00
<i>Arundo donax</i> .....clumps,	25	2 00	
<i>A. donax macrophylla glauca</i> .....clumps,	35	3 00	
<i>A. donax variegata</i> .....clumps,	50		
<i>Asparagus crispus</i> ( <i>A. decumbens</i> ).....5 in. pot,	50	4 00	
<i>A. crispus</i> var. ( <i>A. deflexus scandens</i> ).....9 in. pot,	1 50		
.....4 in. pot,	25	2 00	
<i>A. plumosus</i> .....6 in. pot,	50		
<i>A. plumosus tenuissimus</i> .....6 in. pot,	50	4 00	
.....5 in. pot,	40	3 50	
.....3 in. pot,	25	2 00	
<i>A. sprengeri</i> .....12 in. Jap. tub,	2 00		
.....12 in. hanging basket,	1 50		
.....10 in. hanging basket,	1 25		
.....6 in. pot,	50	4 00	
.....5 in. pot,	40	3 50	
.....4 in. pot,	25	2 00	
<i>Aspidistra lurida</i> .....7 in. pot,	1 50		
.....6 in. pot,	1 00		
<i>A. lurida variegata</i> .....6 in. pot,	1 50		
<b>Banana, Abyssinian</b>			
<i>Musa ensata</i> .....10 in. pot, 3 to 4 ft.	2 00		
.....7 in. pot, 1 to 1½ ft.	1 50		
.....6 in. pot, 1½ to 2 ft.	1 00		
.....5 in. pot, 8 to 10 in.	75		
<b>Begonia</b>			
<i>B. rex magnifica</i> .....5 in. pot,	50		
<b>Brugmansia (Datura)</b>			
<i>D. cornigera</i> (white) .....5 in. pot, 1 to 2 ft.	35		
<i>D. sanguinea</i> (greenish red).....5 in. pot, 1½ to 2 ft.	50		
<b>Calceolaria</b> , shrubby .....4 in. pot, 10 to 12 in.	25		
<b>Calla</b>			
<i>Arum palaestinum</i> (Black Calla) .....bulbs,	25	2 00	
<i>Richardia africana</i> (common white) .....bulbs,		1 00	8 00
<i>R. albo-maculata</i> (spotted-leaf) .....bulbs,	20	1 50	
<i>R. elliotiana</i> (golden) .....bulbs,	50		
<i>R. Italian Giant</i> .....bulbs,	25	2 00	
<b>Canna, Mont Blanc (creamy white)</b> .....	50		
Assorted .....	20	1 50	10 00
Admiral Avellan (orange scarlet) Chas. Henderson (red) Miss Sarah Hill (rich carmine)			
Admiral Gervais (scarlet) Cinnabar (cinnabar red) Mrs. Kate Gray (orange scarlet, overlaid with gold)			
Allemanla (salmon, yellow border) Egandale (currant red) Pres. Meyer (cherry carmine)			
Alfonse Bouvier (brilliant crimson) Florence Vaughan (yellow, spotted red) Queen Charlotte (rich scarlet crimson)			
Austria (canary yellow) Geoffrey St. Hilaire (dark red) Sam Trelease (rich scarlet, edged with yellow band)			
Burbank (yellow) Italia (bright scarlet)			
<b>Carex morrowi</b> ( <i>C. japonica</i> ).....4 in. pot,	25	2 00	
<b>Carnation (Dianthus caryophyllus)</b>			
New varieties .....5 in. pot.	35	3 00	
.....2 in. pot,	20	1 50	
Cardinal (cardinal red) The Queen (white) White Enchantress (creamy white)			
Robert Craig (bright scarlet) Victory (scarlet)			
General assortment .....5 in. pot.	25	2 00	
.....2 in. pot,		1 00	8 00
California Gold (bright yellow, striped red) John Hinkle (dark crimson) Queen Louise (white)			
Dr. Tevis (scarlet) Leslie Paul (deep rose) Gov. Roosevelt (deep crimson)			
Eldorado (light yellow) Mrs. T. Earl (deep orange, striped carmine) Grace Davis (bright scarlet)			
Elsie Ferguson (deep orange) Mrs. Thos. W. Lawson (cerise pink) Hannah Hobart (bright pink)			
Enchantress (light pink) Mrs. McKimley (deep rose) R. Raymond (salmon pink)			
Ethel Crocker (pink) Mrs. E. A. Nelson (pink) Sophie Slevers (yellow, striped red)			
Harriette Bradford (white, striped red) Prosperity (white, striped pink) The Bride (pure white)			
Iris Miller (light salmon, striped red)			

	Each	Per 10	Per 100
<i>Cassia marylandica</i> .....	35		
<b>Chrysanthemum</b> , new varieties.....4 in. pot,	40	3 50	
.....2 in. pot,	20	1 50	
Col. Appleton (golden yellow) . . . . .	Lynnwood Hall (white)	Norfolk Blush (pale blush)	
Convention Hall (white) . . . . .	Mrs. W. Wells (bronzy orange)	Yellow Eaton	
Golden Eagle (deep yellow) . . . . .			
General assortment .....	4 in. pot,	25	2 00
Glory of the Pacific (pink) . . . . .	Mrs. E. G. Hill (pink)	W. B. Smith (pink, tinted lemon)	
Kinkora (pink) . . . . .	Shilowa (red)	White Mayflower	
Lincoln (yellow) . . . . .	Silver Wedding (white)	Willowbrook (white)	
Major Bonnafon (yellow) . . . . .	Timothy Eaton (white)	Wm. Duckham (yellow)	
Matchless (red) . . . . .			
<b>Clematis heracleaefolia davidiana</b> .....	50		
<b>Coreopsis lanceolata</b> .....	25	2 00	
<b>Coronilla varia</b> .....	50	4 00	
<b>Crinum</b> —Amabile (white and red) .....	75		
Asiaticum (white) .....	75		
Fimbriatulum (white, banded red) .....	75		
Longifolium (white, tinged red) .....	35		
Longifolium album (white).....	50		
<b>Dahlia</b> —Cactus .....	25	2 00	
Aegir (scarlet) . . . . .	Dankward (rosy purple)	Radiance (buff)	
Brittania (buff) . . . . .	F. Bartels (orange red)	Ruby (scarlet)	
Capstan (orange) . . . . .	John H. Roach (light yellow)	Sparkler (scarlet)	
Cinderella (magenta) . . . . .	Kingfisher (purplish crimson)	Standard Bearer (orange scarlet)	
Countess of Lonsdale (apricot) . . . . .	Mrs. A. Beck (light scarlet)	Uhlan (scarlet and crimson)	
.....	Mrs. Dickson (rosy orange)		
.....	Queen Wilhelmina (crimson)		
Show or large flowering .....		25	2 00 10 00
Bird of Passage (purplish pink) . . . . .	Dr. Boyers (red, striped white)	Queen Mab (crimson and white)	
Bob Ridley (scarlet striped) . . . . .	Mr. Thompson (yellow, striped crimson)		
Semi-double .....		25	2 00
Ada (scarlet) .....			
<b>Daisy, English</b> ( <i>Bellis perennis</i> ).....	10	75	
<b>Desmodium</b> ( <i>Lespedeza</i> ) .....	35		
L. sicholdi .....			
<b>Dielytra</b> ( <i>Bleeding Heart</i> ) .....	25	2 00	
Dicentra spectabilis .....			
<b>Echeveria</b> ( <i>Cotyledon</i> ) .....	10	75	
C. secunda and secunda glauca .....			
<b>Erythrina crista-galli</b> ( <i>Coral Plant</i> ) .....	50		
<b>Eulalia</b> ( <i>Miscanthus</i> ) .....			
M. sinensis (E. japonica).....	40	3 50	
M. sinensis gracillimus (E. naivittata) .....	50	4 00	30 00
.....5 in. pot,	25		
M. sinensis variegatus .....	40	3 50	
M. sinensis zebrinus .....	50		
.....7 in. pot,			
<b>Festuca glauca</b> .....	4 in. pot,	25	
<b>Fuchsia procumbens</b> (trailer) .....	4 in. pot,	50	
Assorted .....	4 and 5 in. pot,	25	2 00
Jupiter (scarlet and purple) . . . . .	Mrs. E. G. Hill (scarlet and white)	Pillar of Gold	
M. Foeble (red and purple) . . . . .	Phenomenal (scarlet and purple)	Renan (red and purple)	
Minnesota (white and purple) . . . . .		Walter Long (red and purple)	
<b>Gaillardia grandiflora</b> .....	4 in. pot,	25	2 00
<b>Gazania splendens</b> .....		25	
<b>Geranium</b> .....	2 in. pot,	15	1 00 8 00
For varieties, see Catalog No. 2			
<b>Gerbera jamesoni</b> ( <i>Transvaal Daisy</i> ) .....		50	
<b>Golden Glow</b> ( <i>Rudbeckia laciniata</i> fl. pl.).....		25	2 00
<b>Golden Rod</b> ( <i>Solidago</i> ) .....			
S. canadensis and serotina.....		25	2 00
<b>Helianthus</b> ( <i>Sunflower</i> ) .....		25	2 00
H. decapetalus multiflorus major . . . . .	H. rigidus		
H. orgyalis .....			

	Each	Per 10	Per 100
<b>Heliotrope, new</b> .....	35	3 00	
Buisson Fleuri (rosy violet)			
Lord Roberts (bright blue)			
General assortment .....	25	2 00	
Dark Purple			
Light Purple			
White			
<b>Hemerocallis aurantiaca major</b> .....	50	4 00	30 00
<b>Hibiscus mosehuetos, "Crimson Eye"</b> .....	40	3 50	
Chinese varieties .....	75		
.....6 in. pot.	50		
.....5 in. pot.	50		
.....4 in. pot.	25		
Miniatus			
Peachblow			
<b>Hunnemannia fumariacfolia</b> .....	25		
.....4 in. pot.			
<b>Imantophyllum (Clivia hybrida)</b> .....	75	6 00	
.....6 in. pot.			
<b>Iris germanica</b> .....	40	3 50	
I. laevigata (Japanese) .....	40	3 50	25 00
<b>Justicia (Jacobinia magnifica carnea)</b> .....	50		
.....6 in. pot, 1½ to 2 ft.	40		
.....5 in. pot, 12 to 15 in.			
<b>Lavender</b> .....	25		
.....4 in. pot.			
<b>Leonotis leonurus (Lion's Tail)</b> .....	35		
.....5 in. pot.			
<b>Lily of the Valley (Convallaria majalis)</b> .....		25	2 00
.....pips			
<b>Lippia repens</b> .....			2 00
.....per 1,000, \$15			
<b>Lotus bertholeti (L. peliorhyncus)</b> .....	1 50		
.....12 in. hanging basket.	50	4 00	
.....5 in. pot.	35	3 00	
.....4 in. pot.	50		
L. canariensis .....			
.....5 in. pot.			
<b>Marguerite</b> .....	20	1 50	12 00
Chrysanthemum frutescens (white)			
Chrysanthemum frutescens lutea (yellow)			
Felicia amellodes (blue)			
Queen Alexandra (new), double white .....	35	3 00	
.....4 in pot.			
<b>Melianthus major</b> .....	25		
<b>Pampas Grass (Cortaderia)</b> .....	1 00	7 50	60 00
.....extra large clumps	50	4 00	30 00
.....medium clumps			
C. argentea (common white)			
Marabout			
C. argentea elegans (white)			
Roi des Roses			
C. jubata (lavender)			
Variegated			
Mad. Reudlateri			
<b>Pandanus veitchi (striped white)</b> .....	2 00		
.....5 in. pot, 15 to 18 in.			
<b>Pansy (Viola tricolor), best strains</b> .....		35	3 00
<b>Pelargoum</b> .....	25	2 00	15 00
.....4 in. pot.			
For varieties, see Catalog No. 2.			
<b>Peony, scarce varieties</b> .....	50	4 00	
Delachei (crimson)			
Duke of Wellington (white)			
Formosa alba (white)			
Francis Ortegal (red)			
Grandiflora nivea (white)			
Louis Van Houtte (crimson)			
Monsieur Bellart (purplish crimson)			
Papariflora (white, tinged yellow)			
President McMahon (red)			
Triomphe du Nord (shell pink)			
General assortment .....	25	2 00	18 00
Amabilis graudiflora (pink)			
Pallida (pink, cream center)			
Bicolor rosea (pink)			
Peach (flesh)			
Comte de Paris (light rose)			
Pottsi (pink)			
Elegantissima (pink)			
Reevesi (pink)			
Jamfitre (pink, cream center)			
Sinensis rosea odorata (pink)			
Officinalis (dark red)			
<b>Pereskia aculeata</b> .....	25	2 00	
.....4 in. pot.			
<b>Petunia, Single and Double</b> .....	25	2 00	
.....4 in. pot.	15	1 00	
.....2 in. pot.			
<b>Phlox, assorted</b> .....	15	1 00	7 00
.....2 in. pot.			
<b>Phormium cookianum variegatum</b> .....	1 00	9 00	80 00
.....balled, 3 to 4 ft.	60	5 00	
.....5 in. pot, 2 to 3 ft.			



	Each	Per 10	Per 100
<b>Phormium—Cont'd.</b>			
<i>P. tenax</i> (New Zealand Flax)			
.....14x14 in. box, 5 to 6 ft.	2 00		
.....12x12 in. box, 4 to 5 ft.	1 50		
.....balled, 6 to 8 ft.	1 50	12 50	100 00
<i>P. tenax variegatum</i> .....10x10 in. box, 4 to 5 ft.	1 50		
.....balled, 6 to 8 ft.	1 50	12 50	100 00
.....6 in. pot, 4 to 5 ft.	50	4 00	
<i>Platycodon grandiflorum</i> .....	40		
<b>Plumbago (Ceratostigma)</b>			
<i>C. plumbaginoides</i> ( <i>P. larpentae</i> ) .....	50	4 00	
<b>Romneya coulteri</b>			
(Matilija Poppy—California Tree Poppy)			
.....6 in. pot.	1 00	8 00	
.....5 in. pot.	75	6 50	
.....4 in. pot.	50	4 00	
<i>Sagina subulata</i> (Baby Moss).....4 in. clumps,	25		
<i>Salvia involucrata</i> (pink) .....4 in. pot,	25	2 00	
<i>Sansevieria zeylanica</i> .....small hanging baskets,	1 00		
.....5 in. pot.	50		
.....4 in. pot.	35		
<i>Santolina chamaecyparissus</i> .....in flats,			5 00
<i>S. chamaecyparissus incana</i> .....in flats,			5 00
<i>Saxifraga umbrosa</i> .....clumps,	25	2 00	
<i>Sedum</i> (Stonecrop), assorted.....	25		
<i>Shasta Daisy</i> .....5 in. pot,	25	2 00	
Alaska .....California .....Westralia			
<i>Smilax</i> ( <i>Asparagus medeoloides</i> ).....clumps,	25		
<i>Strelitzia augusta</i> .....10x12 in. box, 4 to 5 ft.	3 00		
<i>S. reginae</i> .....10x12 in. box, 1½ to 2 ft.	2 50		
.....10x12 in. box, 1 to 1½ ft.	2 00		
<i>Streptosolen jamesoni</i> .....7 in. pot, 4 to 5 ft.	75		
<i>Swainsona galegifolia albiflora</i> .....5 in. pot, 3 to 4 ft.	35	3 00	
.....4 in. pot, 1 to 2 ft.	25	2 00	
<i>S. grayana</i> .....5 in. pot, 3 to 4 ft.	35	3 00	
<b>Tritoma (Kniphofia)</b>			
<i>K. aloides</i> ( <i>T. nvaria</i> ) .....clumps,	25		
<i>K. pfitzeri</i> .....clumps,	50	4 00	
<i>Tuberose</i> ( <i>Pollanthes tuberosa</i> ).....	10	75	
<b>Valerian (Centranthus)</b>			
<i>C. ruber</i> and <i>ruber albus</i> .....	25		
<i>Verbena hybrida</i> , assorted.....		75	5 00
<i>Vernonia arkansana</i> .....	50		
<b>Violet (Viola odorata)</b> ..			
California .....Marie Louise	20	1 50	10 00
Golden Gate .....Princesse de Gales			
Luxonne .....Swanley White			

## AQUATICS.

<b>Nelumbium (Egyptian Lotus)</b>			
<i>Nelumbo nucifera</i> .....	75		
<b>Nymphaea (Water Lily)</b>			
<i>N. flava</i> (yellow) .....	50		
<i>N. odorata</i> (white) .....	50		
<i>N. odorata rosea</i> (pink).....	75	6 00	
<b>Papyrus (Egyptian Paper Plant)</b>			
<i>Cyperus papyrus</i> .....6 in. pot.	50	4 00	
.....5 in. pot,	40	3 50	

# ROSES

This season we offer an unusually large list of the best American and European Novelties. We are continually testing new productions and offering those with decided merit.

Our soil and climate are ideal for growing rose plants. Those offered are two years old and have been grown entirely in the open ground. They have all bloomed the past season, and with any reasonable care can hardly fail to bloom again the first season after planting.

For more detailed descriptions of all except the "Latest Novelties" see the rose section of our Catalog No. 2, which will be sent on request to any customer.

## EUROPE'S GREATEST ROSE NOVELTIES

\$1.50 each.

**Lyon (H. T.).** The greatest and most beautiful rose of the century. Coral red or salmon pink; chrome yellow at center and sbrimp pink at the tips.

**Veilchenblau.** A new Rambler Rose sent out by the Germans, who call it "the fore-runner of a genuine cornflower-blue rose." It is hardy, very vigorous and blooms profusely.

## LATEST NOVELTIES

\$1.00 each.

**Dorothy Page Roberts (H. T.).** A lovely shade of coppery pink, suffused with apricot yellow, especially at the base of petals, which are very large, massive and of great substance.

**Elizabeth Barnes (H. T.).** Satiny salmon rose with fawn center suffused with yellow. Outside of petals deep rosy red, shaded with copper and yellow. A charming rose, possessed of delightful fragrance.

**George C. Waud (H. T.).** Orange vermillion. A shade of color heretofore unknown among roses. Large, full and perfectly formed, with pointed center.

**Grace Molyneux (H. T.).** A fascinating rose of rare beauty and faultless form. The color is apricot, tinted flesh in center; but when fully developed the outer petals are creamy white on the inside with a pink sheen on the reverse.

**Helen Good (T.).** A rose that has all the good points of the Cochet. The buds are of exquisite form; color is a delicate yellow, suffused with pink, with deeper edge.

**Hugh Dickson (H. P.).** A splendid rose; brilliant crimson shaded scarlet, petals large and smooth, slightly cupped and of fine form.

**John Cuff (H. T.).** Deep carmine pink with a most attractive and distinct yellow zone at the base of each petal; standing by itself on account of its novel and striking color.

**Lady Ursula (H. T.).** A delightful shade of flesh pink. Flowers, produced on every shoot, are very large, full, and of perfect form, with high center, from which the petals of great substance gracefully reflex.

**Miss Kate Moulton (H. T.).** A rose of entrancing beauty. The flower is superb; large, full and perfectly formed. The color is beautiful silvery pink.

**Molly Sharman Crawford (T.).** Purest white. Flowers profusely and continuously. The blooms are delightfully scented, large, full, and perfectly formed, with high pointed center.

**Mrs. Myles Kennedy (H. T.).** Delicate silvery white shaded buff, deeper pink in center, with back edge of petals slightly deeper shade of pink. A most beautiful, distinct and charming addition.

**My Maryland (H. T.).** A grand pink variety that has come to the front with great strides. A splendid bloomer and superb rose.

**Pink Cherokee.** A pink flowering form of the Single Cherokee rose. Possesses all the merits of the original.

**Rhea Reld (H. T.).** Rich, dark, velvety red; full, double flowers of good form, and as fragrant as La France. A rose of great excellence.

**White Killarney (H. T.).** A pure white sport from Killarney, identical with its parent except in color.

## NEW AND SCARCE VARIETIES

50c each.

**Avoca (H. T.).** Crimson scarlet.

**Betty (H. T.).** Coppery rose.

**Chas. J. Graham (H. T.).** Dazzling orange crimson.

**\*Climbing Belle Siebrecht (H. T.).** Bright rosy pink.

**Dean Hole (T.).** Intense salmon pink.

**Etoile de France (H. T.).** Rich red, shaded velvety crimson.

**Franz Deegen (H. T.).** Creamy yellow.

**Frau Karl Druschki (H. P.).** Snowy white.

**\*Galnesborough (H. T.).** Pale flesh.

**Hon. Ina Bingham (H. T.).** Purest pink.

**La Detroit (H. T.).** Shell pink.

**Lady Battersea (H. T.).** Cherry crimson.

**Lady Clanmorris (H. T.).** Deep peach.

**Lady Falre (H. T.).** Light carmine rose, shaded salmon.

**Lady Moyra Beauclerc (H. T.).** Flesh pink.

**Mad. Vermoral (T.).** Coppery yellow.

**Mildred Grant (H. T.).** Flesh pink.

**Mrs. Theodore Roosevelt (H. T.).** Creamy white, finished rose.

**Prince of Bulgaria (H. T.).** Rosy flesh.

**Rosalind Orr English (H. T.).** Bright scarlet pink.

**Yellow Maman Cochet (T.).** Light yellow, edged rose.

\*Varieties starred are climbers.



## GENERAL COLLECTION

35 cents each; \$3.00 per 10; \$25 per 100.

## TEA ROSES

Amazone. Deep yellow, faintly veined pink.  
 Anne Cook. Delicate pink.  
 Beaute Inconstante. Coppery red shaded  
 carmine and yellow.  
 Belle Lyonnaise. Light yellow.  
 Bon Silene. Salmon rose.  
 Bougere. Salmon pink, slightly shaded.  
 Bridesmaid. Clear bright pink.  
 Caroline Kuster. Pale yellow.  
 Catherine Mermet. Pink, shading to am-  
 ber in center.  
 Christine de Neve. Deep purplish red.  
 \*Climbing Bridesmaid. Pink.  
 \*Climbing Devoniensis. Cream with blush  
 center.  
 \*Climbing Marie Guillot. White.  
 \*Climbing Papa Gontier. Color identical  
 with Papa Gontier.  
 \*Climbing Perle des Jardins. Deep golden  
 yellow.  
 \*Climbing Souvenir de Wooton. Bright  
 crimson.  
 \*Climbing White Pet. White, flushed pink.  
 Comtesse de Frigneuse. Delicate canary  
 yellow.  
 Comtesse Riza du Parc. Coppery rose,  
 tinged carmine.  
 Coquette de Lyon. Light canary yellow.  
 Corbellia Cook. Creamy white.  
 Dr. Grill. Coppery yellow, tinged rose.  
 Duchesse de Brabant. Soft, silvery blush,  
 shaded rose.  
 Elise Sauvage. Almost white, with light  
 yellow center.  
 Frances Willard. Pure white.  
 \*Gloire de Dijon. Fawn, tinted salmon and  
 rose.  
 Homer. Rosy pink over white, shaded sal-  
 mon.  
 Improved Rainbow. Almost the same as  
 Rainbow.  
 Ivory. Pure white.  
 Jules Finger. Bright rosy scarlet, shaded  
 deep crimson.  
 La Sylphide. Blush with fawn center.  
 Letty Coles. Rosy pink, shaded crimson.  
 Mad. Chedane Guinoisseau. Clear canary  
 yellow.  
 Mad. Cusin. Violet-rose, slightly tinged  
 pale yellow.  
 Mad. Falcot. Nankeen.  
 Mad. Hoste. Fine canary yellow.  
 Mad. Jenny Gillemot. Deep saffron yellow.

Mad. Joseph Schwartz. White, shaded  
 blush and pale yellow.  
 Mad. Maurice Kuppenheim. Pale yellow,  
 faintly tinged pink.  
 Mad. Scipion Cochet. Creamy rose with  
 deeper center.  
 Mad. de Vatry. Deep rose.  
 Mad. de Watteville. Salmon white, flushed  
 and bordered rose.  
 Mad. Welche. Pale yellow with deep or-  
 ange center.  
 Marie Lambert. Pale flesh.  
 Marie Van Houtte. Creamy yellow, tinted  
 rose on the outer petals.  
 Marquise de Vivens. Pale rose, deepening  
 to yellow at base of petals.  
 Morning Glow. Beautiful shell pink, shad-  
 ing to rose toward center.  
 Mrs. Benjamin R. Cant. Carmine rose with  
 salmon center.  
 Mrs. J. Pierpont Morgan. Intensely bright  
 cerise.  
 Niphetos. Almost pure white.  
 Papa Gontier. Rosy crimson with carmine  
 center.  
 Papa Relter. Cream, tinted pink.  
 Perle des Jardins. Deep golden yellow.  
 \*Pillar of Gold. Coppery yellow, flushed  
 rose.  
 Pink Maman Cochet. Deep rose pink out-  
 side, but very light within.  
 Princess de Sagan. Amaranth red, shaded  
 crimson.  
 Princess Stephanie. Salmon-yellow.  
 Princess of Wales. Coppery yellow, over-  
 laid with rosy pink.  
 Rainbow. Pink splashed with carmine.  
 Red Maman Cochet. Creamy center; outer  
 petals cherry red.  
 Safrano. Saffron in bud, changing to pale  
 yellow.  
 Shirley Hibbard. Nankeen yellow.  
 Souvenir d'un Ami. Pale rose.  
 Souvenir de Lady Ashburton. Rich cop-  
 pery red.  
 Sunset. Golden amber.  
 The Bride. White.  
 Triomphe du Luxembourg. Flesh pink,  
 tinged buff.  
 True Friend. Golden yellow.  
 White Bon Silene. Creamy white.  
 White Maman Cochet. Nearly white.

## HYBRID TEA ROSES

Aurora. Salmon pink in center, paler to-  
 ward the outside.  
 Balduin (Helen Gould). Rosy crimson.  
 Belle Siebrecht. Bright rosy pink.  
 Bessie Brown. Faint flesh pink.  
 Chesbunt Hybrid. Red, shaded violet.  
 \*Climbing Kaiserin (Mrs. Robert Peary).  
 Pure white.  
 \*Climbing Testout. Clear pink.  
 Duchess of Edinburgh. Bright, rosy  
 crimson.  
 Frau Peter Lambert. Rosy pink.  
 General MacArthur. Fiery red.  
 Gruss an Teplitz (Crimson Hermosa). Rich  
 scarlet, overlaid with crimson.  
 Hector Leuillot. Light yellow.  
 Kaiserin Augusta Victoria. Very nearly  
 pure white.  
 Killarney. Flesh, suffused pink.  
 La France. Pink, tinted silvery blush.  
 Lady Mary Fitzwilliam. Delicate flesh.  
 Liberty. Crimson scarlet.

\*Varieties starred are climbers.

Mad. Abel Chatenay. Rosy crimson, tinged  
 salmon.  
 Mad. Caroline Testout. Clear, bright pink.  
 \*Mad. Driout (Striped Reine Marie Hen-  
 riette).  
 \*Mad. Wagram. Pink. Called Climbing  
 Paul Neyron.  
 Mrs. Robert Garrett. Shell pink with  
 deeper center.  
 Perle von Godesburg. White tinted creamy  
 yellow.  
 Red Chatenay. Red.  
 \*Reine Marie Henriette. Cherry red.  
 \*Reine Olga de Wurtemberg. Dazzling  
 red.  
 Souvenir du President Carnot. Rosy flesh.  
 Souvenir de Wooton. Bright crimson.  
 Viscountess Folkstone. Creamy pink, shad-  
 ing to a salmon center.  
 William Francis Bennett. Brilliant crim-  
 son, changing to purple.



## NOISETTE ROSES

- \**Celine Forestier*. Pale yellow with deeper center.
- \**Cloth of Gold*. Deep yellow center, tinted sulphur toward edges.
- \**Gold of Ophir* (Ophir). Reddish copper, tinted fawn and salmon.
- \**Lamarque*. White.

- \**L'Idéal*. Yellow and rose, shaded copper.
- \**Mad. Alfred Carriere*. Creamy white.
- \**Marechal Niel*. Deep golden yellow.
- \**Reve d'Or*. Light yellow, shaded buff.
- \**White Marechal Niel*. Creamy yellow.
- \**William Allen Richardson*. Orange yellow.

## HYBRID PERPETUAL ROSES

- American Beauty*. Very deep rose.
- Anna de Diesbach*. Carmine.
- Antoine Mouton*. Deep rose, tinged lilac.
- Baron de Bonstetten*. Very dark red, almost black.
- Baron Nathaniel de Rothschild*. Bright carmine with pink center.
- Baroness Rothschild*. Pale rose, tinted white.
- Black Prince*. Dark crimson, nearly black.
- California*. Rosy pink.
- Captain Christy*. Delicate flesh pink.
- \**Climbing Captain Christy*. Delicate flesh pink.
- Earl of Dufferin*. Velvety crimson.
- Empereur du Maroc*. Very dark velvety maroon.
- Fisher Holmes*. Scarlet, shaded crimson.
- Francis B. Hayes*. Cherry red.
- Franeois Levet*. Cherry red.
- General Jacqueminot*. Brilliant red.
- General Washington*. Red shaded crimson.
- Giant of Battles*. Deep fiery crimson.
- Gloire Lyonnaise*. Creamy white.
- \**Gloire de Margottin*. Dazzling red.

- Glory of Waltham*. Brilliant crimson.
- Jean Liabaud*. Rosy red, shaded crimson.
- John Hopper*. Rosy pink.
- Jubilee*. Red, shaded almost black.
- Lady Helen Stewart*. Scarlet crimson.
- Mad. E. Levavasseur*. Light red.
- Mad. Gabriel Luizet*. Coral pink.
- Magna Charta*. Rosy red.
- Mark Twain*. Rosy red.
- Merveille de Lyon*. White, flushed rose.
- Mrs. John Lalng*. Shell pink.
- Mrs. John McLaren*. Silvery pink.
- Mrs. R. G. Sharman-Crawford*. Deep rosy pink, tinted pale flesh.
- Paul Neyron*. Dark rose.
- Queen of Edgely* (Pink American Beauty). Pink.
- Robert Duncan*. Bright crimson.
- Roger Lambelin*. Deep crimson, edged white.
- Silver Queen*. Flesh, shaded pink.
- Ulrich Brunner*. Cherry red.
- Vick's Caprice*. Pink, striped carmine.
- Xavier Olibo*. Deepest crimson, nearly black.

## POLYANTHA ROSES

- Baby Rambler*. Crimson.
- \**Carmine Pillar*.
- \**Climbing Mlle. Cecile Brunner*. Salmon pink.
- Clothilde Soupert*. Creamy white with pink center.
- \**Crimson Rambler*.
- Gloire des Polyanthas*. Rosy pink.
- \**Golden Rambler*. Light yellow.
- Mlle. Cecile Brunner*. Salmon pink.

- Perle d'Or*. Golden yellow.
- \**Philadelphia Rambler*. Light crimson.
- Philippine Lambert*. Light pink.
- Pink Soupert*.
- \**Polyantha Grandiflora*. White with yellow stamens. Single.
- \**Psyche*. Bright rose, tinted salmon.
- Schneekopf*. Yellow, turning white.
- \**White Rambler*.
- \**Yellow Rambler*.

## MISCELLANEOUS ROSES.

Instead of further dividing varieties into several small groups, we have arranged them alphabetically under this head and show to which class they belong by means of the following abbreviations:

- Aust. (Austrian).
- Ayr. (Ayrshire).
- B. C. (Bengal or China).
- Bour. (Bourbon).
- H. S. B. (Hybrid Sweet Briar).
- Pra. (Prairie).
- Prov. (Provence).
- Wich. (Wichuraiana).
- Agrippina* (B. C.). Rich crimson.
- \**Amy Robsart* (H. S. B.). Deep rose.
- \**Anne of Geierstein* (H. S. B.). Dark crimson.
- Austrian Copper* (Aust.). Single. Copper and red.
- \**Baltimore Belle* (Pra.). Pale blush.
- \**Banksia Double White*.
- \**Banksia Double Yellow*.
- \**Banksia Single White*.
- Bardou Job* (Bour.). Velvety scarlet, shaded black.
- Belle des Jardins* (Prov.). Purplish red and white.
- Burbank* (Bour.). Flesh pink, veined carmine.
- Captain John Ingram* (Moss). Dark velvety purple.
- Chedane Guinoisseau* (Rugosa). Light purple. Single.
- \**Cherokee Double*. White.
- \**Cherokee Single*. White.
- Common Provence* (Prov.). Pink.

\*Varieties starred are climbers.

- \**Dorothy Perkins* (Wich.). Shell pink.
- \**Dundee Rambler* (Ayr). White, tinged rose.
- Elizabeth Rowe*.
- Empress of China* (B. C.). Light pink.
- Etna* (Moss). Crimson, shaded purple.
- \**Flora Melvor* (H. S. B.). White, tinted rose.
- \**Fortune's White*.
- \**Fortune's Yellow* (Beauty of Glazenwood, San Rafael, etc.). Creamy yellow, shaded orange and rose.
- \**Gardenia* (Wich.). Cream in bud, white when opened.
- Gloire des Rosomanes* (Ragged Robin) (Bour.). Bright red.
- Harrisoni*. Golden yellow.
- Hermosa*. Rose pink.
- Irish Pride*. Red with coppery center. Single.
- Irish Star*. Rosy red. Single.
- \**James Sprunt* (B. C.). Crimson.
- \**Lady Penzance* (H. S. B.). Copper, tinted yellow.
- Lanei* (Moss). Rosy purple.
- Luxembourg* (Moss). Bright crimson scarlet.
- \**Manda's Triumph* (Wich.). White.
- Morgenrot*. Single. Bright cherry red, white at center.
- Mousseline* (Moss). White, shaded rose.
- Mrs. Bosanquet* (Bour). Pale flesh.
- New Century* (Rugosa). Purple; single.
- Persian Yellow* (Aust.). Bright yellow.
- Prolific or Perpetual White Moss*.

\*Queen of the Prairies (Pra.). Bright pink.  
 Ragged Robin. See Gloire des Rosomanes.  
 Red Bourbon (Bour.). Rich dark crimson.  
 Red Hermosa (Bour.). Rosy red.  
 Rugosa Alba. Single white.  
 Rugosa Alba Plena. White; semi-double.  
 Rugosa Rubra. Rosy purple; single.  
 Santa Rosa (Bour.). Shell pink.  
 \*Seven Sisters (Multiflora). Blush varying to white.  
 Soleil d'Or. Golden yellow. Shaded nasturtium red.

\*South Orange Perfection (Wich.). Blush pink changing to white.  
 Souvenir de la Malmaison (Bour.). Flesh tinted fawn.  
 Sweet Briar. Pink.  
 \*Tricolor des Flanders (Prov.). White, striped red and purple.  
 \*Universal Favorite (Wich.). Rose pink.  
 \*Wichuraiana. White.  
 \*Williams' Evergreen. Reddish pink.  
 Zantina (Aust.). Canary yellow. Single.

#### TREE OR STANDARD ROSES.

Each, \$1.50; per 10, \$12.50; per 100, \$100.

Anna de Diesbach.  
 Anna Olivier.  
 Bon Silene.  
 Bridesmaid.  
 Catherine Mermet.  
 Cheshunt Hybrid.  
 Climbing Kaiserin.  
 Climbing Niphetos.  
 Climbing Testout.  
 Comtesse Riza du Parc.  
 Cornelia Cook.  
 Duchesse de Brabant.  
 Empereur du Maroc.  
 Frau Karl Druschki.  
 Gloire de Dijon.  
 Gloire de Margottin.  
 Gold of Ophir.  
 Grace Darling.  
 Gruss an Teplitz (Crimson Hermosa).  
 Homer.  
 Improved Rainbow.  
 James Sprunt.  
 Jubilee.  
 Kaiserin Augusta Victoria.  
 Liberty.  
 L'Ideal.

Mad. Caroline Testout.  
 Mad. Ched. Guinoisseau.  
 Mad. Lambard.  
 Mad. M. Kuppenheim.  
 Mad. de Watteville.  
 Mad. Welche.  
 Magna Charta.  
 Marechal Niel.  
 Marie Van Houtte.  
 Mrs. John Laing.  
 Niphetos.  
 Papa Gontier.  
 Paul Neyron.  
 Perle des Jardins.  
 Rainbow.  
 Red Maman Cochet.  
 Reine Marie-Henriette.  
 Reve d'Or.  
 Roger Lambelin.  
 Safrano.  
 Souv. de la Malmaison.  
 Souv. de Wooton.  
 Sunset.  
 The Bride.  
 Triomphe du Luxembourg.  
 Ulrich Brunner.  
 Wm. A. Richardson.

\*Varieties starred are climbers.



# INDEX

## FRUIT DEPARTMENT

	Page		Page		Page
Almond	6	Guava	8	Pear	3
Apple	3	Hops	10	Pecan	7
Apricot	5	Horse Radish	10	Persimmon	8
Artichoke	10	Jujube	9	Phenomenal Berry	10
Asparagus	10	Lavender	10	Pistachio Nut	7
Blackberry	9	Lemon	8	Plum	4
Butternut	6	Lime	8	Pomegranate	8
Cherry	4	Liquorice	10	Pomelo	8
Chestnut	6	Loganberry	10	Prune	4
Crab Apple	3	Loquat	8	Quince	6
Currant	9	Medlar	8	Raspberry	10
Dewberry	10	Mulberry	8	Rhubarb	10
Fig	6	Nectarine	5	Rue	10
Filbert	7	Olive	9	Sage	10
Gooseberry	9	Opuntia	10	Strawberry	10
Grape	9	Orange	8	Walnut	7
Grape Fruit—See Pomelo	8	Peach	5		

## ORNAMENTAL DEPARTMENT

Abelia	17	Blue Palm	39	Cephalotaxus	16
Abies	15	Books	53	Ceratonia	19
Abutilon	42	Boston Ivy	36	Ceratostigma	46
Acacia	17	Bottle Brush	19	Cercidiphyllum	34
Acer	30-33	Bottle Tree	18	Cercis	29
Achania	42	Bouvardia	33	Cestrum	19-22
Achillea	42	Bougainvillea	37	Chamaecerasus	34
Adiantum	42	Box	18	Chamaecyparis	13-14-16
Aesculus	28-29	Box Elder	30	Chamaerops	39
Agapanthus	42	Brachychiton	18	Chaste Tree—See Vitex	27
Agave	41	Brahea	39	Cherry	19-28
Akebia	36	Breath of Heaven	20	Chestnut	28
Albizzia	27	Broad-leaved Evergreens	17	Chile Jasmine—See Man-	
Almond	27-33	Broom	18	devilla	38
Aloe	43	Broussonetia	31	Choisya	19
Althea	33	Brugmansia	43	Chorizema	37
Amaryllis	43	Buckeye	28	Christmas Berry	20
Ampelopsis	36	Buddleia	18	Christ's Thorn	35
Anemone	43	Burning Bush—See Cra-		Chrysanthemum	44-45
Anthurium	43	taegus	20	Cinnamomum	29
Apple	27	Buttonwood	32	Cistus	20-34
Apricot	27	Buxus	18	Citrus	26
Aquatic Plants	46	Caesalpinia	36	Cladrastis	32
Aralia	17-28-33	Calceolaria	43	Clematis	37-44
Araucaria	11	California Big Tree	14	Clethra	20
Arbor Vitae	11	California Evergreen		Clianthus	37
Arbutus	17-24	Cherry	19	Climbing Plants	36
Aristolochia	37	California Fan Palm	40	Climbing Snowball—See	
Armeria	43	California Laurel	24	Decumaria	37
Arum	43	California Nutmeg	12	Clivia	45
Arundinaria	38	California Tree Poppy	46	Cocos	39
Arundo	43	California Wild Coffee	18	Colutea	34
Ash	27-33	California Wild Holly—		Conifers	11
Asparagus	43-46	See Christmas Berry	20	Convallaria	45
Aspidistra	43	California Wild Lilac	19	Coprosma	20
Aucuba	17	Calla	43	Coral Plant	44
Australian Blue Bell—See		Callistemon	19	Corchorus	34
Sollya	38	Calycanthus	34	Cordylone	41
Australian Tea Tree	24	Camellia	19	Coreopsis	44
Azalea	17-33	Camphor	19	Cornus	20-34
Azara	18	Canna	43	Coronilla	20-44
Baby Moss	46	Cape Jasmine	22	Cortaderia	45
Balsam Fir	15	Carex	43	Corylus—See Filbert	7
Bamboo	38	Carnation	43	Corynocarpus	20
Bambusa	38	Carob	19	Corypha	39
Banana	43	Carpinus	29	Cotoneaster	20
Banksia	18	Carya—See Hickory	29	Cotyledon	44
Barberry	18-33	Caryopteris—See Spirea	36	Crab—See Apple	27
Basswood—See Linden	29	Casara—See California		Crape Myrtle	34
Bay Tree	23	Wild Coffee	18	Crataegus	20-32
Beech	27-33	Cassia	19	Crinum	44
Beefwood	19	Cassinia	19	Cross Vine	37
Begonia	43	Castanea	28	Cryptomeria	13
Belladonna Lily—See		Casuarina	19	Cunninghamia	13
Amaryllis	43	Catalogs	53	Cupressus	13
Bellis	44	Catalpa	28	Curran	34
Berberis	18-24-33	Ceanothus	19	Cydonia	36
Betula	27-33	Cedar	12	Cyperus	46
Bignonia	37	Cedrela	28	Cypress	13
Birch	27-33	Cedrus	12	Cytisus	18-34
Bird of Paradise Flower—		Celtis	28	Iahlia	14
See Strelitzia reginae	46	Centranthus	46	Daisy	44
Blackthorn—See Plum	35	Century Plant—See		Daphne	20
Blceding Heart	44	Agave	41	Daphniphyllum	20



# ORNAMENTAL DEPARTMENT—Continued.

	Page		Page		Page
Darwinia . . . . .	29	Hickory . . . . .	29	Maple . . . . .	30-33
Dasyllirion . . . . .	41	Hicoria . . . . .	29	Maple, Japanese . . . . .	35
Date Palm—See Phoenix. . . . .	40	Hippeastrum . . . . .	43	Marguerite . . . . .	45
Datura . . . . .	43	Holly . . . . .	23	Matilija Poppy . . . . .	46
Deciduous Ornamental Trees . . . . .	27	Honey Locust . . . . .	29	Matrimony Vine—See Lycium . . . . .	37
Deciduous Shrubs . . . . .	33	Honeysuckle . . . . .	34-37	Maytenus . . . . .	25
Deciduous Weeping Trees . . . . .	33	Hop Vine . . . . .	37	Melaleuca . . . . .	25
Decumaria . . . . .	37	Hornbeam . . . . .	29	Melia . . . . .	32
Deeringea . . . . .	20	Horse Chestnut . . . . .	29	Melanthus . . . . .	45
Deodar—See Cedrus Deodara . . . . .	12	Howea . . . . .	40	Metrosideros—See Callistemon . . . . .	19
Desmodium . . . . .	44	Humulus . . . . .	37	Mexican Orange—See Choisya . . . . .	19
Deutzia . . . . .	34	Hunnemannia . . . . .	45	Mimosa Tree—See Albizia . . . . .	27
Dianthus . . . . .	43	Hydrangea . . . . .	35	Miscanthus . . . . .	44
Dicentra . . . . .	44	Hymenoporum . . . . .	23	Miscellaneous Plants . . . . .	42
Dielytra . . . . .	44	Hypericum . . . . .	23	Mock Orange . . . . .	35
Diervilla . . . . .	36	Ilex . . . . .	23	Monkey Puzzle . . . . .	11
Dimorphanthus . . . . .	28	Imantophyllum . . . . .	45	Moss—See Selaginella . . . . .	42
Diosma . . . . .	20	Incense Cedar—See Libocedrus . . . . .	14	and Sagina . . . . .	46
Dodonaea . . . . .	21	India Rubber Plant . . . . .	22	Mountain Ash . . . . .	30-33
Dogwood . . . . .	20-34	Indian Currant—See Symphoricarpus Vulgaris . . . . .	36	Muehlenbeckia . . . . .	38
Dracaena . . . . .	41	Iochoroma . . . . .	23	Mulberry . . . . .	31
Duranta . . . . .	21	Ipomea . . . . .	37	Musa . . . . .	43
Echeveria . . . . .	44	Iris . . . . .	45	Myoporum . . . . .	25
Egyptian Lotus . . . . .	46	Ivy . . . . .	37	Myrtle . . . . .	25
Egyptian Paper Plant . . . . .	46	Jacaranda . . . . .	23	Myrtle, Wild—See Ceanothus . . . . .	19
Elaeagnus . . . . .	21	Jacobinia . . . . .	45	Myrtus . . . . .	22-25
Elder . . . . .	34	Japanese Elm . . . . .	32	Nandina . . . . .	25
Elm . . . . .	28-33	Japonica—See Camellia . . . . .	19	Nelumbium . . . . .	46
Erica . . . . .	22	Jasmine . . . . .	35-37	Nelumbo . . . . .	46
Erythraea . . . . .	39	Jasminum . . . . .	35-37	Nephrolepis . . . . .	42
Erythrina . . . . .	44	Jerusalem Sage . . . . .	35	Nerium . . . . .	25
Escallonia . . . . .	21	Jerusalem Thorn . . . . .	26	New Zealand Flax . . . . .	46
Eucalyptus . . . . .	21	Jessamine . . . . .	37	Nettle Tree—See Celtis . . . . .	28
Eugenia . . . . .	22	Jubaea . . . . .	40	Nolina . . . . .	41
Eulalia . . . . .	44	Judas Tree . . . . .	29	Nootka Sound Cypress—See Chamaecyparis . . . . .	16
Euonymus . . . . .	22-34	Juglans . . . . .	32-33	Norfolk Island Pine—See Araucaria Excelsa . . . . .	11
Exochorda . . . . .	34	Juniper . . . . .	14	Nutmeg, California . . . . .	12
Fabiana . . . . .	22	Juniperus . . . . .	14	Nymphaea . . . . .	46
Fagus . . . . .	27-33	Justicia . . . . .	45	Oak . . . . .	25-31
Fatsia . . . . .	17	Kaffir Plum . . . . .	22	Olea . . . . .	25
Felicia . . . . .	45	Kennedya . . . . .	37	Oleander . . . . .	25
Ferns and Mosses . . . . .	42	(Also see Hardenbergia) . . . . .	37	Orange . . . . .	26
Festuca . . . . .	44	Kentia . . . . .	40	Oregon Grape . . . . .	24
Ficus . . . . .	22-37	Kentucky Coffee Tree . . . . .	29	Oreodaphne—See Umbellularia . . . . .	24
Fig, Climbing—See Ficus . . . . .	37	Kerria . . . . .	34	Osmanthus . . . . .	25-26
Filbert . . . . .	7	Kniphofia . . . . .	46	Ostrya . . . . .	31
Fir—See Spruce (Abies) . . . . .	15	Kunzea . . . . .	23	Paeonia . . . . .	36-45
Flame Tree . . . . .	18	Laburnum . . . . .	29-33	Pagoda Tree . . . . .	32
Forsythia . . . . .	34	Lace Fern . . . . .	42	Paliurus . . . . .	35
Fraxinus . . . . .	27-33	Lacquer Tree—See Rhus . . . . .	31	Palmetto—See Sabal . . . . .	40
Fringe Tree . . . . .	34	Lady Washington Geranium—See Pelargonium . . . . .	45	Palms . . . . .	39
Fuchsia . . . . .	34-44	Lagerstroemia . . . . .	34	Pampas Grass . . . . .	45
Gaillardia . . . . .	44	Larch . . . . .	29	Pandanus . . . . .	45
Gardenia . . . . .	22	Larix . . . . .	29	Pansy . . . . .	45
Garrya . . . . .	22	Laurel . . . . .	23	Papyrus . . . . .	46
Gazania . . . . .	44	Laurus . . . . .	23	Parasol Tree—See Sterculia . . . . .	32
Genista—See Broom . . . . .	18	Laurustinus . . . . .	24	Parkinsonia . . . . .	26
Geranium . . . . .	44	Lavender . . . . .	45	Parrot's Bill . . . . .	37
Gerbera . . . . .	44	Lemon Verbena . . . . .	35	Passiflora . . . . .	38
Ginkgo . . . . .	30	Leonotis . . . . .	45	Passion Vine . . . . .	38
Gleditsia . . . . .	29	Leptospermum . . . . .	24	Pavonia . . . . .	26
Gold Dust Plant—See Aucuba Japonica . . . . .	17	Lespedeza . . . . .	44	Peach . . . . .	31
Golden Bells . . . . .	34	Leycestria . . . . .	35	Pearl Bush . . . . .	34
Golden Chain . . . . .	29	Libocedrus . . . . .	14	Pelargonium . . . . .	45
Golden Glow . . . . .	44	Ligustrum . . . . .	24-35	Peony . . . . .	36-45
Golden Rod . . . . .	44	Lilac . . . . .	35	Pepper . . . . .	26
Grevillea . . . . .	22	Lily of the Valley . . . . .	45	Pereskia . . . . .	45
Guadalupe Island Palm—See Erythraea Edulis . . . . .	39	Linden . . . . .	29	Pcriplocia . . . . .	38
Gum: Blue, Red, etc.—See Eucalyptus . . . . .	21	Lion's Tail . . . . .	45	Petunia . . . . .	45
Gymnocladus . . . . .	29	Lippia . . . . .	35-45	Phellodendron . . . . .	31
Habrothamnus . . . . .	22	Liquidambar . . . . .	29	Philadelphus . . . . .	35
Hakea . . . . .	22	Liriodendron . . . . .	32	Phillyrea . . . . .	26
Hardenbergia . . . . .	37	Litsea . . . . .	24	Phlomis . . . . .	35
Harpephyllum . . . . .	22	Livistona . . . . .	39	Phlox . . . . .	45
Hawthorn—See Thorn . . . . .	32	Locust . . . . .	30	Phoenix . . . . .	40
Heath or Heather . . . . .	22	Lonicera . . . . .	34-37	Phormium . . . . .	45
Hedera . . . . .	37	Lotus . . . . .	45-46	Photinia . . . . .	20-26
Hedge Plants . . . . .	27	Lycium . . . . .	35-37	Phyllostachys . . . . .	38
Helianthus . . . . .	44	Lyonothamnus . . . . .	24	Picea . . . . .	16
Heliotrope . . . . .	45	Madrone . . . . .	24	Pimblea . . . . .	26
Hemerocallis . . . . .	45	Magnolia . . . . .	24-30-35	Pine . . . . .	14
Hercules' Club—See Aralia Spinosa . . . . .	33	Mahonia . . . . .	24	Pinus . . . . .	14
Heteromeles—See Christmas Berry . . . . .	20	Maiden Hair Fern . . . . .	42	Pithecoctenium . . . . .	37
Hibiscus . . . . .	33-34-45	Maiden Hair Tree . . . . .	30		
		Maiden Hair Vine—See Muehlenbeckia . . . . .	38		
		Malvaviscus . . . . .	42		
		Mandevilla . . . . .	38		

## ORNAMENTAL DEPARTMENT—Continued.

	Page		Page		Page
Pittosporum	26	Salvia	46	Tamarix	36
Plane	32	Sambucus	34	Tasmanian Ivy—See	
Platanus	32	Sansevieria	46	Muehlenbeckia	38
Platycodon	46	Santolina	46	Taxus	16
Plum	31-35	Saxifraga	46	Tecoma	38
Plumbago	38-46	Schinus	26	Templetonia	26
Podocarpus	14	Sea Pink	43	Toxas Umbrella	32
Poinciana	36	Sedum	46	Thorn	32-33
Poker Plant—See Tri-		Selaginella	42	Thuya	11-14
toma	46	Sequoia	14	Thuyopsis	16
Polianthes	46	Service Tree	32	Tilia	29
Polygala	26	Shasta Daisy	46	Torreya	12
Pomaderris	26	She Oak	19	Toyon—See Christmas	
Pomegranate	36	Shrubs, Deciduous	33	Berry	20
Poplar	31-33	Silk Oak	22	Trachelospermum	38
Poppy	46	Silk Vine	38	Trachycarpus	39
Populus	31-33	Sloe—See Plum	35	Transvaal Daisy	44
Potato Vine	38	Smilax	46	Tree Peony	36
Pritchardia—See Wash-		Smoke Tree	34	Tree Roses	50
ingtonia	40	Snowball	36	Tristania	26
Privet	24	Snowberry	36	Tritoma	46
Prunus	19-23-27-28-31-35	Solanum	38	Trumpet Vine	38
Pseudotsuga	16	Solidago	44	Tuberose	46
Pteris	42	Sollya	38	Tulip Tree	32
Punica	36	Sophora	32	Tumion—See Calif. Nut-	
Purple Fringe	34	Sorbus	30-32-33-36	meg	12
Pyracantha	20	Spanish Bayonet—See		Turk's Cap	42
Pyrus	27-36	Yucca	41	Ulmus	28-33
Quercus	25-31	Spartium	18	Umbellularia	24
Quince	36	Spindle Tree	34	Umbrella Tree	32
Raphiolepis	26	Spirea	36	Valerian	46
Red Bud	29	Sprekelia	43	Verbena	46
Redwood	15	Spruce	16	Vernonia	46
Retinispora	14	Standard Roses	50	Veronica	26
Rhamnus	18-26	Staphylea	36	Viburnum	24-27-36
Rhododendron	26	Star Jasmine	38	Viola	45-46
Rhodotypos	36	Stenocarpus	26	Violet	46
Rhus	31-34-36	Sterculia	18-32	Virgilia	32
Rhynchospermum	38	Stone Crop	46	Virginia Creeper	36
Ribes	34	Strawberry Tree—See Ar-		Vitex	27
Richardia	43	butus	17	Walnut	32-33
Robinia	30	Strelitzia	46	Washingtonia	40
Rock Rose	34	Streptosolen	46	Water Lily	46
Romneya	46	Sumach	36	Water Plants—See Aqua-	
Rose	47	Sunflower—See Helian-		tics	46
Rose Acacia	30	thus	44	Weeping Trees	33
Rosemarinus	26	Sutherlandia	26	Weigela	36
Rosemary	26	Swainsonia	46	Willow	32-33
Rose of Sharon	33	Sweet Olive—See Olea	25	Wistaria	38
Rowan—See Mountain		Sweet-scented Shrub—		Xanthoceras	36
Ash	30	See Calycanthus Flori-		Yellow Heliotropo—See	
Rubber Plant	22	dus	34	Streptosolen	46
Rudbeckia	44	Sword Fern	42	Yellow Horn	36
Ruscus	26	Sycamore	32	Yellow Wood—See Vir-	
Sabal	40	Symphoricarpos	36	gilia	32
Sagina	46	Syringa (Lilac)	35	Yew	16
Salisburia—See Maiden		Syringa (Mock Orange)	35	Yucca	41
Hair Tree	30	Tacsonia	38	Zelkova	32
Salix	32-33	Tamarisk	36		

## CATALOGS

The following catalogs are published, some annually, others at intervals as becomes necessary, and are mailed free to customers as soon as issued and to all other applicants on receipt of amount in stamps named below:

- No. 1. Descriptive Catalog of Fruit Trees, Small Fruits, Figs, Olives, etc., 5 cents.
- No. 2. Descriptive Catalog of Deciduous and Evergreen Ornamental Trees, Palms, Shrubs, Roses, Climbing Plants, etc. Price, 25 cents.
- No. 3. Catalog and Price List. Free.
- No. 4. Catalog of Phyloxera Resisting American Grapes, Free.

## BOOKS

California Fruits and How to Grow Them, by Prof. E. J. Wickson	\$3 00
Grape Culture and Wine Making, by George Husmann	2 00
Roses and How to Grow Them, by Many Experts	1 25
How to Lay Out Suburban Home Grounds, by Herbert J. Kelloway, Landscape Architect	2 00
Soils: How to Handle and Improve Them, by S. W. Fletcher	2 25
Farm Animals: Cow, Horse, Sheep, Swine, by E. N. Wilcox	2 25

For the convenience of our customers we have arranged to furnish these valuable books at publishers' prices, as quoted above.

**California Nursery Company,**

W. V. EBERLY, Manager.

# FOR DECORATIONS

## BAMBOO SHOOTS

	Per 12	Per 100
10 to 12 ft. long.....	\$2 00	\$15 00
8 to 10 ft. long.....	1 75	12 50
6 to 8 ft. long.....	1 25	8 00
4 to 5 ft. long.....	1 00	6 00

## PALM LEAVES

### Fan Palm Leaves—

5 to 6 ft. long.....	\$1 50	\$12 50
4 to 5 ft. long.....	1 25	10 00
3 to 4 ft. long.....	1 00	8 00

### Chamaerops Leaves—

3 to 4 ft. long.....	\$ 75	\$ 6 00
----------------------	-------	---------

### Chamaerops Humilis Leaves—

1½ to 2 ft. long.....	\$ 75	\$ 5 00
-----------------------	-------	---------

### Date Palm Leaves (Phoenix canariensis)—

10 to 12 ft. long.....	\$3 00	\$20 00
8 to 10 ft. long.....	2 50	18 00
6 to 8 ft. long.....	2 00	12 50



*For Sale----*

---

---

*Berkshire Pigs*

*Both Sexes*

===== BY =====  
*Oxford Masterpiece*

WE HAVE THE

*Most*

*Complete*

*Nursery*

*in the*

*World*

*and the largest stock on the*

*Coast*

PRESS OF THE HICKS-JUDD CO., S. F.



